

P01 Start

ENTRY / CHOOSE A PATH

DESKTOP / 1440 px reference



PHONE / 390 px first viewport



Reading order. Start with a clear primary action, then import, join and market. All four choices stay visible on phone without a menu.

Navigation. B and C lead to P03 after load; D leads to P05 with the code prefilled; E leads to P02.

What this draft means. Blocks mark hierarchy and content placement only; Figma chooses color, type and illustration.

Purpose

Let a new player choose demo, local pack, an existing room or pack discovery within seconds. No account or sign-in path.

A / Hero

Brand, independent-project attribution, one-line Dub Mode explanation and a clear promise: record one line at a time, then watch or export. Avoid making this a long landing page.

B–C / Import

Try demo uses a bundled synthetic pack. Import accepts legacy Dub ZIP or folder; drag-and-drop may supplement a visible file picker. Show reading, validation, invalid pack and missing-video states. Solo files remain local.

D / Join

Input is six uppercase characters. Inline error for invalid or unavailable code; never clear typed code on error. Stage name and spectator choice live on P05.

E / Market

Opens source-linked listings; the market is part of beta, not a coming-soon teaser.


Phone and states

Deliver 1440/390 frames and a 320 px check. Keep actions above promotional copy. Draw default, import busy, import error and invalid-code states.


P02 Pack market

DISCOVER / LINK TO SOURCE

DESKTOP / 1440 px reference



PHONE / 390 px first viewport



Source model. A listing opens its original GameBanana page. The player downloads there, returns here and imports the ZIP. Never draw an in-app Download button unless a specific mirror is licensed.

Card density. Desktop may use a grid; phone uses full-width cards. Source attribution and the action are visible without opening detail.

Purpose

Help players find a pack while showing where it came from. No paid checkout, submissions or content category filter.

A–B / Browse

Starter picks and latest GameBanana listings. If search or tabs are drawn, they must work with loaded data. Mature/category labels may appear when provided; they do not hide items.

C / Pack card

Artwork or neutral fallback, title, creator, original source badge/link and any supplied category label. Long titles wrap; creator stays readable. The source action opens a new tab.

D / Pagination

Previous/next and page feedback. Keep an obvious Import ZIP path for a pack downloaded elsewhere.

States

Loading skeleton, populated, no results, listing API error, missing image, long title, slow source page. Error includes retry and import path.


Acceptance

Every GameBanana card names or links its original page. The interface must not suggest Webby Voicer owns or mirrors all packs.


P03 Pack ready

VERIFY / CHOOSE SOLO OR ROOM

DESKTOP / 1440 px reference



PHONE / 390 px first viewport



Compatibility gate. Both next actions remain disabled until the scene is playable. Conversion happens on the player's device where required; describe progress and failure without promising an exact duration.

Missing assets. Use text and a neutral icon if pack artwork or subtitle is absent. Existing Dub packs may have an OGV video, backing track and per-line images.

Purpose

Confirm what was imported and make the solo/room choice explicit. This is the compatibility checkpoint.

A / Preview

Contained 16:9 reference video with poster fallback, accessible play control, caption treatment and media error. Do not stretch source video.

B–C / Metadata

Title, creator, optional subtitle/icon, role names, line count and duration. Use the real sample: 1:15, 22 lines, two roles and long captions.

D / Processing

States: validating, video ready, conversion required, converter loading, converting with progress, conversion failed and retry. Say why conversion is needed and keep the status visible on phone.

E–F / Next

Solo opens P04. Host opens P05 with this pack attached. Buttons become available only after validation and video preparation.


Phone

Preview, identity and processing status precede actions. On a long conversion, the player can see a stable progress summary after scrolling.


P04 Solo rehearsal

ONE LINE AT A TIME

DESKTOP / 1440 px reference



PHONE / 390 px first viewport



Phone task focus. The active line, its full caption and the record control are together. The 22-line list becomes a drawer or stepper with a jump-to-line path.

Retake safety. Preserve the previous saved take until the new take has been recorded and saved. The original voice fills unrecorded lines when available.

Purpose

Let one player dub each timed line, compare a local take with the original and export a finished scene.

A–C / Context

Reference video, optional frame image, role, number, exact timestamp and full caption. List may clamp captions, but active caption cannot be truncated. Overlapping timestamps remain distinct rows.

D–F / Recorder

Hear original; request mic permission on first record; record, stop and save locally; play saved take; retake. Distinguish unsaved recording from saved take. Show timer and optional level.

G / Result

Mixed-scene preview with backing track, original voices for unrecorded lines, subtitles and creator credit; local video export with rendering/progress and format explanation.

States

Unrecorded, permission prompt/denied, recording, saved, retaking, mic/media failure, preview playing, rendering and download complete.


Acceptance

No automatic score. User can jump to any line and can always see whether that line has a saved take.


P05 Create or join room

ANONYMOUS ENTRY

DESKTOP / 1440 px reference



PHONE / 390 px first viewport



Two entry contexts. Creating comes from P03 with a ready pack. Joining comes from P01 with a code; the screen should not ask a joiner to import a pack.

Room code. Use legible uppercase characters and copy/share treatment later in lobby. Preserve input when a join request fails.

Purpose

Enter an anonymous room with a stage name. Creating and joining share a visual system but have different required fields.

A / Create

Show the attached pack and temporary sharing note: the pack and submitted takes are available to members while the room exists, then removed when ended or expired.

B / Join

Six-character uppercase room code. A joining player chooses performer or spectator; spectators cannot claim roles or export.

C–D / Identity

Stage name is temporary and not an account. Long names should truncate in participant lists while retaining full text in an accessible view.

E–F / Submit

One context-specific primary button. Disable during request, show inline validation and preserve values on failure.


States

Idle, opening/joining, invalid code, full room, locked room, unavailable/expired room and reconnecting. Give a return-to-start path.


P06 Room lobby

PEOPLE / ROLES / HOST SETTINGS

DESKTOP / 1440 px reference



PHONE / 390 px first viewport



Permissions. Host sees assignment and settings controls; performers can claim an open role; spectators see roster and cast read-only.

Safe host exit. Ending a room requires a clear confirmation that shared pack and takes are deleted. A normal leave action for a non-host must not look like global deletion.

Purpose

Let the host prepare a room and each player understand their role before recording starts.

A / Identity

Six-character room code, copy invite link, copied/error feedback, current phase and connection status stay visible.

B–C / People

List host, up to eight performers and additional spectators; online/reconnecting/offline states; role ownership and unclaimed roles. Host can assign or reassign before start.

D / Host controls

Lock new joins; choose one-line turns or simultaneous recording; toggle reactions; toggle voting, default off. Name the current setting rather than relying on color.

E / Start

Host-only button. If start is blocked, explain why. Others see waiting state and what happens next.


States

Host, performer, spectator; room open/locked; role open/claimed; member disconnected; pack transfer pending; start blocked; ending confirmation.


P07 Room recording

PRIVATE TAKE / EXPLICIT SUBMIT

DESKTOP / 1440 px reference



PHONE / 390 px first viewport



Critical distinction. A saved take stays on this device; only a separate Submit to room action shares it. Other players never hear a live microphone.

Modes. Turn mode focuses one current line. Simultaneous mode lets performers choose among assigned lines. A spectator receives a progress/listening view, not a recorder.

Purpose

Record the current or assigned line safely, then intentionally submit a take for the group scene.

A–C / Context

Room phase, connection, role and line position; full active caption, timestamp, reference frame and assigned queue. Show status of submitted takes separately from local drafts.

D–F / Local work

Hear original, request mic, record, stop and save, replay or retake. Preserve previous saved take until replacement succeeds. Use timer and optional input level.

G / Share

Submit to room is visibly separate from Save. Confirmation identifies the line and whether this replaces a prior submitted take.

H / Host

Advance one-line turns or start showcase when appropriate. Keep absent or disconnected participants understandable.


States

My turn, waiting, simultaneous, unsent local take, submitted, replacement submitted, mic blocked, disconnected, spectator, host controls.


P08 Group showcase

WATCH TOGETHER / EXPORT

DESKTOP / 1440 px reference



PHONE / 390 px first viewport



Optional controls collapse. If reactions or voting are off, remove those rows and let the player expand. Voting is off by default. There is no automatic score.

Autoplay fallback. If a browser blocks synchronized playback, keep the countdown state and show an explicit Tap to start control over the video.

Purpose

Watch the combined scene together, with optional social response and performer-only export.

A / Sync

Waiting, five-second countdown, playing, paused/manual-start and finished. Network drift or blocked autoplay needs a clear status and recovery action.

B / Player

16:9 scene, captions, creator credit, standard accessible media controls. Video remains the visual focus on phone.

C–D / Social

Host decides whether reactions and voting appear. Reactions are lightweight feedback; vote is for a favorite performer. Do not add a score, ranking or results screen by default.

E / Export

Visible to performers while the room is open; spectators can watch but do not get download control. Show rendering, ready, failed/retry and browser-specific format.


States

Waiting, countdown, blocked play, playing, finished, export busy/done/error, spectator and optional controls off.


P09 Room ended and recovery

EXPLAIN WHAT HAPPENED

DESKTOP / 1440 px reference



PHONE / 390 px first viewport



Two fundamentally different messages. A temporary disconnect can retry while a local unsent take stays on device. An ended or expired room cannot be restored after server media deletion.

Do not offer a dead retry. Remove C for ended/expired rooms; for transient failure, keep the last known room code and show retry progress.

Purpose

Give a truthful recovery path after a room ends, expires or loses connection.

A / Reason

Separate host-ended, inactivity expiry, unavailable room and temporary connection loss. Use a plain headline, one short explanation and a concrete next action.

B / Return

Primary for permanently ended rooms. This starts a fresh flow; no copy should imply server pack or take recovery.

C / Retry

Only for temporary disconnection. Show reconnecting and failure feedback. Preserve code and any local unsent take while retrying.

D / Data


Explain that shared pack and submitted takes are automatically removed when room ends or expires. Local recordings may persist only according to actual app behavior; avoid broad promises.

States

Host ended, room expired, room unavailable, disconnected/reconnecting, reconnection failed and returned to start.

C Reusable UI components

ONE CANONICAL FIGMA LIBRARY



Figma structure

00 Brief / 01 Foundations / 02 Components / 03 Desktop flows / 04 Phone flows / 05 Rive / 06 Prototype. Use Auto Layout, variables and named variants.

Required families

A button; B field; C pack card/header; D import/conversion; E line row/detail; F recorder/media; G participant/role; H room code/host option; I showcase; J feedback/dialog.

Variant rule

Every interactive component needs default, hover where applicable, keyboard focus, disabled, busy and error as appropriate. Convey status with text/icon plus color.

Content stress tests

Real supplied pack: 1:15, 22 lines, two roles, long captions and overlapping timestamps. Test missing icon/subtitle/line image; many roles; long stage name.

Tokens and accessibility

Provide semantic colors, typography, spacing, radius, borders/elevation, icon sizes and motion durations. Target WCAG 2.2 AA, visible focus and reduced motion. Check 320 px phone.

Handoff naming

Examples: `C/Recorder/State=Saved` and `P07/Recording/Phone/Unsent`. Deliver one canonical component with instances in page frames.

R Rive components

OPTIONAL MOTION CONTRACT

ANIMATION STORYBOARD / ASSET SLOTS

A / RECORD	idle still	arming 150 ms	recording quiet loop	saved 450 ms	error still
B / PACK	importing indeterminate	converting data progress	ready 450 ms	error still	retry app action
C / ROOM	joining quiet loop	connected 300 ms	reconnecting quiet loop	offline still	text status in HTML
D / SHOW	waiting still	5–1 count 1 s each	playing 250 ms	paused still	finished 400 ms
E / REACT	idle hidden	burst under 1 s	settle 200 ms	disabled host off	reduced motion still

App state drives all transitions; Rive decorates adjacent HTML. Each chosen asset ships with still and reduced-motion fallbacks.

A / `record-indicator.riv`

Artboard `RecordIndicator`; VM `RecordIndicatorVM`. Properties: `phase` enum; `level` number 0–1. Slot 24–48 px. Saved settles within about 0.5 s; recording loop is quiet.

B / `pack-progress.riv`

`PackProgress` / `PackProgressVM`; `phase` enum, `progress` 0–1, `indeterminate` boolean. Slot 80–160 px. Progress follows app data, never invented easing.

C / `room-presence.riv`

`RoomPresence` / `RoomPresenceVM`; `phase` enum. Slot 24–48 px. Reconnecting loop subtle; visual must not suggest live voice transmission.

D / `showcase-cue.riv`

`ShowcaseCue` / `ShowcaseCueVM`; `phase` enum, `secondsRemaining` 0–5. Bounded video overlay. App timer controls numbers and start.

E / `reaction-burst.riv`

`ReactionBurst` / `ReactionBurstVM`; `kind` enum and `burst` trigger. One-shot under 1 s; disabled entirely when host turns reactions off.

Delivery

For chosen assets: editable source, `.riv`, still PNG/SVG, reduced-motion frame, artboard size, state machine and VM manifest. Verify, inspect, screenshot and test with Rive CLI. Text and controls stay in HTML.