Request No: DSBM002362 Page:1/5

RFQ: 6000069239 Closing date: 30.08.2015

QUOTATION

Bidder	Name : Address :				
	Telp. : Contact name :			Fax : E-mail :	
BIDDEF	R's Offer Ref:				
accepta Compar Inco Fina Deliv The sou	pleased to submit hance of all terms and by's requirements: term I delivery address very date	d conditions o : N/A - TEP : Bekapai : 15.10.201 : GOODS and		prices are quoted acco	
	l's name er or Manufacturer)	Incoterms	Delivery place	Weight (Kgs)	Delivery terms (Weeks Aro)
You will - the det - the lett - the bid	find attached hereval list of GOODS corress of support from	with the follow ffered, PRINCIPAL		part of the present offe	er: int of
The tota	Il amount of our offo Currency Total Gross amo Discount: Net amount	ount	items is : :		
Paymen	at of invoice(s) could Beneficiary Nam Bank Name Bank Address - Account Numbe	e City	way of Transfer to: : : : : : : :		
Our pres	sent offer is valid u	ntil://	(60 or 90 or 12	20 calendar days from	Closing date)
			Signature :		
			Date :		STAMP
			Name :		

Page:2/5 Request No: DSBM002362

ltem	Mat No. Desc.	Source Supply (Principal/Place)	Delivery (Weeks ARO)	Quantity	Unit	Unit Price/Curr	Total
1	1300019 1 PC PRO CE EN 50 RD : 8	O TRAXION P51 67, EN 12278 to 13 mm kN, RC, 2.5 kN		1	PC		
2	CE EN 1: RD : Les	ESCUE PULLEY P50 2278, nfpa 1983 ss than 13 mm kN x 2 = 8 kN		2	PC		
3	CE EN 1	ss than 13 mm kN	1	1	PC		
4	CE EN 3 CE EN 1: NFPA 19	to 11.5 mm		2	PC	/	
5	CE EN 50 CE EN 1	SCENSION B17 WRA 67, NFPA 1983 L, 2841 type B to 13 mm		2	PC		
6	2 PCS AS CE EN 50 CE EN 13	SCENSION B17 WLA 67, NFPA 1983 L, 2841 type B to 13 mm		2	PC		
7	CE EN 3	kN, W : 90 g, 24	M M36 TL	15	PC		
8	CE EN 3	CARABINER OK M33 62 kN, W : 75 g, 19	TL	15	PC	/	

Request No: DSBM002362

Page:3/5

Item	Mat No. Desc.	Source Supply (Principal/Place)	Delivery (Weeks ARO)	Quantity	Unit	Unit Price/Curr	Total
	Triact-I	Lock					
9	CE EN 36 NFPA 198	33, General Use kN, W : 285 g, 3		4	PC		
10	CE EN 35	ole Lanyard for		2	PC		
11	for use basic rowiht a r	DOTTAPE The selection of the column of the	ion or t is fitted buckle	2	PC		
12	CE EN 56 BS : 22	ewn Webbing Slin 66, CE EN 795 B kN cm , W : 60 g	g ANNEU C40 6		PC		
13	CE EN 56 BS : 22	Sewn Webbing Sli 56, CE EN 795 B kN cm; W : 120 g	ng ANNEU C40		PC	/	
14	4 PCS CC CE EN 79 BS : 22	DNNEXION VARIO 95 B, CE EN 354 kN - 130 cm, W : 47	C42 V	4	PC	/	
15	1 PC SWI CE, NFPA BS : 23	IVEL P 58 S A 1983 G kN, W : 95 g two person load		1	PC	/	
16	1 PC PAV CE, 1983 BS : 36			1	PC	/	
17	1300019		<u></u>	2	PC	/	

Request No: DSBM002362 Page:4/5

Item	Mat No. Desc.	Source Supply (Principal/Place)	Delivery (Weeks ARO)	Quantity	Unit	Unit Price	e/Curr	То	tal
	CE EN 3 CE EN 1 Strengt	YNAMIC Rope Kern 53-2 891 Type A h with sewn ation > 22 kN	nmantle vector	11 mm Blu	e colo	ur 600 ft			
18	CE EN 3	TATIC Rope Kern 53-2 891 Type A			PC colour	600 ft	<i>J</i>		
19	Welded strengh	TRANSPORT C02 49 construction for t. CP: 0 g, HG: 67 cm	r greater 45 ltr,	2	PC		<i>.</i> /		
20	Shape mand acc	RTAGE S32 35 licakes it easy to ess contents ltr, HG : 67 cm	pack	1	PC		./		
21	Small v easy ac W : 470	ERSONEL C14 15 Colume for light cess and compact g ltr, HG : 45 cm	weight, tness	2	PC		<i>.</i> /		
22	CE EN36		ı		PC		/		
23	• it has than 50 taineer • Satiss of the lateral use in • Does require	ELMET VERTEX® VIS a breaking stream (EN 12492 reing helmet standfies all optional EN 397 standard deformation and cold temperature not meet the optiments of the EN ing electric ins	ength greater moun dard). I requirement concerning des. ional 397 standard	RED	PC		<i>.</i> /		_

Request No: DSBM002362 Page:5/5

Item	Mat No. Desc.	Source Supply (Principal/Place)	Delivery (Weeks ARO)	Quantity	Unit	Unit Price/Curr	Total		
	molten	metal splash.							
24	1300019			2	PC	/			
	2 PCS R	ESCUE P 65 Dou							
		2278, nfpa 1983	L						
	RD : Le	ss than 13 mm							
25	1300019			2	РС	/			
	2 PCS F.	ALL ARREST SHUN	T Back-up rope	clamp					
	Material(s) : aluminum frame								
	For use on single ropes 10-11 mm or double ropes 8-11 mm CE EN 567								
		ce(s):B03							
	VETETEII	CC(B)•D03							
				Total G	ross aı	mount:	<u></u>		
			End of	Quotation					