

[BTMSB-147] [BUG_11 : Transfer transaction is accepted with a NULL receiver account](#)

Created: 12/Sep/26 Updated:

12/Sep/26

Status:	To Do
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	 L.JPG
Issue links:	Relates relates to BTMSB-87 TM_033: Verify that a Transfer transa... Failed
Rank:	0ji0023b:
Sprint:	

Description

Description: The system allows a Transfer transaction to be created when the receiver account is NULL instead of rejecting the transaction. Environment: MySQL – Banking Transaction Management System Preconditions: • A valid sender account exists. • The sender account has sufficient balance. Steps to Reproduce: 1. Select a valid sender account. 2. Set the receiver account to NULL. 3. Enter a valid transfer amount. 4. Create the Transfer transaction. 5. Check the transaction result. Test Data: • Sender Account: 1 • Receiver Account: NULL • Transaction Type: Transfer • Amount: 500 Expected Result: The Transfer transaction should be rejected because a receiver account is required for a Transfer transaction. Actual Result: The system accepts and creates the Transfer transaction even though the receiver account is NULL. Impact: The system allows an invalid Transfer transaction to be created, which may result in incomplete and inconsistent transaction data. Severity: High Priority: High

[BTMSB-146] [BUG_10 : Transaction is accepted when the sender account contains spaces](#) Created: 12/Sep/26 Updated: 12/Sep/26

Status:	To Do
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	 O.JPG		
Issue links:	Relates relates to BTMSB-83 TM_031: Verify that a transaction can... Failed		
Rank:	0ji00233:		
Sprint:			

Description

Description:

The system allows a transaction to be created when spaces are entered in the sender account instead of rejecting the invalid account value.

Environment:

MySQL – Banking Transaction Management System

Preconditions:

- A valid receiver account exists.
- The transaction details are valid.

Steps to Reproduce:

- Enter spaces in the sender account field.
- Enter a valid receiver account.
- Enter a valid transaction type and amount.
- Create the transaction.
- Check the transaction result.

Test Data:

- Sender Account: ' 1 '
- Receiver Account: 2
- Transaction Type: Transfer
- Amount: 500

Expected Result:

The transaction should be rejected because the sender account cannot contain spaces or be empty.

Actual Result:

The system accepts the transaction even though the sender account contains spaces.

Impact:

The system allows invalid account data to be used in financial transactions.

Severity:

High

Priority:

High

[BTMSB-145] [BUG_09 : Transfer is accepted when sender and receiver accounts are the same](#) Created: 12/Sep/26

Updated: 12/Sep/26

Status:	To Do
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	 m.JPG
Issue links:	Relates relates to BTMSB-82 TM_030: Verify that a Transfer cannot... Failed
Rank:	0ji0022v:
Sprint:	

Description

Description:

The system allows a Transfer transaction to be created when the sender account and receiver account are the same, instead of rejecting the transaction.

Environment:

MySQL – Banking Transaction Management System

Preconditions:

- A valid account exists.
- The account has sufficient balance.

Steps to Reproduce:

1. Select the same account as the sender account and receiver account.
2. Enter a valid transfer amount.
3. Create the Transfer transaction.
4. Check the transaction result.

Test Data:

- Sender Account: 2
- Receiver Account: 2

10/3/26, 7:06 PM

Jira

• Transfer Amount: 500

Expected Result:
The Transfer transaction should be rejected because the sender and receiver accounts must be different.

Actual Result:
The system accepts and creates the Transfer transaction even though the sender and receiver accounts are the same.

Impact:
The system allows an invalid Transfer transaction and may cause incorrect or unnecessary transaction records.

Severity:
High

Priority:
High

[BTMSB-144] [BUG_08 : Transfer exceeding the daily transfer limit is accepted](#) Created: 12/Sep/26 Updated: 12/Sep/26

Status:	To Do		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Attachments:	 N.JPG		
Issue links:	Relates relates to BTMSB-64 TM_019: Verify that a transfer exceed... Failed		
Rank:	0ji0022n:		
Sprint:			

Description

Description:
The system allows a customer to create a Transfer transaction that exceeds the configured daily transfer limit instead of rejecting the transaction.

Environment:
MySQL – Banking Transaction Management System

Preconditions:

- A valid sender account exists.
- A valid receiver account exists.
- The daily transfer limit is configured.

Steps to Reproduce:

1. Select a valid sender account.
2. Select a valid receiver account.
3. Enter a transfer amount that exceeds the daily transfer limit.

10/3/26, 7:06 PM

Jira

4. Create the Transfer transaction.

5. Check the transaction result.

Test Data:

• Sender Account: 1

• Receiver Account: 2

• Daily Transfer Limit: 40,000

• Transfer Amount: 41,000

Expected Result:

The Transfer transaction should be rejected because the transfer amount exceeds the configured daily transfer limit.

Actual Result:

The system accepts and creates the Transfer transaction even though it exceeds the daily transfer limit.

Impact:

The system does not enforce the configured daily transfer limit, which may allow customers to exceed the permitted transaction limit.

Severity:

High

Priority:

High

[BTMSB-143] [BUG_07 : Account balances are not updated after a successful Transfer transaction](#) Created: 12/Sep/26

Updated: 12/Sep/26

Status:	To Do
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	 don.JPG
Issue links:	Relates relates to BTMSB-57 TM_013: Verify that a customer cannot... Failed
Rank:	0ji0022f:
Sprint:	

Description

Description:

After a valid Transfer transaction is created successfully, the sender's and receiver's account balances are not updated according to the transferred amount.

Environment:

MySQL – Banking Transaction Management System

Preconditions:

- A valid sender account exists.
- A valid receiver account exists.
- The sender has sufficient balance.

Steps to Reproduce:

1. Select sender account 1.
2. Select receiver account 2.
3. Enter a valid transfer amount.
4. Create the Transfer transaction.
5. Check both account balances.

Test Data:

- Sender Account: 1
- Receiver Account: 2
- Sender Balance Before: 1000
- Receiver Balance Before: 5000
- Transfer Amount: 1500

Expected Result:

The Transfer transaction is created successfully. The sender's balance should decrease to 4000, and the receiver's balance should increase to 3000.

Actual Result:

The Transfer transaction is created successfully, but both account balances remain unchanged.

Severity:

High

Priority:

High

[BTMSB-142] [BUG_06 : Customer can create a Transfer transaction with an amount greater than the available balance](#) Created: 12/Sep/26 Updated: 12/Sep/26

Status:	To Do
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	don.JPG
Issue links:	Relates relates to BTMSB-57 TM_013: Verify that a customer cannot... Failed
Rank:	0 j00227:
Sprint:	

Description

Description:
The system accepts a Transfer transaction when the transfer amount is greater than the sender's available balance.

Environment:
MySQL – Banking Transaction Management System

Preconditions:

- A valid sender account exists.
- A valid receiver account exists.
- The sender has an available balance of 1000.

Steps to Reproduce:

- Select sender account 1.
- Select receiver account 2.
- Enter a transfer amount greater than the available balance.
- Create the Transfer transaction.

Test Data:

- Sender Account: 1
- Receiver Account: 2
- Available Balance: 1000
- Transfer Amount: 1500

Expected Result:
The Transfer transaction should be rejected because the transfer amount exceeds the available balance.

Actual Result:
The system accepts and creates the Transfer transaction even though the transfer amount is greater than the available balance.

Severity:
High

Priority:
High

[BTMSB-141] [BUG_05 : Customer can withdraw an amount greater than the available balance](#) Created: 12/Sep/26

Updated: 12/Sep/26

Status:	To Do
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	don.JPG
Issue links:	Relates

10/3/26, 7:06 PM		Jira	
	relates to	BTMSB-56	TM_012: Verify that a customer cannot... Failed
Rank:	0 i0021z:		
Sprint:			

Description

Description: The system allows a customer to create a Withdrawal transaction with an amount greater than the available account balance instead of rejecting the transaction.
Environment: MySQL – Banking Transaction Management System
Preconditions: - A valid customer account exists. - The account has an available balance.
Steps to Reproduce: - Select a valid customer account. - Check the available account balance. - Enter a withdrawal amount greater than the available balance. - Create the Withdrawal transaction. - Check the transaction result and account balance.
Test Data: - Account Number: 1 - Available Balance: 1000 - Withdrawal Amount: 1500
Expected Result: The Withdrawal transaction should be rejected because the withdrawal amount is greater than the available balance. The account balance should remain unchanged.
Actual Result: The system allows the Withdrawal transaction to be created even though the withdrawal amount is greater than the available balance.
Impact: The system may allow an account to have an invalid balance and can result in incorrect financial data.
Severity: High
Priority: High

--

[BTMSB-140] BUG_04 : Account balance is not increased after a successful Deposit transaction Created: 12/Sep/26			
Updated: 12/Sep/26			
Status:	To Do		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0

Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Attachments:	 bbb.JPG		
Issue links:	Relates		
	relates to	BTMSB-58	TM_014: Verify that the account balan... Failed
	relates to	BTMSB-51	TM_009: Verify that a Deposit transac... Failed
Rank:	0 i0021r:		
Sprint:			

Description

Description:

After creating a valid Deposit transaction with a NULL receiver account, the transaction is recorded successfully, but the customer's account balance is not increased by the deposit amount.

Environment:

MySQL – Banking Transaction Management System

Preconditions:

- A valid customer account exists.
- Receiver account is NULL.

Steps to Reproduce:

- Select a valid customer account.
- Set the receiver account to NULL.
- Enter a valid deposit amount.
- Create the Deposit transaction.
- Check the customer's account balance.

Test Data:

- Account Number: 1
- Receiver Account: NULL
- Account Balance Before: 10000
- Deposit Amount: 500

Expected Result:

The Deposit transaction is created successfully, and the customer's account balance is increased by 500, resulting in a new balance of 10500.

Actual Result:

The Deposit transaction is created successfully, but the customer's account balance remains unchanged at 5000.

Impact:

The account balance does not reflect the completed deposit, resulting in incorrect financial data.

Severity:

High

Priority:

High

[BTMSB-139] [BUG_03 : Account balance is not decreased after a successful Withdrawal transaction](#) Created:

12/Sep/26 Updated: 12/Sep/26

Status:	To Do
---------	-------

Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	 bbb.JPG		
Issue links:	Relates		
	relates to	BTMSB-59	TM_015: Verify that the account balan... Failed
	relates to	BTMSB-50	TM_008: Verify that a Withdrawal tran... Failed
Rank:	0ji0021j:		
Sprint:			

Description

Description: After creating a valid Withdrawal transaction with a NULL receiver account, the transaction is recorded successfully, but the customer's account balance is not decreased by the withdrawal amount. Environment: MySQL – Banking Transaction Management System Preconditions: • A valid customer account exists. • The account has sufficient balance. • Receiver account is NULL. Steps to Reproduce: 1. Select a valid sender account. 2. Set the receiver account to NULL. 3. Enter a valid withdrawal amount. 4. Create the Withdrawal transaction. 5. Check the customer's account balance. Test Data: • Account Number: 1001 • Receiver Account: NULL • Account Balance Before: 10000 • Withdrawal Amount: 500 Expected Result: The Withdrawal transaction is created successfully, and the customer's account balance is decreased by 1000, resulting in a new balance of 4000. Actual Result: The Withdrawal transaction is created successfully, but the customer's account balance remains unchanged at 5000. Impact: The account balance does not reflect the completed withdrawal, resulting in incorrect financial data. Severity: High Priority: High

[BTMSB-138] Bug_02 :Customer's account balance is not decreased by the Bill Payment amount

Created: 12/Sep/26

Updated: 12/Sep/26

Status:	To Do
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	Screenshot 2026-09-12 104733.png		
Issue links:	Relates relates to BTMSB-33 TM_005 : Verify that a customer can c... Failed		
Rank:	0ji0021b:		
Sprint:			

Description

Description:

After creating a valid Bill Payment transaction successfully, the transaction is recorded, but the customer's account balance is not decreased by the bill payment amount.

Environment:

MySQL – Banking Transaction Management System

Preconditions:

- A valid customer account exists.
- The account has sufficient balance.

Steps to Reproduce:

- Select a valid customer account.
- Enter a valid bill payment amount.
- Create the Bill Payment transaction.
- Check the customer's account balance.

Test Data:

- Account Number: 1
- Account Balance Before: 1500
- Bill Payment Amount: 500

Expected Result:

The Bill Payment transaction is created successfully, and the customer's account balance is decreased by 500, resulting in a new balance of 1000.

Actual Result:

The Bill Payment transaction is created successfully, but the customer's account balance remains unchanged at 1500.

Impact:

The account balance does not reflect the completed bill payment, resulting in incorrect financial data.

[BTMSB-137] [BUG_01 — Sender and receiver account balances are not updated after a successful Transfer transaction](#) Created: 12/Sep/26 Updated: 12/Sep/26

Status:	To Do
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Attachments:	Screenshot 2026-09-12 104733.png		
Issue links:	Relates		
	relates to	BTMSB-60 TM_016: Verify that a successful Tran...	Failed
	relates to	BTMSB-31 TM_004: Verify that a customer can cr...	Failed
Rank:	0ji00213:		
Sprint:			

Description

Description: After creating a valid Transfer transaction successfully, the transaction is recorded, but the sender's and receiver's account balances are not updated according to the transferred amount.
Environment: MySQL – Banking Transaction Management System
Preconditions: - Two valid accounts exist. - The sender account has sufficient balance.
Steps to Reproduce: - Select a valid sender account. - Select a valid receiver account. - Enter a valid transfer amount. - Create the Transfer transaction. - Check the balances of both accounts.
Test Data: - Sender Account: 1 - Receiver Account: 2 - Transfer Amount: 1000

- Sender Balance Before: 5000
- Receiver Balance Before: 2000

Expected Result:

The Transfer transaction is created successfully. The sender's balance should decrease by 1000, and the receiver's balance should increase by 1000.

Actual Result:

The Transfer transaction is created successfully, but the balances of both the sender and receiver accounts remain unchanged.

Impact:

The transaction data and account balances become inconsistent, which may lead to incorrect financial information.

Severity:

High

Priority:

High

Generated at Sat Oct 03 16:06:48 UTC 2026 by Dina Ahmed using Jira 1001.0.0-SNAPSHOT#100294-
rev:d8285b35176e627de42fb7c0a2202b5467ce28e0.