

[BTMSB-107] TM_047: Verify that a transaction cannot be created with an invalid transaction date format. Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-9	Transaction Management To Do
Rank:	0 i0013j:		
Sprint:			

Description

Steps:
Insert a new transaction using a date format other than YYYY-MM-DD.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 500, '31-08-2026');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 31-08-2026

Test Environment:
MySQL

Expected Result:
Transaction is rejected because the required date format is YYYY-MM-DD.

[BTMSB-106] TM_046: Verify that a transaction cannot be created with spaces as the transaction date. Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Passed
---------	--------

Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates toBTMSB-9Transaction ManagementTo Do		
Rank:	0ji0013b:		
Sprint:			

Description

Steps:

Insert a new transaction using spaces as the transaction date.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 500, ' ');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = ' '

Test Environment:

MySQL

Expected Result:

Transaction is rejected because spaces are not a valid date.

[BTMSB-105] [TM_045: Verify that a transaction cannot be created with an empty transaction date.](#) Created: 31/Aug/26

Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None

https://dinaahmed.atlassian.net/sr/jira.issueviews:searchrequest-fullcontent/temp/SearchRequest.html?jqlQuery=assignee+IN+%28currentUser%28...

2/45

Fix versions:	None		
Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0 100133:		
Sprint:			

Description

Steps:

Insert a new transaction with an empty transaction date.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 500, '');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = ''

Test Environment:

MySQL

Expected Result:

Transaction is rejected because the transaction date must be a valid date.

[BTMSB-103] TM_044: Verify that a transaction cannot be created with a NULL transaction date. Created: 31/Aug/26	
Updated: 12/Sep/26	
Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed

Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0ji0012n:		
Sprint:			

Description

Steps:
Insert a new transaction with a NULL transaction date.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 500, NULL);
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = NULL

Test Environment:
MySQL

Expected Result:
Transaction is rejected because transaction_date is a mandatory field.

--

[BTMSB-101] [TM_043: Verify that a transaction cannot be created with an invalid transaction type.](#) Created: 31/Aug/26

Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		

Time Spent:	Not Specified
Original estimate:	Not Specified
Issue links:	Relates relates to BTMSB-9 Transaction Management To Do
Rank:	0ji00127:
Sprint:	

Description

Steps:
Insert a new transaction using a transaction type that is not defined in the ENUM.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Refund', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Refund
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because Refund is not an allowed ENUM value.

[BTMSB-100] [TM_042: Verify that a transaction cannot be created with spaces as the transaction type.](#) Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates toBTMSB-9Transaction ManagementTo Do
Rank:	0ji0011z:
Sprint:	

Description

Steps: Insert a new transaction with spaces as the transaction type. INSERT INTO Transactions (sender_account, receiver_account, transaction_type, amount, transaction_date) VALUES (1001, 1002, ' ', 500, '2026-08-31');
Preconditions: - Transactions table exists. - Sender account 1001 exists. - Receiver account 1002 exists.
Test Data: - sender_account = 1001 - receiver_account = 1002 - transaction_type = ' ' - amount = 500 - transaction_date = 2026-08-31
Test Environment: MySQL
Expected Result: Transaction is rejected because spaces are not a valid transaction type.

[BTMSB-99] TM_041: Verify that a transaction cannot be created with an empty transaction type. Created: 31/Aug/26
Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates toBTMSB-9Transaction ManagementTo Do
Rank:	0ji0011r:

Sprint:

Description

Steps:

Insert a new transaction with an empty transaction type.

INSERT INTO Transactions

(sender_account, receiver_account, transaction_type, amount, transaction_date)

VALUES

(1001, 1002, '', 500, '2026-08-31');

Preconditions:

• Transactions table exists.

• Sender account 1001 exists.

• Receiver account 1002 exists.

Test Data:

• sender_account = 1001

• receiver_account = 1002

• transaction_type = ''

• amount = 500

• transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction is rejected because the transaction type must be one of the allowed ENUM values.

[BTMSB-98] TM_040: Verify that a transaction cannot be created with a NULL transaction type. Created: 31/Aug/26

Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates to BTMSB-9 Transaction Management To Do
Rank:	0ji0011j:
Sprint:	

Description

Steps:
Insert a new transaction with a NULL transaction type.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, NULL, 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = NULL
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because transaction_type is a mandatory field.

[BTMSB-95] [TM_039: Verify that a Transfer transaction cannot be created with an empty receiver account.](#)

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do
Rank:	0ji0010v:
Sprint:	

Description

Steps:
Insert a new Transfer transaction using an empty value as the receiver account.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
```

VALUES

(1001, '', 'Transfer', 500, '2026-08-31');

Preconditions:

Transactions table exists.

Sender account 1001 exists.

Sender account has sufficient balance.

Test Data:

sender_account = 1001

receiver_account = ''

transaction_type = Transfer

amount = 500

transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction is rejected because receiver account must contain a valid existing account number.

[BTMSB-94] TM_038: Verify that a Transfer transaction cannot be created with receiver account equal to 0.

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-9	Transaction Management
			To Do
Rank:	0ji0010n:		
Sprint:			

Description

Steps:

Insert a new Transfer transaction using 0 as the receiver account.

INSERT INTO Transactions

(sender_account, receiver_account, transaction_type, amount, transaction_date)

VALUES

(1001, 0, 'Transfer', 500, '2026-08-31');

Preconditions:

10/3/26, 6:54 PM

Jira

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 0 does not exist.
- Sender account has sufficient balance.

Test Data:

- sender_account = 1001
- receiver_account = 0
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because receiver account 0 does not exist in the Accounts table.

[BTMSB-92] [TM_037: Verify that a transaction cannot be created with a negative receiver account.](#) Created: 31/Aug/26
Updated: 12/Sep/26

Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0 i00107:		
Sprint:			

Description

Steps:
Insert a new Transfer transaction using a negative receiver account.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, -1002, 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account -1002 does not exist.

- Sender account has sufficient balance.

Test Data:

- sender_account = 1001
- receiver_account = -1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because the receiver account does not exist in the Accounts table.

[BTMSB-91] [TM_036: Verify that a transaction cannot be created with a non-numeric receiver account](#) Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0ji00zz:		
Sprint:			

Description

Steps:
Insert a new Transfer transaction using a text value as the receiver account.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 'ABC', 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Sender account has sufficient balance.

Test Data:

- sender_account = 1001

- receiver_account = 'ABC'
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because receiver_account must contain a valid numeric account number.

[BTMSB-90] [TM_035: Verify that a transaction cannot be created with spaces in the receiver account](#) Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0 i000zr:		
Sprint:			

Description

Steps:
Insert a new Transfer transaction using spaces as the receiver account.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, ' ', 'Transfer', 500, '2026-08-31');
```

- Preconditions:**
- Transactions table exists.
 - Sender account 1001 exists.
 - Sender account has sufficient balance.
 - No account exists with the specified invalid receiver value.

- Test Data:**
- sender_account = 1001
 - receiver_account = ' '
 - transaction_type = Transfer
 - amount = 500

- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because the receiver account must contain a valid existing account number.

[BTMSB-88] [TM_034: Verify that a Transfer transaction cannot be created with a non-existing receiver account](#)

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0ji000zb:		
Sprint:			

Description

Steps:
Insert a new Transfer transaction using a receiver account that does not exist.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 9999, 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 9999 does not exist.
- Sender account has sufficient balance.

Test Data:

- sender_account = 1001
- receiver_account = 9999
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:

Transaction is rejected due to the Foreign Key constraint because receiver account 9999 does not exist.

[BTMSB-87] TM_033: Verify that a Transfer transaction cannot be created with a NULL receiver account Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Failed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-147	BUG_11 : Transfer transaction is acce...
	relates to	BTMSB-9	Transaction Management
Rank:	0ji000z3:		
Sprint:			

Description

Steps:

Insert a new Transfer transaction with a NULL receiver account.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1, NULL, 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Sender account has sufficient balance.

Test Data:

- sender_account = 1
- receiver_account = NULL
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transfer transaction is rejected because a valid receiver account is required for a Transfer.

[BTMSB-85] [TM_032: Verify that a transaction cannot be created with spaces in the sender account](#) Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0 i000yn:		
Sprint:			

Description

Steps:
Insert a new transaction using spaces as the sender account.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(' ', 1002, 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = ' '
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because the sender account must contain a valid existing account number.

[BTMSB-83] [TM_031: Verify that a transaction cannot be created with spaces in the sender account](#) Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Failed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates			
	relates to	BTMSB-146	BUG_10 : Transaction is accepted when...	To Do
	relates to	BTMSB-9	Transaction Management	To Do
Rank:	0ji000y7:			
Sprint:				

Description

Steps:

Insert a transaction using a sender account value containing spaces.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(' 1 ', 2, 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.
- Sender account has sufficient balance.

Test Data:

- sender_account = ' 1 '
- receiver_account = 2
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

The system should reject the transaction because sender_account should contain a valid account number without spaces.

[BTMSB-82] TM_030: Verify that a Transfer cannot be created when sender and receiver accounts are the same

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Failed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-145	BUG_09 : Transfer is accepted when se... To Do
	relates to	BTMSB-9	Transaction Management To Do
Rank:	0ji000xz:		
Sprint:			

Description

Steps:

Insert a Transfer transaction using the same account as sender and receiver.

INSERT INTO Transactions

(sender_account, receiver_account, transaction_type, amount, transaction_date)

VALUES

(1001, 1001, 'Transfer', 500, '2026-08-31');

Preconditions:

Account 1001 exists.

Account 1001 has sufficient balance.

Test Data:

sender_account = 1001

receiver_account = 1001

transaction_type = Transfer

amount = 500

transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction is rejected because a Transfer should not be performed from an account to the same account.

[BTMSB-80] TM_029: Verify that a transaction cannot be created with an invalid sender account value of zero

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed
---------	--------

Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates toBTMSB-9Transaction ManagementTo Do		
Rank:	0 i000xj:		
Sprint:			

Description

Steps:

Insert a transaction using 0 as the sender account

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(0, 1002, 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 0 does not exist.
- Receiver account 1002 exists.

Test Data:

- sender_account = 0
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction is rejected because sender account 0 does not exist in the Accounts table.

[BTMSB-79] TM_028: Verify that a transaction cannot be created with a non-numeric sender account value	
Created: 31/Aug/26 Updated: 12/Sep/26	
Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None

https://dinaahmed.atlassian.net/sr/jira.issueviews:searchrequest-fullcontent/temp/SearchRequest.html?jqlQuery=assignee+IN+%28currentUser%28... 18/45

Fix versions:	None		
Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Issue links:	Relates relates toBTMSB-9Transaction ManagementTo Do		
Rank:	0ji000xb:		
Sprint:			

Description

Steps:

Insert a transaction using a text value as the sender account.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
('ABC', 1002, 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = ABC
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction is rejected because sender_account is defined as an INT and must contain a valid account number.

[BTMSB-77] TM_027: Verify that a transaction cannot be created with an empty sender account

Created: 31/Aug/26

Updated: 12/Sep/26

Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed

Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0ji000wv:		
Sprint:			

Description

Steps:
Insert a transaction using an empty value for sender account.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
('', 1002, 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = ''
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because sender_account must contain a valid existing account number.

[BTMSB-76] [TM_026: Verify that a transaction cannot be created with an invalid sender account value](#) Created:
31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		

Original estimate:	Not Specified		
Issue links:	Relates		
	relates to	BTMSB-9	Transaction Management To Do
Rank:	0ji00wn:		
Sprint:			

Description

Steps:
Insert a new transaction using an invalid sender account value.
<pre>INSERT INTO Transactions (sender_account, receiver_account, transaction_type, amount, transaction_date) VALUES (-1, 1002, 'Transfer', 500, '2026-08-31');</pre>
Preconditions:
- Transactions table exists. - Receiver account 1002 exists. - Sender account -1 does not exist.
Test Data:
- sender_account = -1 - receiver_account = 1002 - transaction_type = Transfer - amount = 500 - transaction_date = 2026-08-31
Test Environment:
MySQL
Expected Result:
Transaction is rejected because the sender account does not exist in the Accounts table.

--

[BTMSB-74] TM_025: Verify that a transaction cannot be created with a non-existing sender account Created:			
31/Aug/26 Updated: 12/Sep/26			
Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Issue links:	Relates		
	relates to	BTMSB-9	Transaction Management To Do

Rank:	0ji000w7:
Sprint:	

Description

Steps: Insert a new transaction using a sender account that does not exist. <pre>INSERT INTO Transactions (sender_account, receiver_account, transaction_type, amount, transaction_date) VALUES (9999, 1002, 'Transfer', 500, '2026-08-31');</pre> Preconditions: - Transactions table exists. - Sender account 9999 does not exist. - Receiver account 1002 exists. Test Data: - sender_account = 9999 - receiver_account = 1002 - transaction_type = Transfer - amount = 500 - transaction_date = 2026-08-31 Test Environment: MySQL Expected Result: Transaction is rejected due to the Foreign Key constraint because sender_account = 9999 does not exist in the Accounts table.
--

--

[BTMSB-73] TM_024: Verify that a transaction cannot be created with a NULL sender account Created: 31/Aug/26	
Updated: 12/Sep/26	
Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0ji000vz:		
Sprint:			

Description

Steps:
Insert a new transaction with a NULL sender account.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(NULL, 1002, 'Transfer', 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = NULL
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because sender_account is a mandatory field (NOT NULL).

[BTMSB-71] [TM_023: Verify that a transaction cannot be created without an amount](#) Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do
Rank:	0ji00vj:
Sprint:	

Description

Steps:
Insert a transaction with a NULL amount.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', NULL, '2026-08-31');
```

10/3/26, 6:54 PM

Jira

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = NULL
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction is rejected because amount is mandatory and must be greater than zero.

[BTMSB-70] TM_022: Verify that a transaction cannot be created without a transaction type = NULL

Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0ji000vb:		
Sprint:			

Description

Steps:

Insert a transaction with a NULL transaction type.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, NULL, 500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

https://dinaahmed.atlassian.net/sr/jira.issueviews:searchrequest-fullcontent/temp/SearchRequest.html?jqlQuery=assignee+IN+%28currentUser%28... 24/45

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = NULL
- amount = 500
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction is rejected because transaction_type is mandatory.

[BTMSB-68] [TM_021: Verify that a transaction cannot be created with a negative amount](#) Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates to BTMSB-9 Transaction Management To Do
Rank:	0ji000uv:
Sprint:	

Description

Steps:

Insert a transaction with a negative amount.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', -500, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = 1001
- receiver_account = 1002

10/3/26, 6:54 PM

Jira

- transaction_type = Transfer
- amount = -500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because the amount must be greater than zero.

[BTMSB-67] [TM_020: Verify that a transaction cannot be created with an amount equal to zero](#) Created: 31/Aug/26

Updated: 12/Sep/26

Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-9	Transaction Management To Do
Rank:	0 i000un:		
Sprint:			

Description

Steps:
Insert a transaction with amount equal to zero.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 0, '2026-08-31');
```

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = 0
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is rejected because the amount must be greater than zero.

[BTMSB-64] **TM_019: Verify that a transfer exceeding the daily transfer limit is rejected** Created: 31/Aug/26 Updated:

12/Sep/26

Status:	Failed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-144	BUG_08 : Transfer exceeding the daily... To Do
	relates to	BTMSB-9	Transaction Management To Do
Rank:	0 i000tz:		
Sprint:			

Description

Steps:
Insert a Transfer transaction that causes the daily transfer limit to be exceeded.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1, 2, 'Transfer', 400001, '2026-08-31');
```

- Preconditions:**
- Daily transfer limit = 400000.
 - Sender account 1 exists.
 - Receiver account 2 exists.
 - Sender has sufficient balance.

- Test Data:**
- sender_account = 1
 - receiver_account = 2
 - transaction_type = Transfer
 - amount = 400001
 - transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:

- Transfer is rejected by the daily transfer limit trigger.
- Sender balance remains unchanged.
- Receiver balance remains unchanged.
- No successful transfer is recorded.

[BTMSB-62] TM_018: Verify that a customer can transfer an amount within the daily transfer limit Created: 31/Aug/26

Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-9	Transaction Management To Do
Rank:	0ji000tj:		
Sprint:			

Description

Steps:

Insert a Transfer transaction within the daily transfer limit.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 35000, '2026-08-31');
```

Preconditions:

- Daily transfer limit = 40000.
- Sender account 1001 exists.
- Receiver account 1002 exists.
- Sender has sufficient balance.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = 35000
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transfer is created successfully because the total daily transfer amount does not exceed the configured daily limit.

[BTMSB-61] [TM_017: Verify that a failed transaction does not affect the account balance](#) Created: 31/Aug/26 Updated:

12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0ji000tb:		
Sprint:			

Description

Steps:

Attempt to create a Withdrawal transaction exceeding the available balance.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, NULL, 'Withdrawal', 1500, '2026-08-31');
```

Verify the account balance:

```
SELECT account_number, balance
FROM Accounts
WHERE account_number = 1001;
```

Preconditions:

- Account 1001 exists.
- Current balance = 1000.

Test Data:

- sender_account = 1001
- receiver_account = NULL
- transaction_type = Withdrawal
- amount = 1500
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

- Transaction fails.
- Account balance remains 1000.
- No amount is deducted from the account.

[BTMSB-60] **TM_016: Verify that a successful Transfer updates both sender and receiver balances atomically**

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Failed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates			
	relates to	BTMSB-9	Transaction Management	To Do
	relates to	BTMSB-137	BUG_01 — Sender and receiver account ...	To Do
Rank:	0 i000t3:			
Sprint:				

Description

Steps:

Insert a valid Transfer transaction.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1, 2, 'Transfer', 500, '2026-08-31');
```

Verify both account balances:

```
SELECT account_number, balance
FROM Accounts
WHERE account_number IN (1, 2);
```

Preconditions:

- Sender account 1 exists with balance 1000.
- Receiver account 2 exists with balance 2000.
- Sender has sufficient balance.

Test Data:

- sender_account = 1
- receiver_account = 2
- transaction_type = Transfer

10/3/26, 6:54 PM

Jira

- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:

- Transfer is created successfully.
- Sender balance changes from 1000 to 500.
- Receiver balance changes from 2000 to 2500.
- Both balance updates occur as one atomic operation.

[BTMSB-59] [TM_015: Verify that the account balance is updated automatically after a successful Withdrawal transaction](#) Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Failed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-9	Transaction Management To Do
	relates to	BTMSB-139	BUG_03 : Account balance is not decre... To Do
Rank:	0 i000sv:		
Sprint:			

Description

Steps:
Insert a valid Withdrawal transaction.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1, NULL, 'Withdrawal', 500, '2026-08-31');
```

Verify the account balance:

```
SELECT account_number, balance
FROM Accounts
WHERE account_number = 1;
```

Preconditions:

- Account 1 exists.
- Current balance = 1000.

- Account has sufficient balance.

Test Data:

- sender_account = 1
- receiver_account = NULL
- transaction_type = Withdrawal
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction is created successfully and the account balance is automatically updated from 1000 to 500.

[BTMSB-58] TM_014: Verify that the account balance is updated automatically after a successful Deposit transaction

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Failed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates			
	relates to	BTMSB-9	Transaction Management	To Do
	relates to	BTMSB-140	BUG_04 : Account balance is not incre...	To Do
Rank:	0 i000sn:			
Sprint:				

Description

Steps:
Insert a valid Deposit transaction.

```
INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1, NULL, 'Deposit', 500, '2026-08-31');
```

Verify the account balance:

```
SELECT account_number, balance
FROM Accounts
WHERE account_number = 1;
```

Preconditions:

- Account 1 exists.
- Current balance = 1000.

Test Data:

- sender_account = 1
- receiver_account = NULL
- transaction_type = Deposit
- amount = 500
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction is created successfully and the account balance is automatically updated from 1000 to 1500.

[BTMSB-57] TM_013: Verify that a customer cannot transfer an amount greater than the available balance

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Failed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-142	BUG_06 : Customer can create a Transf... To Do
	relates to	BTMSB-143	BUG_07 : Account balances are not upd... To Do
	relates to	BTMSB-9	Transaction Management To Do
Rank:	0ji000sf:		
Sprint:			

Description

Steps:

Insert a Transfer transaction with an amount greater than the sender account balance.

- INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 1500, '2026-08-31');

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.

- Sender account balance is 1000.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = 1500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transfer transaction is rejected because the transfer amount exceeds the available balance, and both account balances remain unchanged.

[BTMSB-56] [TM_012: Verify that a customer cannot withdraw an amount greater than the available balance](#)

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Failed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates			
	relates to	BTMSB-141	BUG_05 : Customer can withdraw an amo...	To Do
	relates to	BTMSB-9	Transaction Management	To Do
Rank:	0 i000s7:			
Sprint:				

Description

Steps:
Insert a Withdrawal transaction with an amount greater than the sender account balance.

- INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1, NULL, 'Withdrawal', 1500, '2026-08-31');

Preconditions:

- Transactions table exists.
- Sender account 1 exists.
- Sender account balance is 1000.

Test Data:

10/3/26, 6:54 PM

Jira

- sender_account = 1
- receiver_account = NULL
- transaction_type = Withdrawal
- amount = 1500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Withdrawal transaction is rejected because the withdrawal amount exceeds the available balance, and the account balance remains unchanged.

[BTMSB-54] TM_011: Verify that a transaction can be created with a valid transaction date

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0 i000rr:		
Sprint:			

Description

Steps:
Insert a new transaction using a valid transaction date.

- INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 500, '2026-08-31');

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.
- Sender account has sufficient balance.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer

- amount = 500
- transaction_date = 2026-08-31 → Valid date

Test Environment:
MySQL

Expected Result:
Transaction record is created successfully with the specified valid transaction date.

[BTMSB-53] TM_010: Verify that a transaction can be created with a valid positive amount

Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0ji000rj:		
Sprint:			

Description

Steps:
Insert a new transaction using a positive amount greater than zero.

- INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1, 2, 'Transfer', 500, '2026-08-31');

Preconditions:

- Transactions table exists.
- Sender account 1 exists.
- Receiver account 2 exists.
- Sender account has sufficient balance.

Test Data:

- sender_account = 1
- receiver_account = 2
- transaction_type = Transfer
- amount = 500 → Positive value
- transaction_date = 2026-08-31

[BTMSB-51] TM_009: Verify that a Deposit transaction can be created with a NULL receiver account

Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Failed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates			
	relates to	BTMSB-140	BUG_04 : Account balance is not incre...	To Do
	relates to	BTMSB-9	Transaction Management	To Do
Rank:	0 i000r3:			
Sprint:				

Description

Steps:

Insert a new Deposit transaction with a NULL receiver account.

•

INSERT INTO Transactions

(sender_account, receiver_account, transaction_type, amount, transaction_date)

VALUES

(1001, NULL, 'Deposit', 500, '2026-08-31');

•

Preconditions:

Transactions table exists.

Sender account 1 exists.

Deposit transactions allow a NULL receiver account.

Test Data:

•

sender_account = 1

•

receiver_account = NULL

•

transaction_type = Deposit

•

amount = 500

•

transaction_date = 2026-08-31

Test Environment:

MySQL

[BTMSB-50] [TM_008: Verify that a Withdrawal transaction can be created with a NULL receiver account](#) Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Failed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates			
	relates to	BTMSB-139	BUG_03 : Account balance is not decre...	To Do
	relates to	BTMSB-9	Transaction Management	To Do
Rank:	0ji000qv:			
Sprint:				

Description

Steps: Insert a new Withdrawal transaction with a NULL receiver account. • INSERT INTO Transactions (sender_account, receiver_account, transaction_type, amount, transaction_date) VALUES (1001, NULL, 'Withdrawal', 500, '2026-08-31'); Preconditions: • Transactions table exists. • Sender account 1001 exists. • Sender account has sufficient balance. • Withdrawal transactions allow a NULL receiver account. Test Data: • sender_account = 1001 • receiver_account = NULL • transaction_type = Withdrawal • amount = 500 • transaction_date = 2026-08-31 Test Environment: MySQL Expected Result: Withdrawal transaction is created successfully with receiver_account set to NULL.

[BTMSB-49] [TM_007: Verify that a transaction can be created with a valid receiver account](#) Created: 31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0 i000qn:		
Sprint:			

Description

Steps:
Insert a new Transfer transaction using a valid existing receiver account.

- INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 500, '2026-08-31');

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists in the Accounts table.
- Sender account has sufficient balance.

Test Data:

- sender_account = 1001
- receiver_account = 1002 → Valid existing account
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction record is created successfully because the receiver account exists and is valid.

[BTMSB-48] [TM_006: Verify that a transaction can be created with a valid sender account](#)

Created: 31/Aug/26 Updated:

12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do
Rank:	0 i000qf:
Sprint:	

Description

Steps:
Insert a new transaction using a valid existing sender account.

- INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 500, '2026-08-31');
- **Preconditions:**
 - Transactions table exists.
 - Sender account 1001 exists in the Accounts table.
 - Receiver account 1002 exists.
 - Sender account has sufficient balance.

Test Data:

- sender_account = 1001 → Valid existing account
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction record is created successfully because the sender account exists and is valid.

[BTMSB-33] TM_005 : Verify that a customer can create a valid Bill Payment transaction successfully

Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Failed
Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates		
	relates to	BTMSB-138	Bug_02 :Customer's account balance is... To Do
	relates to	BTMSB-9	Transaction Management To Do
Rank:	0ji000n3:		
Sprint:			

Description

Steps: Insert a new Bill Payment transaction using valid mandatory data. - INSERT INTO Transactions (sender_account, receiver_account, transaction_type, amount, transaction_date) VALUES (1, NULL, 'Bill Payment', 500, '2026-08-31'); Preconditions: - Transactions table exists. - Sender account 1 exists. - Sender account has a balance greater than or equal to 500. Test Data: - sender_account = 1 - receiver_account = NULL - transaction_type = Bill Payment - amount = 500 - transaction_date = 2026-08-31 Test Environment: MySQL Expected Result: Transaction record is created successfully with a unique transaction_id generated automatically.

[BTMSB-31] TM_004: Verify that a customer can create a valid Transfer transaction successfully

Created: 31/Aug/26

Updated: 12/Sep/26

Status:	Failed
---------	--------

Project:	Banking Transaction Management System (BTMS)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates			
	relates to	BTMSB-137	BUG_01 — Sender and receiver account ...	To Do
	relates to	OR-44	BUG_01 — Sender and receiver account...	To Do
	relates to	BTMSB-9	Transaction Management	To Do
Rank:	0ji000mn:			
Sprint:				

Description

Steps:

Insert a new Transfer transaction using valid mandatory data.

- INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 500, '2026-08-31');
- **Preconditions:**
- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.
- Sender account has a balance greater than or equal to 500.
- Sender and receiver accounts are valid.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction record is created successfully with a unique transaction_id generated automatically.

[BTMSB-29] TM_003: Verify that a customer can create a valid Withdrawal transaction successfully. Created:

31/Aug/26 Updated: 12/Sep/26

Status:	Passed
Project:	Banking Transaction Management System (BTMS)

10/3/26, 6:54 PMJira

Components:	None		
Affects versions:	None		
Fix versions:	None		

Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates toBTMSB-9Transaction ManagementTo Do		
Rank:	0ji000m7:		
Sprint:			

Description

TM_002: Verify that a customer can create a valid Withdrawal transaction successfully.

Steps:

Insert a new Withdrawal transaction using valid mandatory data.

- INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, NULL, 'Withdrawal', 500, '2026-08-31');

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Sender account has a balance greater than or equal to 500.

Test Data:

- sender_account = 1001
- receiver_account = NULL
- transaction_type = Withdrawal
- amount = 500
- transaction_date = 2026-08-31

Test Environment:

MySQL

Expected Result:

Transaction record is created successfully with a unique transaction_id generated automatically.

[BTMSB-28] TM_002 : Verify that a customer can create a valid Deposit transaction successfully		Created: 31/Aug/26
Updated: 12/Sep/26		
Status:	Passed	
Project:	Banking Transaction Management System (BTMS)	
Components:	None	
Affects versions:	None	

Fix versions:	None		
Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Issue links:	Relates relates toBTMSB-9Transaction ManagementTo Do		
Rank:	0ji000Iz:		
Sprint:			

Description

Steps: Insert a new Deposit transaction using valid mandatory data. - INSERT INTO Transactions (sender_account, receiver_account, transaction_type, amount, transaction_date) VALUES (1001, NULL, 'Deposit', 500, '2026-08-31'); Preconditions: - Transactions table exists. - Account 1001 exists. - Account 1001 is valid for receiving the deposit. Test Data: - sender_account = 1001 - receiver_account = NULL - transaction_type = Deposit - amount = 500 - transaction_date = 2026-08-31 Test Environment: MySQL Expected Result: Transaction record is created successfully with a unique transaction_id generated automatically.
--

--

[BTMSB-22] TM_001 : Verify that a customer can create a transaction successfully using valid transaction data			
Created: 31/Aug/26 Updated: 12/Sep/26			
Status:	Passed		
Project:	Banking Transaction Management System (BTMS)		
Components:	None		
Affects versions:	None		
Fix versions:	None		
Type:	Test Case	Priority:	Medium
Reporter:	Dina Ahmed	Assignee:	Dina Ahmed

Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Issue links:	Relates relates to BTMSB-9 Transaction Management To Do		
Rank:	0ji000kn:		
Sprint:			
Status:	not ex		

Description

Steps:
Insert a new transaction using valid mandatory data

- INSERT INTO Transactions
(sender_account, receiver_account, transaction_type, amount, transaction_date)
VALUES
(1001, 1002, 'Transfer', 500, '2026-08-31');

Preconditions:

- Transactions table exists.
- Sender account 1001 exists.
- Receiver account 1002 exists.
- Sender account has sufficient balance.

Test Data:

- sender_account = 1001
- receiver_account = 1002
- transaction_type = Transfer
- amount = 500
- transaction_date = 2026-08-31

Test Environment:
MySQL

Expected Result:
Transaction record is created successfully with a unique transaction_id generated automatically.

--