

👍 APP SCORES



Security Score **44/100**
Trackers Detection **0/432**

📁 FILE INFORMATION

File Name app-release.apk
Size 3.83MB
MD5 c665718661f3c45af5ca3037d9ba6b7c
SHA1 f17a89fd0c1515c24e0f3c24fcc2025c99707e22
SHA256 cc3c0d0f2fcd7c58485efa457ae2194f0febb5114da49d55ec6fe744518bb89d

📄 APP INFORMATION

App Name InsecureShop
Package Name com.insecureshop
Main Activity com.insecureshop.ProductListActivity
Target SDK 29 Min SDK 16 Max SDK
Android Version Name 1.0 Android Version Code 1

5 / 10

EXPORTED ACTIVITIES

View All ⌵

0 / 0

EXPORTED RECEIVERS

View All ⌵

1 / 1

EXPORTED SERVICES

View All ⌵

1 / 2

EXPORTED PROVIDERS

View All ⌵

⚙️ SCAN OPTIONS

📄 DECOMPILED CODE

🔑 SIGNER CERTIFICATE

Binary is signed
v1 signature: True
v2 signature: True
v3 signature: False
v4 signature: False
X.509 Subject: CN=paranid5, OU=paranid5, O=paranid5, L=paranid5, ST=paranid5
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2025-05-01 13:47:38+00:00
Valid To: 2050-04-25 13:47:38+00:00
Issuer: CN=paranid5, OU=paranid5, O=paranid5, L=paranid5, ST=paranid5
Serial Number: 0x1
Hash Algorithm: sha256
md5: 46857dc0b688a755a7534430220458b5
sha1: 1b2d15846072cfd79ad955024356e4ea621b8c97
sha256: 0f0ac07d542ae388a6b2d0d9767224753497ccb199ee680a5396435078fb2c50
sha512: 25c2dc39d8dad01933bf228b4fa93a8047b0efaf26439bd51017a57e560d1c8d557bff78918966ebd2a75f5a17913cbe462e4ad58380220ace863fffb9dbd12
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: 1addd3f729944409a9bbad1f3f6281e1642eb6df3a437d10304701edd3aaef6d
Found 1 unique certificates

≡ APPLICATION PERMISSIONS

Search:

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.	
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.	
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.	
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.	

Showing 1 to 5 of 5 entries

 ANDROID API

Search:

API	FILES
Android Notifications	
Base64 Decode	
Base64 Encode	
Content Provider	
Crypto	
Dynamic Class and Dexloading	

API	FILES
Get Installed Applications	
Get System Service	
HTTP Connection	
HTTPS Connection	

Showing 1 to 10 of 18 entries

 BROWSABLE ACTIVITIES

Search:

ACTIVITY	INTENT
com.inseureshop.WebViewActivity	Schemes: inseureshop://, Hosts: com.inseureshop,

Showing 1 to 1 of 1 entries

 NETWORK SECURITY

Search:

NO	SCOPE	SEVERITY	DESCRIPTION
No data available in table			

Showing 0 to 0 of 0 entries

 CERTIFICATE ANALYSIS

HIGH
0

WARNING
1

INFO
1

Search:

TITLE	SEVERITY	DESCRIPTION
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Signed Application	info	Application is signed with a code signing certificate

Showing 1 to 2 of 2 entries

 MANIFEST ANALYSIS

HIGH
2

WARNING
8

INFO
0

SUPPRESSED
0

Search:

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
1	App can be installed on a vulnerable unpatched Android version Android 4.1-4.1.2, [minSdk=16]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.	
2	Clear text traffic is Enabled For App [android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.	
3	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.	
4	Activity (com.inseureshop.ChooserActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.	
5	Activity (com.inseureshop.AboutUsActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
6	Activity (com.inseureshop.WebViewActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.	
7	Activity (com.inseureshop.WebView2Activity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.	

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
8	Activity (com.inseureshop.ResultActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
9	Content Provider (com.inseureshop.contentProvider.InsecureShopProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
10	Service (net.gotev.uploadservice.UploadService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

Showing 1 to 10 of 10 entries

</> CODE ANALYSIS

HIGH1

WARNING3

INFO2

SECURE0

SUPPRESSED0

Search:

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3		

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
2	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/insecureshop/ChooserActivity.java	
3	Ensure that user controlled URLs never reaches the Webview. Enabling file access from URLs in WebView can leak sensitive information from the file system.	warning	CWE: CWE-200: Information Exposure OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/insecureshop/PrivateActivity.java com/insecureshop/WebView2Activity.java com/insecureshop/WebViewActivity.java	
4	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/insecureshop/util/CustomWebViewClient.java	
5	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14		
6	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/insecureshop/util/Prefs.java	

Showing 1 to 6 of 6 entries

[Previous](#)

1

[Next](#)

🚩 SHARED LIBRARY BINARY ANALYSIS

No Shared Objects found.

Search:

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
No data available in table									

Showing 0 to 0 of 0 entries

[Previous](#)

[Next](#)

📖 NIAP ANALYSIS v1.3

Search:

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
No data available in table				

Showing 0 to 0 of 0 entries

[Previous](#)

[Next](#)

📁 FILE ANALYSIS

Search:

NO	ISSUE	FILES
No data available in table		

Showing 0 to 0 of 0 entries

PreviousNext

 FIREBASE DATABASE ANALYSIS

Search:

TITLE	SEVERITY	DESCRIPTION
No data available in table		

Showing 0 to 0 of 0 entries

PreviousNext

 MALWARE LOOKUP

[!\[\]\(6a9b39b98eb945faa14c645ec99e4eaa_img.jpg\) VirusTotal Report](#) | [!\[\]\(182077db5bac9ff62bf376fe37ffa951_img.jpg\) Triage Report](#) | [!\[\]\(6ed6a340e0627314752774197e63f07e_img.jpg\) MetaDefender Report](#) | [!\[\]\(9ff6d055737e0f9bee95f39dc7b63bda_img.jpg\) Hybrid Analysis Report](#)

 APKiD ANALYSIS

Search:

DEX	DETECTIONS						
classes.dex	Search: <table><tr><th>FINDINGS</th><th>DETAILS</th></tr><tr><td>Anti-VM Code</td><td>Build.MANUFACTURER check</td></tr><tr><td>Compiler</td><td>r8</td></tr></table> Showing 1 to 2 of 2 entries Previous 1 Next	FINDINGS	DETAILS	Anti-VM Code	Build.MANUFACTURER check	Compiler	r8
FINDINGS	DETAILS						
Anti-VM Code	Build.MANUFACTURER check						
Compiler	r8						

Showing 1 to 1 of 1 entries

 BEHAVIOUR ANALYSIS

				Search:
RULE ID	BEHAVIOUR	LABEL	FILES	
00013	Read file and put it into a stream	file		
00022	Open a file from given absolute path of the file	file	com/insecureshop/ChooserActivity.java net/gotev/uploadservice/UploadTask.java net/gotev/uploadservice/schemehandlers/FileSchemeHandler.java	
00030	Connect to the remote server through the given URL	network	com/bumptechnology/load/data/HttpUrlFetcher.java	
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms callog calendar	com/bumptechnology/load/data/mediastore/ThumbFetcher.java	

RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server	command network	com/bumptech/glide/load/data/HttpUrlFetcher.java net/gotev/uploadservice/http/impl/HurlStackConnection.java
00091	Retrieve data from broadcast	collection	com/inseureshop/ChooserActivity.java com/inseureshop/CustomReceiver.java com/inseureshop/WebView2Activity.java
00094	Connect to a URL and read data from it	command network	net/gotev/uploadservice/http/impl/HurlStackConnection.java
00096	Connect to a URL and set request method	command network	net/gotev/uploadservice/http/impl/HurlStackConnection.java
00108	Read the input stream from given URL	network command	net/gotev/uploadservice/http/impl/HurlStackConnection.java
00109	Connect to a URL and get the response code	network command	com/bumptech/glide/load/data/HttpUrlFetcher.java net/gotev/uploadservice/http/impl/HurlStackConnection.java

Showing 1 to 10 of 13 entries

ABUSED PERMISSIONS

Top Malware Permissions


android.permission.INTERNET,
android.permission.READ_EXTERNAL_STORAGE,
android.permission.WRITE_EXTERNAL_STORAGE,
android.permission.READ_CONTACTS, android.permission.WAKE_LOCK

5/25 Other Common Permissions

0/44

Malware Permissions are the top permissions that are widely abused by known malware.
Other Common Permissions are permissions that are commonly abused by known malware.

 SERVER LOCATIONS



This app may communicate with the following OFAC sanctioned list of countries.

Search:

DOMAIN	COUNTRY/REGION
No data available in table	

Showing 0 to 0 of 0 entries

🔍 DOMAIN MALWARE CHECK

Search:

DOMAIN	STATUS	GEOLOCATION
gist.github.com	ok	IP: 140.82.121.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
images.pexels.com	ok	IP: 104.18.67.220 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
stackoverflow.com	ok	IP: 188.114.98.235 Country: Spain Region: Madrid, Comunidad de City: Madrid Latitude: 40.416500 Longitude: -3.702560 View: Google Map
www.inseureshop.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.inseureshopapp.com	ok	IP: 34.149.87.45 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map

Showing 1 to 5 of 5 entries

URLS

Search:

URL	FILE
data:image	com/bumptech/glide/load/model/DataUrlLoader.java
file:///android_asset/	com/bumptech/glide/load/model/AssetUriLoader.java
http://stackoverflow.com/a/4410331	net/gotev/uploadservice/NameValue.java
https://gist.github.com/gotev/67c300c563bdf68a502c	net/gotev/uploadservice/UploadTask.java
https://www.inseureshop.com/	com/inseureshop/SendingDataViaActionActivity.java
https://www.inseureshopapp.com	com/inseureshop/ProductDetail.java
https://www.inseureshopapp.com	com/inseureshop/PrivateActivity.java

URL	FILE
https://www.insecureshopapp.com https://images.pexels.com/photos/984619/pexels-photo-984619.jpeg https://images.pexels.com/photos/789812/pexels-photo-789812.jpeg https://images.pexels.com/photos/7974/pexels-photo.jpg https://images.pexels.com/photos/225157/pexels-photo-225157.jpeg https://images.pexels.com/photos/277390/pexels-photo-277390.jpeg https://images.pexels.com/photos/343720/pexels-photo-343720.jpeg https://images.pexels.com/photos/532803/pexels-photo-532803.jpeg https://images.pexels.com/photos/264819/pexels-photo-264819.jpeg	com/insecureshop/util/Util.java
https://www.insecureshopapp.com/	com/insecureshop/broadcast/ProductDetailBroadCast.java

Showing 1 to 9 of 9 entries

✉ EMAILS

🕸 TRACKERS

Search:

TRACKER NAME	CATEGORIES	URL
No data available in table		

Showing 0 to 0 of 0 entries

POSSIBLE HARDCODED SECRETS

▼ Showing all **1** secrets

"aws_identity_pool_ID" : "us-east-1:7e9426f7-42af-4717-8689-00a9a4b65c1c"

A STRINGS

From APK Resource

► Show all **1692** strings

From Code

► Show all **6804** strings

From Shared Objects

A ACTIVITIES

▼ Showing all **10** activities

[com.inseureshop.ChooserActivity](#)

[com.inseureshop.AboutUsActivity](#)

[com.inseureshop.CartListActivity](#)

[com.inseureshop.ProductListActivity](#)

[com.inseureshop.LoginActivity](#)

[com.inseureshop.WebViewActivity](#)

[com.inseureshop.WebView2Activity](#)

[com.inseureshop.PrivateActivity](#)

[com.inseureshop.SendingDataViaActionActivity](#)

[com.inseureshop.ResultActivity](#)

SERVICES

▼ Showing all **1** services

[net.gotev.uploadservice.UploadService](#)

RECEIVERS

PROVIDERS

▼ Showing all **2** providers

[com.insecureshop.contentProvider.InsecureShopProvider](#)

[androidx.core.content.FileProvider](#)

LIBRARIES

SBOM

▼ Showing all **41** Versioned Packages

androidx.activity:activity@1.0.0

androidx.appcompat:appcompat-resources@1.1.0

androidx.appcompat:appcompat@1.1.0

androidx.arch.core:core-runtime@2.0.0

androidx.asynclayoutinflater:asynclayoutinflater@1.0.0

androidx.cardview:cardview@1.0.0

androidx.coordinatorlayout:coordinatorlayout@1.1.0

androidx.core:core-ktx@1.3.0

androidx.core:core@1.3.0

androidx.cursoradapter:cursoradapter@1.0.0

androidx.customview:customview@1.0.0

androidx.databinding:baseAdapters@3.6.3

androidx.databinding:library@3.6.3
androidx.databinding:viewbinding@3.6.3
androidx.documentfile:documentfile@1.0.0
androidx.drawerlayout:drawerlayout@1.0.0
androidx.exifinterface:exifinterface@1.0.0
androidx.fragment:fragment@1.1.0
androidx.interpolator:interpolator@1.0.0
androidx.legacy:legacy-support-core-ui@1.0.0
androidx.legacy:legacy-support-core-utils@1.0.0
androidx.legacy:legacy-support-v4@1.0.0
androidx.lifecycle:lifecycle-livedata-core@2.0.0
androidx.lifecycle:lifecycle-livedata@2.0.0
androidx.lifecycle:lifecycle-runtime@2.1.0
androidx.lifecycle:lifecycle-viewmodel@2.1.0
androidx.loader:loader@1.0.0
androidx.localbroadcastmanager:localbroadcastmanager@1.0.0
androidx.media:media@1.0.0
androidx.print:print@1.0.0
androidx.recyclerview:recyclerview@1.1.0
androidx.savedstate:savedstate@1.0.0
androidx.slidingpanelayout:slidingpanelayout@1.0.0
androidx.swiperefreshlayout:swiperefreshlayout@1.0.0
androidx.transition:transition@1.2.0
androidx.vectordrawable:vectordrawable-animated@1.1.0
androidx.vectordrawable:vectordrawable@1.1.0
androidx.versionedparcelable:versionedparcelable@1.1.0
androidx.viewpager2:viewpager2@1.0.0
androidx.viewpager:viewpager@1.0.0
com.google.android.material:material@1.1.0

▼ Showing all **5** Packages

com.bumptech.glide
com.insecureshop
net.gotev.uploadservice
org.intellij.lang.annotations
org.jetbrains.annotations



FILES

► Show all 1122 files