

LAPORAN AKTIVITAS 5&6

Nama : Hafizah Dini Azahra

NIM : 242410101011

Kelas : A

AKTIVITAS 5

1. Buat Resource Controller: php artisan make:controller MahasiswaController --resource --model=Mahasiswa

```
PS C:\laragon\www\pupuk-app> php artisan make:controller PupukController --resource --model=Pupuk

INFO Controller [C:\laragon\www\pupuk-app\app\Http\Controllers\PupukController.php] created successfully.

PS C:\laragon\www\pupuk-app>
```

2. Daftarkan di routes/web.php: Route::resource('mahasiswa', MahasiswaController::class)

```
routes > web.php
1  <?php
2
3  use Illuminate\Support\Facades\Route;
4  use App\Http\Controllers\DashboardController;
5  use App\Http\Controllers\PupukController;
6
7  Route::get('/', [DashboardController::class, 'index']);
8  Route::get('/tentang', fn() => view('tentang'));
9  Route::get('/kontak', fn() => view('kontak'));
10 |
11 Route::resource('pupuk', PupukController::class);
```

3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)

```
PS C:\laragon\www\pupuk-app> php artisan route:list

GET|HEAD / ..... DashboardController@index
GET|HEAD kontak ..... routes/web.php:9
GET|HEAD pupuk ..... pupuk.index > PupukController@index
POST pupuk ..... pupuk.store > PupukController@store
GET|HEAD pupuk/create ..... pupuk.create > PupukController@create
GET|HEAD pupuk/{pupuk} ..... pupuk.show > PupukController@show
PUT|PATCH pupuk/{pupuk} ..... pupuk.update > PupukController@update
DELETE pupuk/{pupuk} ..... pupuk.destroy > PupukController@destroy
GET|HEAD pupuk/{pupuk}/edit ..... pupuk.edit > PupukController@edit
storage/{path} ..... storage.local > vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:111
PUT storage/{path} ..... storage.local.upload > vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:119
GET|HEAD tentang ..... routes/web.php:8
GET|HEAD up ..... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223

Showing [13] routes
```

```
▼ pupuk
  create.blade.php
  edit.blade.php
  index.blade.php
  show.blade.php
```

```
resources > views > pupuk > create.blade.php
1  @extends('layouts.app')
2
3  @section('title', 'Tambah Produk')
4
5  @section('content')
6  <main class="container">
7      <section class="content">
8
9          <section id="opening">
10             <h2>Tambah Produk Baru</h2>
11          </section>
12
13          <section class="table-section">
14             <a href="{{ route('pupuk.index') }}" class="btn-edit">← Kembali</a>
15
16             @if($errors->any())
17                 <div class="alert-error">
18                     <ul>
19                         @foreach($errors->all() as $error)
20                             <li>{{ $error }}</li>
21                         @endforeach
22                     </ul>
23                 </div>
24             @endif
25
26             <form action="{{ route('pupuk.store') }}" method="POST" enctype="multipart/form-data">
27                 @csrf
28
29                 <div class="form-group">
30                     <label>Kode Barang *</label>
31                     <input type="text" name="kode" value="{{ old('kode') }}" placeholder="Contoh: PRD-007">
32                     <span class="err">{{ $errors->first('kode') }}</span>
33                 </div>
34             </form>
35         </section>
36     </main>
37 </section>
38 @endsection
```

```
resources > views > pupuk > edit.blade.php
1  @extends('layouts.app')
2
3  @section('title', 'Edit Produk')
4
5  @section('content')
6  <main class="container">
7      <section class="content">
8
9          <section id="opening">
10             <h2>Edit Produk</h2>
11          </section>
12
13          <section class="table-section">
14             <a href="{{ route('pupuk.index') }}" class="btn-edit">← Kembali</a>
15
16             @if($errors->any())
17                 <div class="alert-error">
18                     <ul>
19                         @foreach($errors->all() as $error)
20                             <li>{{ $error }}</li>
21                         @endforeach
22                     </ul>
23                 </div>
24             @endif
25
26             <form action="{{ route('pupuk.update', $pupuk) }}" method="POST" enctype="multipart/form-data">
27                 @csrf
28                 @method('PUT')
29
30                 <div class="form-group">
31                     <label>Kode Barang *</label>
32                     <input type="text" name="kode" value="{{ old('kode', $pupuk->kode) }}" placeholder="Contoh: PRD-001">
33                     <span class="err">{{ $errors->first('kode') }}</span>
34                 </div>
35             </form>
36         </section>
37     </main>
38 </section>
39 @endsection
```

```
resources > views > pupuk > ● index.blade.php
1  @extends('layouts.app')
2
3  @section('title', 'Katalog Produk - AgroMart')
4
5  @section('content')
6  <div class="hero-dashboard" style="height: 180px; background: linear-gradient(□rgba(0, 0, 0, 0.6), □rgba(0, 0, 0, 0.6)), url('{{ asse
7  <h1 style="font-family: 'Playfair Display', serif; font-size: 36px; margin-bottom: 5px;">Katalog Produk</h1>
8  <p style="font-size: 16px; opacity: 0.9;">Manajemen stok dan varietas pupuk unggulan AgroMart</p>
9  </div>
10
11 <div class="container" style="max-width: 1200px; margin: -30px auto 50px; padding: 0 20px; position: relative; z-index: 2; display: blo
12 <div class="content" style="background: transparent; box-shadow: none; padding: 0;">
13
14 <div class="toolbar" style="background: white; padding: 20px; border-radius: 15px; margin-bottom: 25px; box-shadow: 0 4px 15px □rgba(0,0,0,0.8);
15 <a href="{{ route('pupuk.create') }}" style="background: □#76944c; color: white; padding: 12px 20px; border-radius: 8px; text-decoration: none;
16
17 <form action="{{ route('pupuk.index') }}" method="GET" style="display: flex; gap: 10px; flex: 1; max-width: 500px;">
18 <input type="search" name="search" placeholder="Cari nama pupuk..." value="{{ request('search') }}" style="flex: 1; padding: 10px 30px;
19 <button type="submit" style="background: □#1e3a1e; color: white; border: none; padding: 10px 20px; border-radius: 25px; cursor: pointer;">
20 </form>
21 </div>
22
23 <div class="produk-grid" style="display: grid; grid-template-columns: repeat(auto-fill, minmax(280px, 1fr)); gap: 25px;">
24 @foreach($pupuks as $pupuk)
25 <div class="card" style="background: white; padding: 20px; border-radius: 20px; display: flex; flex-direction: column; align-items: center;
26
27 <div style="width: 100%; height: 200px; overflow: hidden; border-radius: 15px; background: □#f4f4f4; display: flex; align-items: center;
28 @php
29 $namaLow = strtolower($pupuk->nama);
30 $imageFile = 'newlogo.png'; // Default jika tidak ada yang cocok
31
32 // COCOKKAN DENGAN NAMA FILE DI FOLDER KAMU
33 if (strpos($namaLow, 'kompos') != false) { $imageFile = 'kompos.png'; }
34 elseif (strpos($namaLow, 'mutiara') != false || strpos($namaLow, 'npk') != false) { $imageFile = 'npk.png'; }
35 elseif (strpos($namaLow, 'obhonska') != false) { $imageFile = 'obhonska.png'; }
36
```

```
resources > views > pupuk > show.blade.php
1  @extends('layouts.app')
2
3  @section('title', 'Detail Produk')
4
5  @section('content')
6  <main class="container">
7      <section class="content">
8
9          <section id="opening">
10             <h2>Detail Produk</h2>
11          </section>
12
13          <section class="table-section">
14             <a href="{{ route('pupuk.index') }}" class="btn-edit">← Kembali</a>
15
16             <table>
17                 <tr>
18                     <th>Kode</th>
19                     <td>{{ $pupuk->kode }}</td>
20                 </tr>
21                 <tr>
22                     <th>Nama</th>
23                     <td>{{ $pupuk->nama }}</td>
24                 </tr>
25                 <tr>
26                     <th>Kategori</th>
27                     <td>{{ $pupuk->kategori }}</td>
28                 </tr>
29                 <tr>
30                     <th>Stok</th>
31                     <td class="{{ $pupuk->stok < 10 ? 'stok-menipis' : '' }}">
32                         {{ $pupuk->stok }}
33                     </td>
34                 </tr>
35                 <tr>
```

4. Implementasi method index() — ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view

```

app > Http > Controllers > PupukController.php > PupukController
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Pupuk;
6  use Illuminate\Http\Request;
7  use Illuminate\Support\Facades\Storage;
8
9  2 references | 0 implementations
10 class PupukController extends Controller
11 {
12     0 references | 0 overrides
13     public function index()
14     {
15         $pupuks = Pupuk::where('user_id', auth()->id()->paginate(10);
16         return view('pupuk.index', compact('pupuks'));
17     }
18
19     0 references | 0 overrides
20     public function create()
21     {
22         return view('pupuk.create');
23     }
24
25     0 references | 0 overrides
26     public function store(Request $request)
27     {
28         $request->validate([
29             'kode' => 'required|unique:pupuks,kode',
30             'nama' => 'required|min:3',
31             'kategori' => 'required|in:Kimia,Organik,Cair',
32             'stok' => 'required|integer|min:0',
33             'harga' => 'required|numeric|min:1',
34             'tanggal_masuk' => 'required|date',
35             'foto' => 'nullable|image|mimes:jpg,png|max:2048',

```

5. Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI,TI,MI)


[← Kembali ke Katalog](#)

Kode Barang *	Nama Produk *
PRD-001	Pupuk Bio Organik
Kategori *	Stok Awal *
Organik	10
Harga (Rp) *	Tanggal Masuk *
duaribu	05 / 13 / 2026
Please enter a number.	
Foto Produk Browse... No file selected. Format: JPG, PNG (Maks. 2MB)	
Simpan Produk ke Katalog	

Nama Produk *



Nama pupuk

Please fill out this field.



Produk berhasil dihapus!

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini



7. Implementasi `destroy()` — dengan konfirmasi JavaScript sebelum hapus

```

app > Http > Controllers > PupukController.php > PupukController
9  class PupukController extends Controller
83
    0 references | 0 overrides
84  public function destroy(Pupuk $pupuk)
85  {
86      if ($pupuk->foto) {
87          Storage::disk('public')->delete($pupuk->foto);
88      }
89
90      $pupuk->delete();
91
92      return redirect()->route('pupuk.index')
93          ->with('success', 'Produk berhasil dihapus!');
94  }
95  }

```

Produk berhasil dihapus!

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

```

resources > views > layouts > app.blade.php
2  <html lang="id">
52 <body>
54  @include('partials.navbar')
55
56  <main>
57      <div class="flash-container">
58          @if(session('success'))
59              <div class="alert alert-success" id="success-alert">
60                  {{ session('success') }}
61              </div>
62          @endif
63
64          @if(session('error'))
65              <div class="alert alert-error" id="error-alert">
66                  {{ session('error') }}
67              </div>
68          @endif
69      </div>
70
71      @yield('content')
72  </main>
73
74  @include('partials.footer')
75
76  <script src="{{ asset('js/script.js') }}"></script>
77
78  <script>
79      setTimeout(function() {
80          const alerts = document.querySelectorAll('.alert');
81          alerts.forEach(alert => {
82              alert.style.transition = "opacity 0.5s ease";
83              alert.style.opacity = "0";

```



9. BONUS: Tambahkan fitur upload foto profil dengan validasi
image|mimes:jpg,png|max:2048

Foto Produk

Browse...

No file selected.

Format: JPG, PNG (Maks. 2MB)

Simpan Produk ke Katalog


```

app > Http > Controllers > PupukController.php > PupukController
9  class PupukController extends Controller
55  }
56
    0 references | 0 overrides
57  public function update(Request $request, Pupuk $pupuk)
58  {
59      $request->validate([
60          'kode'      => 'required|unique:pupuks,kode,'.$pupuk->id,
61          'nama'      => 'required|min:3',
62          'kategori'  => 'required|in:Kimia,Organik,Cair',
63          'stok'      => 'required|integer|min:0',
64          'harga'     => 'required|numeric|min:1',
65          'tanggal_masuk' => 'required|date',
66          'foto'      => 'nullable|image|mimes:jpg,png|max:2048',
67      ]);
68
69      $data = $request->all();
70
71      if ($request->hasFile('foto')) {
72          if ($pupuk->foto) {
73              Storage::disk('public')->delete($pupuk->foto);
74          }
75          $data['foto'] = $request->file('foto')->store('foto-pupuk', 'public');
76      }
77
78      $pupuk->update($data);
79
80      return redirect()->route('pupuk.index')
81          ->with('success', 'Produk berhasil diupdate!');
82  }
83

```

AKTIVITAS 6

1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian php artisan breeze:install blade

```

PS C:\laragon\www\pupuk-app> composer require laravel/breeze
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files

```

```
PS C:\laragon\www\pupuk-app> php artisan breeze:install blade

INFO Installing and building Node dependencies.

added 139 packages, and audited 140 packages in 2m

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

> build
> vite build
```

2. Jalankan php artisan migrate untuk membuat tabel users

```
PS C:\laragon\www\pupuk-app> php artisan migrate

INFO Nothing to migrate.

PS C:\laragon\www\pupuk-app> php artisan make:migration add_role_to_users_
table

INFO Migration [C:\laragon\www\pupuk-app\database\migrations\2026_05_1
2_134523_add_role_to_users_table.php] created successfully.
```

3. Jalankan npm install && npm run dev untuk build assets

```
PS C:\laragon\www\pupuk-app> npm install

up to date, audited 140 packages in 4s

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

PS C:\laragon\www\pupuk-app> npm run dev

> dev
> vite



VITE v8.0.12 ready in 879 ms

→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

LARAVEL v13.6.0 plugin v3.1.0

→ APP_URL: http://localhost
8:07:59 PM [vite] (client) [optimizer] bundling dependencies...
```

4. Coba register dan login di <http://127.0.0.1:8000/register>



5. Amankan semua route mahasiswa dengan middleware auth:
Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)

```
PS C:\laragon\www\pupuk-app> php artisan make:middleware CekAdmin

INFO Middleware [C:\laragon\www\pupuk-app\app\Http\Middleware\CekAdmin.php] created successfully.


PS C:\laragon\www\pupuk-app>
```

```


routes > web.php
1  <?php
2
3  use App\Http\Controllers\ProfileController;
4  use App\Http\Controllers\DashboardController;
5  use App\Http\Controllers\PupukController;
6  use Illuminate\Support\Facades\Route;
7
8  Route::get('/', function () {
9      return view('welcome');
10 });
11
12 Route::get('/tentang', fn() => view('tentang'))->name('tentang');
13 Route::get('/kontak', fn() => view('kontak'))->name('kontak');
14
15 Route::get('/dashboard', [DashboardController::class, 'index'])
16     ->middleware(['auth', 'verified'])
17     ->name('dashboard');

```

6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login




7. Tambahkan nama user di navbar: {{ auth()->user()->name }}



8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu



```
app > Http > Middleware > CekAdmin.php > CekAdmin
1  <?php
2
3  namespace App\Http\Middleware;
4
5  use Closure;
6  use Illuminate\Http\Request;
7  use Symfony\Component\HttpFoundation\Response;
8
9  1 reference | 0 implementations
10 class CekAdmin
11 {
12     0 references | 0 overrides
13     public function handle(Request $request, Closure $next): Response
14     {
15         if (auth()->check() && auth()->user()->role === 'admin') {
16             return $next($request);
17         }
18         return redirect('/')->with('error', 'Akses ditolak! Hanya admin yang boleh masuk.');
```



9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

```
2 references | 0 implementations
9  class PupukController extends Controller
10 {
    0 references | 0 overrides
11  public function index()
12  {
13      $pupuks = Pupuk::where('user_id', auth()->id()->paginate(10);
14      return view('pupuk.index', compact('pupuks'));
15  }
16
```