

LAPORAN TUGAS AKTIVITAS 3 & 4

Nama : Hafizah Dini Azahra

NIM : 242410101011

Kelas : PWEB A

Aktivitas 3

1. Buat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer

```
resources > views > layouts > app.blade.php
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>PupukKu</title>
7     <link href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@700&family=Poppins:wght@400;600&display=swap" rel="stylesheet">
8     <link rel="stylesheet" href="style.css">
9     @stack('styles')
10 </head>
11 <body>
12     <header class="header">
13         <h1>AgroMart PupukKu</h1>
14     </header>
15
16     @include('partials.navbar')
17
18     @if(session('success'))
19         <div class="alert-success">{{ session('success') }}</div>
20     @endif
21
22     <main class="container">
23         @yield('content')
24     </main>
25
26     @include('partials.footer')
27
28     <script src="{{ asset('js/script.js') }}"></script>
29     @stack('scripts')
30 </body>
31 </html>
```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout

```
resources > views > partials > navbar.blade.php
1 <nav class="navbar">
2     
3     <ul class="nav-menu">
4
5         <li><a href="{{ url('/') }}">Beranda</a></li>
6         <li><a href="{{ url('/katalog') }}">Katalog Produk</a></li>
7         <li><a href="{{ url('/keranjang') }}">Keranjang</a></li>
8         <li><a href="{{ url('/pesanan') }}">Pesanan Saya</a></li>
9     </ul>
10 </nav>

@include('partials.navbar')
```

3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')

```
resources > views > dashboard.blade.php
1  @extends('layouts.app')
2
3  @section('title', 'Beranda - PupukKu')
4
5  @section('content')
6
7      <aside class="sidebar">
8          <h3>Statistik</h3>
9          <div class="stat-item">
10             <p>Ketersediaan Stok Pupuk</p>
11             <div class="stat-bar">
12                 <div class="stat-fill" style="width: 80%; background: #76944C;"></div>
13             </div>
14             <span class="stat-label">80%</span>
15          </div>
16      </aside>
17
18      <section class="content">
19          <section id="opening">
20              <h2>Selamat Datang di AgroMart Pupuk</h2>
21              <p>Agromart adalah platform penjualan pupuk...</p>
22          </section>
23
24          <div class="stats-row">
25              @forelse ($statsData as $stat)
26                  <x-stat-card
27                      judul="{{ $stat['label'] }}"
28                      nilai="{{ $stat['nilai'] }}"
29                      warna="{{ $stat['warna'] ?? '' }}"
30                  />
31              @empty
32                  <p>Tidak ada data.</p>
33              @endforelse
34          </div>
35      </section>
36  </section>
```

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif

```
@if(session('success'))
    <div class="alert-success">{{ session('success') }}</div>
@endif
```

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)

```
resources > views > components > stat-card.blade.php
1  <div class="stat-card {{ $warna ?? '' }}">
2      <div class="stat-val">{{ $nilai }}</div>
3      <div class="stat-lbl">{{ $judul }}</div>
4      <div class="stat-lbl">{{ $ikon }}</div>
5  </div>
```

6. Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)

```
@forelse ($dataPupuk as $pupuk)
    <tr>
        <td>{{ $pupuk['kode'] }}</td>
        <td>{{ $pupuk['nama'] }}</td>
        <td>{{ $pupuk['kategori'] }}</td>
        <td class="{{ $pupuk['stok'] < 10 ? 'stok-menipis' : '' }}">
            {{ $pupuk['stok'] }}
        </td>
        <td>{{ $pupuk['harga'] }}</td>
        <td>{{ $pupuk['tanggal'] }}</td>
        <td>
            <button class="btn-edit">Edit</button>
            <button class="btn-hapus">Hapus</button>
        </td>
    </tr>
@empty
    <tr>
        <td colspan="7" style="text-align:center">Belum ada data pupuk.</td>
    </tr>
@endforelse
```

7. Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama

resources > views > kontak.blade.php

```
1 @extends('layouts.app')
2
3 @section('title', 'Kontak - PupukKu')
4
5 @section('content')
6
7 <main class="container">
8     <section class="content">
9
10         <section id="opening">
11             <h2>Hubungi Kami</h2>
12             <p>
13                 Ada pertanyaan atau butuh bantuan? Jangan ragu untuk
14                 menghubungi kami melalui informasi di bawah ini.
15             </p>
16         </section>
17
18         <section class="table-section">
19             <h3>Informasi Kontak</h3>
20             <table>
21                 <thead>
22                     <tr>
23                         <th>Jenis</th>
24                         <th>Detail</th>
25                     </tr>
26                 </thead>
27                 <tbody>
28                     <tr>
29                         <td>✉ Email</td>
30                         <td>AgroMart@mail.com</td>
31                     </tr>
32                     <tr>
33                         <td>📍 Alamat</td>
34                         <td>Jember, Jawa Timur</td>
35                     </tr>
36                 </tbody>
37             </table>
38         </section>
39     </section>
40 </main>
```

resources > views > tentang.blade.php

```
1 @extends('layouts.app')
2
3 @section('title', 'Tentang Kami - PupukKu')
4
5 @section('content')
6
7 <main class="container">
8     <section class="content">
9
10         <section id="opening">
11             <h2>Tentang AgroMart PupukKu</h2>
12             <p>
13                 AgroMart PupukKu adalah platform penjualan pupuk yang menyediakan
14                 berbagai jenis pupuk berkualitas untuk kebutuhan pertanian Anda.
15                 Kami berkomitmen untuk membantu para petani mendapatkan pupuk
16                 terbaik dengan harga terjangkau.
17             </p>
18         </section>
19
20         <div class="stats-row">
21             <div class="stat-card">
22                 <div class="stat-val">2020</div>
23                 <div class="stat-lbl">Tahun Berdiri</div>
24             </div>
25             <div class="stat-card">
26                 <div class="stat-val">500+</div>
27                 <div class="stat-lbl">Pelanggan Setia</div>
28             </div>
29             <div class="stat-card">
30                 <div class="stat-val">50+</div>
31                 <div class="stat-lbl">Produk Tersedia</div>
32             </div>
33         </div>
34     </section>
35 </main>
```

8. Gunakan `@push('scripts')` dan `@stack('scripts')` untuk menambahkan JavaScript spesifik per halaman

```
@push('scripts')
<script>
</script>
@endpush
```

```
<script src="{{ asset('js/script.js') }}"></script>
@stack('scripts')
```

Aktivitas 4

1. Buat Model dan Migration sekaligus: `php artisan make:model Mahasiswa -m`

```
PS C:\laragon\www\pupuk-app> php artisan migrate

INFO: Preparing database.

Creating migration table ..... 352.99ms DONE

INFO: Running migrations.

0001_01_01_000000_create_users_table ..... 245.37ms DONE
0001_01_01_000001_create_cache_table ..... 90.42ms DONE
0001_01_01_000002_create_jobs_table ..... 145.29ms DONE
2026_05_03_132806_create_pupuks_table ..... 52.46ms DONE
```

2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)

```
database > migrations > 2026_05_03_132806_create_pupuks_table.php
1  <?php
2
3  use Illuminate\Database\Migrations\Migration;
4  use Illuminate\Database\Schema\Blueprint;
5  use Illuminate\Support\Facades\Schema;
6
7  return new class extends Migration
8  {
9      /**
10       * Run the migrations.
11       */
12       public function up(): void
13       {
14           Schema::create('pupuks', function (Blueprint $table) {
15               $table->id();
16               $table->string('kode')->unique();           // PRD-001
17               $table->string('nama');                     // Urea Granul
18               $table->enum('kategori', ['Kimia', 'Organik', 'Cair']);
19               $table->integer('stok');
20               $table->decimal('harga', 10, 2);
21               $table->date('tanggal_masuk');
22               $table->string('foto')->nullable();
23               $table->timestamps();
24           });
25       }
26
27       /**
28        * Reverse the migrations.
29        */
30       public function down(): void
31       {
32           Schema::dropIfExists('pupuks');
33       }
34   };
35
```

3. Jalankan migration: php artisan migrate — cek di phpMyAdmin bahwa tabel sudah terbuat

```
PS C:\laragon\www\pupuk-app> php artisan migrate

INFO: Preparing database.


Creating migration table ..... 352.99ms DONE

INFO: Running migrations.

0001_01_01_000000_create_users_table ..... 245.37ms DONE
0001_01_01_000001_create_cache_table ..... 90.42ms DONE
0001_01_01_000002_create_jobs_table ..... 145.29ms DONE
2026_05_03_132806_create_pupuks_table ..... 52.46ms DONE

PS C:\laragon\www\pupuk-app> php artisan db:seed

INFO: Seeding database.
```



The screenshot shows the phpMyAdmin interface for the 'pupuk_db' database, specifically the 'Table structure' view for the 'pupuks' table. The table has 10 columns: id (bigint, UNSIGNED, AUTO_INCREMENT), kode (varchar(255)), nama (varchar(255)), kategori (enum('Kimia', 'Organik', 'Cair')), stok (int), harga (decimal(10,2)), tanggal_masuk (date), foto (varchar(255)), created_at (timestamp), and updated_at (timestamp). The 'updated_at' column is highlighted, and the 'Indexes' section below shows a primary index on the 'id' column.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id	bigint		UNSIGNED	No	None		AUTO_INCREMENT	Change Drop More
2	kode	varchar(255)	utf8mb4_unicode_ci		No	None			Change Drop More
3	nama	varchar(255)	utf8mb4_unicode_ci		No	None			Change Drop More
4	kategori	enum('Kimia', 'Organik', 'Cair')	utf8mb4_unicode_ci		No	None			Change Drop More
5	stok	int			No	None			Change Drop More
6	harga	decimal(10,2)			No	None			Change Drop More
7	tanggal_masuk	date			No	None			Change Drop More
8	foto	varchar(255)	utf8mb4_unicode_ci		Yes	NULL			Change Drop More
9	created_at	timestamp			Yes	NULL			Change Drop More
10	updated_at	timestamp			Yes	NULL			Change Drop More

4. Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope scopeAktif()

app > Models > Pupuk.php > Pupuk

```
1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Model;
6  use Illuminate\Database\Eloquent\Builder;
7  use App\Models\Pelanggan;
8
9  3 references | 0 implementations
10 class Pupuk extends Model
11 {
12     0 references
13     protected $fillable = [
14         'kode',
15         'nama',
16         'kategori',
17         'stok',
18         'harga',
19         'tanggal_masuk',
20         'foto'
21     ];
22
23     0 references
24     protected $casts = [
25         'harga'      => 'decimal:2',
26         'stok'       => 'integer',
27         'tanggal_masuk' => 'date',
28     ];
29
30     0 references | 0 overrides
31     public function scopeMenipis(Builder $query): Builder
32     {
33         return $query->where('stok', '<', 10);
34     }
35 }
```

```
0 references | 0 overrides
public function pelanggars()
{
    return $this->belongsToMany(Pelanggan::class, 'transaksi')
        ->withPivot('jumlah', 'harga_jual', 'tanggal')
        ->withTimestamps();
}
```

5. Buat seeder: php artisan make:seeder MahasiswaSeeder — isi dengan 5-10 data dummy

```
database > seeders > DatabaseSeeder.php > DatabaseSeeder
1  <?php
2
3  namespace Database\Seeders;
4
5  use App\Models\Pupuk;
6  use Illuminate\Database\Seeder;
7
8  0 references | 0 implementations
9  class DatabaseSeeder extends Seeder
10 {
11     0 references | 0 overrides
12     public function run(): void
13     {
14         $data = [
15             ['kode'=>'PRD-001','nama'=>'Urea Granul', 'kategori'=>'Kimia', 'stok'=>50,'harga'=>85000, 'tanggal_masuk'=>'2026-01-10'],
16             ['kode'=>'PRD-002','nama'=>'Pupuk Kompos', 'kategori'=>'Organik','stok'=>8, 'harga'=>45000, 'tanggal_masuk'=>'2026-02-05'],
17             ['kode'=>'PRD-003','nama'=>'NPK Mutiara', 'kategori'=>'Kimia', 'stok'=>30,'harga'=>120000, 'tanggal_masuk'=>'2026-02-20'],
18             ['kode'=>'PRD-004','nama'=>'Pupuk Cair Bio', 'kategori'=>'Cair', 'stok'=>5, 'harga'=>65000, 'tanggal_masuk'=>'2026-03-01'],
19             ['kode'=>'PRD-005','nama'=>'ZA Kristal', 'kategori'=>'Kimia', 'stok'=>25,'harga'=>55000, 'tanggal_masuk'=>'2026-03-10'],
20             ['kode'=>'PRD-006','nama'=>'Pupuk Kandang', 'kategori'=>'Organik','stok'=>7, 'harga'=>35000, 'tanggal_masuk'=>'2026-03-15'],
21         ];
22
23         foreach ($data as $item) {
24             Pupuk::create($item);
25         }
26     }
27 }
```

6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed

```
PS C:\laragon\www\pupuk-app> php artisan db:seed
```

```
INFO Seeding database.
```

7. Buka php artisan tinker dan coba query: Mahasiswa::all(),
Mahasiswa::where('jurusan','SI')->get(), Mahasiswa::avg('ipk')

```
> Pupuk::where('kategori', 'Kimia')->get();
= Illuminate\Database\Eloquent\Collection {#7386
  all: [
    App\Models\Pupuk {#7344
      id: 1,
      kode: "PRD-001",
      nama: "Urea Granul",
      kategori: "Kimia",
      stok: 50,
      harga: "85000.00",
      tanggal_masuk: "2026-01-10",
      foto: null,
      created_at: "2026-05-03 14:12:43",
      updated_at: "2026-05-03 14:12:43",
    },
    App\Models\Pupuk {#8105
      id: 3,
      kode: "PRD-003",
      nama: "NPK Mutiara",
      kategori: "Kimia",
      stok: 30,
      harga: "120000.00",
      tanggal_masuk: "2026-02-20",
      foto: null,
      created_at: "2026-05-03 14:12:44",
      updated_at: "2026-05-03 14:12:44",
    },
  ],
}
```



```

> Pupuk::avg('harga');

= "67500.000000"

> Pupuk::menipis()->get();

= Illuminate\Database\Eloquent\Collection {#8081
  all: [
    App\Models\Pupuk {#7354
      id: 2,
      kode: "PRD-002",
      nama: "Pupuk Kompos",
      kategori: "Organik",
      stok: 8,
      harga: "45000.00",
      tanggal_masuk: "2026-02-05",
      foto: null,
      created_at: "2026-05-03 14:12:44",
      updated_at: "2026-05-03 14:12:44",
    },
    App\Models\Pupuk {#7355
      id: 4,
      kode: "PRD-004",
      nama: "Pupuk Cair Bio",
      kategori: "Cair",
      stok: 5,
      harga: "65000.00",
      tanggal_masuk: "2026-03-01",
      foto: null,
      created_at: "2026-05-03 14:12:44",
      updated_at: "2026-05-03 14:12:44",
    },
  ],
}

```

8. Coba buat relasi: buat tabel mata_kuliahs dan tabel pivot krs, lalu definisikan relasi belongsToMany di Model

```

PS C:\laragon\www\pupuk-app> php artisan make:model Pelanggan -m

INFO Model [C:\laragon\www\pupuk-app\app\Models\Pelanggan.php] created successfully.

INFO Migration [C:\laragon\www\pupuk-app\database\migrations\2026_05_03_144358_create_pelanggans_table.php] created successfully.

PS C:\laragon\www\pupuk-app> php artisan make:migration create_transaksi_table

INFO Migration [C:\laragon\www\pupuk-app\database\migrations\2026_05_03_144412_create_transaksi_table.php] created successfully.

PS C:\laragon\www\pupuk-app>

PS C:\laragon\www\pupuk-app> php artisan migrate

INFO Running migrations.

2026_05_03_144358_create_pelanggans_table ..... 277.93ms DONE
2026_05_03_144412_create_transaksi_table ..... 238.91ms DONE

```

```
PS C:\laragon\www\pupuk-app> php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 - cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-manual`

> use App\Models\Pupuk;

> use App\Models\Pelanggan;

> Pelanggan::create(['nama'=>'Budi Tani', 'email'=>'budi@mail.com', 'telepon'=>'08123456789', 'alamat'=>'Jember']);

= App\Models\Pelanggan {#7873
  nama: "Budi Tani",
  email: "budi@mail.com",
  telepon: "08123456789",
  alamat: "Jember",
  updated_at: "2026-05-03 14:50:11",
  created_at: "2026-05-03 14:50:11",
  id: 1,
}

> Pelanggan::all();

= Illuminate\Database\Eloquent\Collection {#7349
  all: [
    App\Models\Pelanggan {#7437
      id: 1,
      nama: "Budi Tani",
      email: "budi@mail.com",
      telepon: "08123456789",
      alamat: "Jember",
      created_at: "2026-05-03 14:50:11",
      updated_at: "2026-05-03 14:50:11",
    },
  ],
}
```

```

> $pupuk = Pupuk::find(1);

= App\Models\Pupuk {#8582
  id: 1,
  kode: "PRD-001",
  nama: "Urea Granul",
  kategori: "Kimia",
  stok: 50,
  harga: "85000.00",
  tanggal_masuk: "2026-01-10",
  foto: null,
  created_at: "2026-05-03 14:12:43",
  updated_at: "2026-05-03 14:12:43",
}

> $pupuk->pelanggans()->attach(1, ['jumlah'=>5, 'harga_jual'=>85000, 'tanggal'=>'2026-05-03']);

= null

```

```

> $pupuk->pelanggans()->get();

= Illuminate\Database\Eloquent\Collection {#8647
  all: [
    App\Models\Pelanggan {#8568
      id: 1,
      nama: "Budi Tani",
      email: "budi@mail.com",
      telepon: "08123456789",
      alamat: "Jember",
      created_at: "2026-05-03 14:50:11",
      updated_at: "2026-05-03 14:50:11",
      pivot: Illuminate\Database\Eloquent\Relations\Pivot {#8564
        pupuk_id: 1,
        pelanggan_id: 1,
        jumlah: 5,
        harga_jual: "85000.00",
        tanggal: "2026-05-03",
        created_at: "2026-05-03 14:51:51",
        updated_at: "2026-05-03 14:51:51",
      },
    },
  ],
}

> 

```

app > Models > Pelanggan.php > Pelanggan

```
1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  2 references | 0 implementations
8  class Pelanggan extends Model
9  {
10     0 references
11     protected $fillable = [
12         'nama', 'email', 'telepon', 'alamat'
13     ];
14
15     0 references | 0 overrides
16     public function pupuks()
17     {
18         return $this->belongsToMany(Pupuk::class, 'transaksi')
19             ->withPivot('jumlah', 'harga_jual', 'tanggal')
20             ->withTimestamps();
21     }
22 }
```