

LAPORAN TUGAS PRAKTIK 1

Nama : Hafizah Dini Azahra

NIM : 242410101011

Kelas : PWEB A

1. Buat section yang menampilkan data cuaca kota Surabaya menggunakan API publik <https://wttr.in/Surabaya?format=j1> (gratis, tidak perlu API key). Tampilkan: nama kota, suhu saat ini (dalam °C), dan deskripsi cuaca. Gunakan async/await dan tampilkan loading indicator saat data sedang diambil.

```
resources > views > dashboard.blade.php
5  @section('content')
6  <div class="hero-dashboard">
9  </div>
10
11 <div class="container">
12   <div class="content">
13
14     {{-- Section Cuaca --}}
15     <div class="cuaca-section" id="cuacaSection">
16       <h3>🌤️ Cuaca Jember Hari Ini</h3>
17       <div id="cuacaLoading">⌚ Memuat data cuaca...</div>
18       <div id="cuacaData" style="display:none">
19         <p>📍 Kota: <strong id="cuacaKota"></strong></p>
20         <p>🌡️ Suhu: <strong id="cuacaSuhu"></strong>°C</p>
21         <p>☁️ Cuaca: <strong id="cuacaDeskripsi"></strong></p>
22       </div>
23     </div>
24   </div>
25 </div>
```

```
resources > views > dashboard.blade.php
84 @push('scripts')
85 <script>
86   async function ambilCuaca() {
87     try {
88       const response = await fetch('https://wttr.in/Jember?format=j1');
89       const data = await response.json();
90
91       const suhu = data.current_condition[0].temp_C;
92       const deskripsi = data.current_condition[0].weatherDesc[0].value;
93       const kota = 'Jember';
94
95       document.getElementById('cuacaKota').textContent = kota;
96       document.getElementById('cuacaSuhu').textContent = suhu;
97       document.getElementById('cuacaDeskripsi').textContent = deskripsi;
98
99       document.getElementById('cuacaLoading').style.display = 'none';
100      document.getElementById('cuacaData').style.display = 'block';
101    } catch (error) {
102      document.getElementById('cuacaLoading').textContent = '❌ Gagal memuat data cuaca.';
103    }
104  }
105 }
```

Cuaca Jember Hari Ini

 Kota: **Jember**

 Suhu: **24°C**

 Cuaca: **Patchy rain nearby**


2. Buat live search yang memiliki form sederhana untuk mencari mahasiswa. Form dikirim via AJAX POST/ GET ke Laravel — halaman tidak boleh reload sama sekali. Setelah berhasil, catatan baru langsung muncul di daftar bawah tanpa refresh. Gunakan CSRF token yang benar.

```
Route::get('/pupuk-search', [PupukController::class, 'liveSearch'])->name('pupuk.search');
```

```
1 reference | 0 overrides
public function liveSearch(Request $request)
{
    $search = $request->search;

    $pupuks = Pupuk::where('user_id', auth()->id())
        ->where(function($q) use ($search) {
            $q->where('nama', 'LIKE', "%{$search}%")
            ->orWhere('kode', 'LIKE', "%{$search}%");
        })
        ->get();
}
```

```
resources > views > pupuk > index.blade.php
5 @section('content')
81 <script>
82     const searchInput = document.getElementById('live-search');
83     const container = document.getElementById('produk-container');
84     const pagination = document.getElementById('pagination-wrapper');
85     const spinner = document.getElementById('search-spinner');
86
87     searchInput.addEventListener('keyup', function() {
88         let value = this.value;
89
90         spinner.style.display = 'block';
91         container.style.opacity = '0.5';
92
93         fetch("{{ route('pupuk.search') }}?search=" + value, {
94             method: 'GET',
95             headers: {
96                 'X-Requested-With': 'XMLHttpRequest'
97             }
98         })
99         .then(response => response.text())
100         .then(data => {
101             container.innerHTML = data;
```



3. Buat navbar untuk mengeset dark mode.
 - a. Tambahkan dark mode ke konfigurasi Tailwind (darkMode: 'class' di [tailwind.config.js](#))

```


JS tailwind.config.js > default
1  import defaultTheme from 'tailwindcss/defaultTheme';
2  import forms from '@tailwindcss/forms';
3
4  /** @type {import('tailwindcss').Config} */
5  export default {
6    darkMode: 'class',
7    content: [
8      './vendor/laravel/framework/src/Illuminate/Pagination/resources/views/*.blade.php',
9      './storage/framework/views/*.php',
10     './resources/views/**/*.blade.php',
11   ],
12
13   theme: {
14     extend: {
15       fontFamily: {
16         sans: ['Figtree', ...defaultTheme.fontFamily.sans],
17       },
18     },
19   },
20
21   plugins: [forms],
22 };

```

- b. Buat helper function JavaScript: setCookie, getCookie, deleteCookie

```
resources > views > pupuk > index.blade.php
5  @section('content')
81 <script>
82     function setCookie(name, value, days) {
83         let expires = "";
84         if (days) {
85             let date = new Date();
86             date.setTime(date.getTime() + (days * 24 * 60 * 60 * 1000));
87             expires = "; expires=" + date.toUTCString();
88         }
89         document.cookie = name + "=" + (value || "") + expires + "; path=/";
90     }
91
92     function getCookie(name) {
93         let nameEQ = name + "=";
94         let ca = document.cookie.split(';');
95         for(let i = 0; i < ca.length; i++) {
96             let c = ca[i];
97             while (c.charAt(0) == ' ') c = c.substring(1, c.length);
98             if (c.indexOf(nameEQ) == 0) return c.substring(nameEQ.length, c.length);
99         }
100        return null;
101    }
102
103    function deleteCookie(name) {
104        document.cookie = name + '=; Path=/; Expires=Thu, 01 Jan 1970 00:00:01 GMT;';
105    }
106
107    const searchInput = document.getElementById('live-search');
```

c. Implementasikan toggle dark mode: klik tombol → toggle class 'dark' di HTML
→ simpan ke cookie



The screenshot shows the PupukKu dashboard for an admin user. The header includes the PupukKu logo and navigation links: Dashboard, Katalog Produk, Pengaturan, Tentang, Kontak, and a user profile section with 'adminpupuku' and a 'Logout' button. The main content area features a large greeting 'Halo, adminpupuku!' with the subtitle 'Pantau stok dan kelola produk pertanianmu di sini.' Below this, there's a notification bar stating 'Anda telah mengakses halaman ini sebanyak 2 kali dalam sesi ini.' and a weather widget for 'Cuaca Jember Hari Ini' showing 'Kota: Jember', 'Suhu: 30°C', and 'Cuaca: Patchy rain nearby'. A 'Menu Cepat' (Quick Menu) sidebar on the right contains a 'Kelola Produk' button. The browser's developer tools are open, showing the HTML structure of the dashboard and the 'Storage' tab with a list of cookies.

Filter Items	Name	Value	Domain	Path	Expires / Max-Age	Size	HttpOnly	Secure	SameSite	Last Accessed	Partition Key
Cache Storage											
Cookies	laravel-se...	eyJpdI6inNZU0FCL29mUDVhYHN5a242ZENyanc9PSIsinZhbHVlIjoImmV7243Q1psZ...	127.0.0.1	/	Sat, 16 May 2026 05...	357	true	false	Lax	Sat, 16 May 2026 03...	
Indexed DB	theme	dark	127.0.0.1	/	Mon, 15 Jun 2026 0...	9	false	false	Lax	Sat, 16 May 2026 03...	
Local Storage	XSRF-TO...	eyJpdI6imVHL2ZqbFob21MWVZ5bWV0OGFyaE9PSIsinZhbHVlIjoIR0hoQ29kK3NI5n...	127.0.0.1	/	Sat, 16 May 2026 05...	352	false	false	Lax	Sat, 16 May 2026 03...	
Session Storage											

d. Terapkan cookie di awal load (dalam tag script di <head>) untuk mencegah flash of unstyled content


```
resources > views > layouts > app.blade.php
2 <html lang="id">
3 <head>
--
11 <script>
12     function getCookie(name) {
13         let nameEQ = name + "=";
14         let ca = document.cookie.split(';');
15         for (let i = 0; i < ca.length; i++) {
16             let c = ca[i];
17             while (c.charAt(0) == ' ') c = c.substring(1, c.length);
18             if (c.indexOf(nameEQ) == 0) return c.substring(nameEQ.length, c.length);
19         }
20         return null;
21     }
22
23     function setCookie(name, value, days) {
24         let expires = "";
25         if (days) {
26             let date = new Date();
27             date.setTime(date.getTime() + (days * 24 * 60 * 60 * 1000));
28             expires = "; expires=" + date.toUTCString();
29         }
30         document.cookie = name + "=" + (value || "") + expires + "; path=/";
31     }
32
33     function deleteCookie(name) {
34         document.cookie = name + '=; Max-Age=-99999999; path=/';
35     }

```


- e. Buat halaman pengaturan /preferensi dengan form: pilihan tema (light/dark/system), pilihan ukuran font


```
resources > views > settings.blade.php
1 @extends('layouts.app')
2
3 @section('title', 'Pengaturan - AgroMart')
4
5 @section('content')
6 <div class="container" style="max-width: 600px; margin: 50px auto; padding: 0 20px;">
7     <div style="background: white; padding: 30px; border-radius: 20px; box-shadow: 0 4px 15px rgba(0,0,0,0.1);" class="card">
8         <h2 style="font-family: 'Playfair Display', serif; color: #1e3a5e; margin-bottom: 20px;">Pengaturan Preferensi</h2>
9
10        <form id="settings-form">
11            <div style="margin-bottom: 20px;">
12                <label style="display: block; margin-bottom: 8px; font-weight: 600;">Pilih Tema (Cookie)</label>
13                <select id="pref-theme" style="width: 100%; padding: 12px; border-radius: 10px; border: 1px solid #ddd; outline: none;">
14                    <option value="light">Terang (Light)</option>
15                    <option value="dark">Gelap (Dark)</option>
16                    <option value="system">🖥️ System Default (Ikuti OS)</option>
17                </select>
18            </div>
19
20            <div style="margin-bottom: 20px;">
21                <label style="display: block; margin-bottom: 8px; font-weight: 600;">Ukuran Teks / Font</label>
22                <select id="pref-font" style="width: 100%; padding: 12px; border-radius: 10px; border: 1px solid #ddd; outline: none;">
23                    <option value="small">Kecil (Small)</option>
24                    <option value="medium">Sedang (Medium)</option>
25                    <option value="large">Besar (Large)</option>
26                </select>

```




f. Simpan form ke cookie via Fetch POST ke endpoint Laravel





g. Laravel Controller: baca cookie dari `$request->cookie()`, kembalikan JSON konfirmasi




```

app > Http > Controllers > SettingsController.php > SettingsController > save()
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6
7  2 references | 0 implementations
8  class SettingsController extends Controller
9  {
10
11      1 reference | 0 overrides
12      public function save(Request $request)
13      {
14          $theme = $request->input('theme', 'light');
15
16          return response()->json([
17              'status' => 'success',
18              'message' => 'Preferensi Berhasil Disimpan ke Cookie!',
19              'theme_applied' => $theme,
20              'cookie_lama' => $request->cookie('theme')
21          ]->cookie('theme', $theme, 43200));
22      }
23  }

```


4. Buat section yang menghitung berapa kali pengguna mengunjungi halaman tersebut menggunakan session Laravel. Tampilkan: jumlah kunjungan, waktu kunjungan pertama, dan waktu kunjungan terakhir. Sediakan tombol "Reset Hitungan" yang menghapus data dari session dan mengulang dari awal.



```
app > Http > Controllers > DashboardController.php > ...
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use Illuminate\Support\Carbon;
7
8  2 references | 0 implementations
9  class DashboardController extends Controller
10 {
11     1 reference | 0 overrides
12     public function index()
13     {
14         $visits = session('visit_count', 0);
15         $visits++;
16         session(['visit_count' => $visits]);
17
18         if (!session()->has('first_visit_time')) {
19             session(['first_visit_time' => Carbon::now()->translatedFormat('d F Y, H:i:s')]);
20         }
21
22         session(['last_visit_time' => Carbon::now()->translatedFormat('d F Y, H:i:s')]);
23
24         $firstVisit = session('first_visit_time');
25         $lastVisit = session('last_visit_time');
26
27         $statsData = [
```

```
Route::get('/dashboard', [DashboardController::class, 'index'])
    ->middleware(['auth', 'verified'])
    ->name('dashboard');

Route::post('/dashboard/reset-counter', [DashboardController::class, 'resetCounter'])->name('dashboard.reset_counter');
```

```

resources > views > 📄 dashboard.blade.php
5  @section('content')
11  <div class="container">
12    <div class="content">
14      <div style="background: white; padding: 25px; border-radius: 15px; margin-bottom: 25px; box-shadow: 0 4px 15px rgba(0,0,0,0.1);">
15        <div style="display: flex; align-items: flex-start; gap: 15px;">
17          <div style="flex: 1;">
18            <h4 style="margin: 0; color: #1e3a5e; font-family: 'Poppins', sans-serif;">Statistik Kunjungan</h4>
19
20            @if(session('success_reset'))
21              <p style="color: #e53e3e; font-weight: 600; font-size: 13px; margin: 8px 0 0 0; background: #fff5f5; padding: 5px 10px; border-radius: 5px;">{{ session('success_reset') }}</p>
22            @endif
23
24            <p style="margin: 8px 0; color: #4a5568; font-size: 14px;">
25              Anda telah mengakses halaman ini sebanyak
26              <span style="background: #eef7e0; color: #76944c; padding: 2px 12px; border-radius: 20px; font-weight: 600; font-size: 14px;">{{ $visits }}</span>
27              kali dalam sesi ini.
28            </p>
29
30            <div style="font-size: 13px; color: #718096; margin-top: 10px; border-top: 1px dashed #e2e8f0; padding-top: 10px;">
31              <p style="margin: 3px 0;">🕒 <b>Kunjungan Pertama:</b> {{ $firstVisit ?? '-' }}</p>
32              <p style="margin: 3px 0;">🕒 <b>Kunjungan Terakhir:</b> {{ $lastVisit ?? '-' }}</p>
33            </div>
34          </div>
35        </div>
36      </div>
37    </div>

```