# Laporan Final Project UAS Transaksi Penjualan UMKM MICU (Surabaya)




# Disusun oleh:

# Paralel A - Kelompok 6


Adhinda Salsabilla Wijayanti	21082010002
Auditi Kurnia Wijayanti	21082010013
Galih Aulia Murdyahanjani	21082010014
Dinda Nur Halisa	21082010032

PROGRAM STUDI S1 SISTEM INFORMASI FAKULTAS ILMU KOMPUTER UPN "VETERAN" JAWA TIMUR SURABAYA 2022

#### **CDM**



#### **PDM**





# Pembagian Tugas Kelompok

Nama Anggota	NPM	Tugas
Adhinda Salsabilla Wijayanti	21082010002	Transaksi
Auditi Kurnia Wijayanti	21082010013	Login
Galih Aulia Murdyahanjani	21082010014	Button Simpan & Laporan
Dinda Nur Halisa	21082010032	Master

# Penjelasan Program

# 1. Login

#### 1.1. Codingan Login

Imports System.Data.SqlClient

Public Class FormLogin

Sub bukakunci()

FormMenuUtama.LoginToolStripMenuItem.Enabled = False
FormMenuUtama.LogoutToolStripMenuItem.Enabled = True
FormMenuUtama.MasterToolStripMenuItem.Enabled = True
FormMenuUtama.TransaksiToolStripMenuItem.Enabled = True
FormMenuUtama.LaporanToolStripMenuItem.Enabled = True

```
End Sub
  Private Sub Cancel Click(sender As Object, e As EventArgs) Handles
Cancel.Click
    Me.Close()
  End Sub
  Private Sub Login Click(sender As Object, e As EventArgs) Handles
Login.Click
    Call koneksi()
    cmd = New SqlCommand("Select * from tbl_pegawai where
KodePegawai = " & Username.Text & " and PasswordPegawai = " &
Password.Text & """, conn)
    rd = cmd.ExecuteReader
    rd.Read()
    If rd. HasRows Then
      Me.Close()
      Call bukakunci()
    Else
      MsgBox("Kode pegawai atau password salah")
      Username.Text = ""
      Password.Text = ""
    End If
  End Sub
End Class
```

# 1.2. Tampilan Login



#### 2. Menu Utama

#### 2.1. Codingan Menu Utama

Public Class FormMenuUtama

Private Sub KeluarToolStripMenuItem\_Click(sender As Object, e As EventArgs) Handles KeluarToolStripMenuItem.Click

End

End Sub

Sub Terkunci()

LoginToolStripMenuItem.Enabled = True

LogoutToolStripMenuItem.Enabled = False

MasterToolStripMenuItem.Enabled = False

TransaksiToolStripMenuItem.Enabled = False

LaporanToolStripMenuItem.Enabled = False

End Sub

Private Sub FormMenuUtama\_Load(sender As Object, e As EventArgs) Handles MyBase.Load

Call Terkunci()

End Sub

Private Sub LoginToolStripMenuItem\_Click(sender As Object, e As EventArgs) Handles LoginToolStripMenuItem.Click

FormLogin.ShowDialog()

End Sub

Private Sub LogoutToolStripMenuItem\_Click(sender As Object, e As EventArgs) Handles LogoutToolStripMenuItem.Click

Call Terkunci()

End Sub

Private Sub PegawaiToolStripMenuItem\_Click(sender As Object, e As EventArgs) Handles PegawaiToolStripMenuItem.Click

FormMasterPegawai.ShowDialog()

End Sub

Private Sub PembeliToolStripMenuItem\_Click(sender As Object, e As EventArgs) Handles PembeliToolStripMenuItem.Click

FormMasterPembeli.ShowDialog()

End Sub

Private Sub MenuToolStripMenuItem\_Click(sender As Object, e As EventArgs) Handles MenuToolStripMenuItem.Click

FormMasterMenu.ShowDialog()

End Sub

Private Sub PenjualanToolStripMenuItem\_Click(sender As Object, e As EventArgs) Handles PenjualanToolStripMenuItem.Click

FormTransaksiPenjualan.ShowDialog()

End Sub

Private Sub LaporanToolStripMenuItem\_Click(sender As Object, e As EventArgs) Handles LaporanToolStripMenuItem.Click

RptLaporanTransaksi.ShowDialog()

End Sub

**End Class** 

#### 2.1. Tampilan Menu Utama



#### 3. Master

#### 3.1. Master Pegawai

# 3.1.1. Codingan Master Pegawai

Imports System.Data.SqlClient

Public Class FormMasterPegawai

```
Sub KondisiAwal()
```

TextBox1.Text = ""

TextBox2.Text = ""

TextBox3.Text = ""

TextBox4.Text = ""

TextBox1.Enabled = False

TextBox2.Enabled = False

TextBox3.Enabled = False

TextBox4.Enabled = False

Button1.Text = "Input"

Button2.Text = "Edit"

Button3.Text = "Delete"

Button4.Text = "Tutup"

Button1.Enabled = True

```
Button 2. Enabled = True
    Button 3. Enabled = True
    Button 4. Enabled = True
    Call koneksi()
    da = New SqlDataAdapter("Select
KodePegawai, NamaPegawai, AlamatPegawai from tbl pegawai",
conn)
    ds = New DataSet
    da.Fill(ds, "tbl pegawai")
    DataGridView1.DataSource = (ds.Tables("tbl pegawai"))
    TextBox1.MaxLength = 5
    TextBox3.PasswordChar = "x"
  End Sub
  Sub SiapIsi()
    TextBox1.Enabled = True
    TextBox2.Enabled = True
    TextBox3.Enabled = True
    TextBox4.Enabled = True
  End Sub
  Private Sub FormMasterBuku Load(sender As Object, e As
EventArgs) Handles MyBase.Load
    Call KondisiAwal()
  End Sub
  Private Sub Button1 Click(sender As Object, e As EventArgs)
Handles Button1.Click
    If Button1.Text = "Input" Then
       Button1.Text = "Simpan"
       Button 2. Enabled = False
       Button 3. Enabled = False
```


```
Button 4. Text = "Batal"
       Call SiapIsi()
       Call NoOtomatis()
       TextBox1.Enabled = False
       TextBox2.Focus()
    Else
       If TextBox1.Text = "" Or TextBox2.Text = "" Or
TextBox3.Text = "" Or TextBox4.Text = "" Then
         MsgBox("Data Belum Lengkap!, silahkan isi semua field")
       Else
         Call koneksi()
         Dim simpandata As String = "insert into tbl_pegawai
values (" & TextBox1.Text & "," & TextBox2.Text & "," &
TextBox3.Text & "'," & TextBox4.Text & "')"
         cmd = New SqlCommand(simpandata, conn)
         cmd.ExecuteNonQuery()
         MsgBox("Data berhasil disimpan")
         Call KondisiAwal()
       End If
    End If
  End Sub
  Private Sub Button2 Click(sender As Object, e As EventArgs)
Handles Button2.Click
    If Button2.Text = "Edit" Then
       Button2.Text = "Simpan"
       Button 1.Enabled = False
       Button 3. Enabled = False
       Button 4. Text = "Batal"
       Call SiapIsi()
    Else
```

```
If TextBox1.Text = "" Or TextBox2.Text = "" Or
TextBox3.Text = "" Or TextBox4.Text = "" Then
         MsgBox("Data Belum Lengkap!, silahkan isi semua field")
       Else
         Call koneksi()
         Dim editdata As String = "update tbl_pegawai set
NamaPegawai='" & TextBox2.Text & "',PasswordPegawai='" &
TextBox3.Text & "',AlamatPegawai="' & TextBox4.Text & "' where
KodePegawai=" & TextBox1.Text & """
         cmd = New SqlCommand(editdata, conn)
         cmd.ExecuteNonQuery()
         MsgBox("Data berhasil diubah")
         Call KondisiAwal()
       End If
    End If
  End Sub
  Private Sub Button3 Click(sender As Object, e As EventArgs)
Handles Button3.Click
    If Button3.Text = "Delete" Then
       Button3.Text = "Simpan"
       Button 1.Enabled = False
       Button 2. Enabled = False
       Button4.Text = "Batal"
       Call SiapIsi()
    Else
       If TextBox1.Text = "" Or TextBox2.Text = "" Or
TextBox3.Text = "" Or TextBox4.Text = "" Then
         MsgBox("Data Belum Lengkap!, silahkan isi semua field")
       Else
         Call koneksi()
```

```
Dim hapusdata As String = "delete tbl_pegawai where
KodePegawai=" & TextBox1.Text & """
         cmd = New SqlCommand(hapusdata, conn)
         cmd.ExecuteNonQuery()
         MsgBox("Data berhasil dihapus")
         Call KondisiAwal()
      End If
    End If
  End Sub
  Private Sub Button4 Click(sender As Object, e As EventArgs)
Handles Button4.Click
    If Button4.Text = "Tutup" Then
      Me.Close()
    Else
      Call KondisiAwal()
    End If
  End Sub
  Private Sub TextBox1 KeyPress(sender As Object, e As
KeyPressEventArgs) Handles TextBox1.KeyPress
    If e.KeyChar = Chr(13) Then
      Call koneksi()
      cmd = New SqlCommand("Select * from tbl pegawai where
KodePegawai=" & TextBox1.Text & "", conn)
      rd = cmd.ExecuteReader
      rd.Read()
      If rd.HasRows Then
         TextBox2.Text = rd.Item("NamaPegawai")
         TextBox3.Text = rd.Item("PasswordPegawai")
         TextBox4.Text = rd.Item("AlamatPegawai")
```

```
Else
         MsgBox("Data Tidak Ada")
      End If
    End If
  End Sub
  Sub NoOtomatis()
    Call koneksi()
    cmd = New SqlCommand("Select * from tbl_pegawai where
KodePegawai in (select max(KodePegawai) from tbl pegawai)",
conn)
    Dim urutankode As String
    Dim hitung As Long
    rd = cmd.ExecuteReader
    rd.Read()
    If Not rd. HasRows Then
      urutankode = "ADM" + "01"
    Else
      hitung = Microsoft. VisualBasic.Right(rd.GetString(0), 2) + 1
      urutankode = "ADM" + Microsoft.VisualBasic.Right("00" &
hitung, 2)
    End If
    TextBox1.Text = urutankode
  End Sub
End Class
```

#### 3.1.2. Tampilan Form Master Pegawai



#### 3.2. Master Menu

# 3.2.1. Codingan Master Menu

Imports System.Data.SqlClient

Public Class FormMasterMenu

Sub KondisiAwal()

TextBox1.Text = ""

TextBox2.Text = ""

TextBox3.Text = ""

TextBox4.Text = ""

TextBox1.Enabled = False

TextBox2.Enabled = False

TextBox3.Enabled = False

TextBox4.Enabled = False

Button1.Text = "Input"

Button2.Text = "Edit"

Button3.Text = "Delete"

Button4.Text = "Tutup"

Button1.Enabled = True

Button2.Enabled = True

```
Button3.Enabled = True
    Button4.Enabled = True
    Call koneksi()
    da = New SqlDataAdapter("Select * from tbl_menu", conn)
    ds = New DataSet
    da.Fill(ds, "tbl menu")
    DataGridView1.DataSource = (ds.Tables("tbl menu"))
    TextBox1.MaxLength = 4
  End Sub
  Sub SiapIsi()
    TextBox1.Enabled = True
    TextBox2.Enabled = True
    TextBox3.Enabled = True
    TextBox4.Enabled = True
  End Sub
  Private Sub FormMasterBuku Load(sender As Object, e As
EventArgs) Handles MyBase.Load
    Call KondisiAwal()
  End Sub
  Private Sub Button1_Click(sender As Object, e As EventArgs)
Handles Button1.Click
    If Button1.Text = "Input" Then
       Button1.Text = "Simpan"
       Button 2. Enabled = False
       Button 3. Enabled = False
       Button4.Text = "Batal"
       Call SiapIsi()
```


```
Call NoOtomatis()
       TextBox1.Enabled = False
       TextBox2.Focus()
    Else
       If TextBox1.Text = "" Or TextBox2.Text = "" Or
TextBox3.Text = "" Or TextBox4.Text = "" Then
         MsgBox("Data Belum Lengkap!, silahkan isi semua field")
       Else
         Call koneksi()
         Dim simpandata As String = "insert into tbl_menu values
(" & TextBox1.Text & "'," & TextBox2.Text & "'," &
TextBox3.Text & "'," & TextBox4.Text & "')"
         cmd = New SqlCommand(simpandata, conn)
         cmd.ExecuteNonQuery()
         MsgBox("Data berhasil disimpan")
         Call KondisiAwal()
       End If
    End If
  End Sub
  Private Sub Button2 Click(sender As Object, e As EventArgs)
Handles Button2.Click
    If Button2.Text = "Edit" Then
       Button2.Text = "Simpan"
       Button1.Enabled = False
       Button 3. Enabled = False
       Button4.Text = "Batal"
       Call SiapIsi()
    Else
       If TextBox1.Text = "" Or TextBox2.Text = "" Or
TextBox3.Text = "" Or TextBox4.Text = "" Then
```

```
MsgBox("Data Belum Lengkap!, silahkan isi semua field")
      Else
         Call koneksi()
         Dim editdata As String = "update tbl menu set
NamaMenu=" & TextBox2.Text & "',HargaMenu=" &
TextBox3.Text & "',StokMenu="' & TextBox4.Text & "' where
KodeMenu=" & TextBox1.Text & """
         cmd = New SqlCommand(editdata, conn)
         cmd.ExecuteNonQuery()
         MsgBox("Data berhasil diubah")
         Call KondisiAwal()
      End If
    End If
  End Sub
  Private Sub Button3 Click(sender As Object, e As EventArgs)
Handles Button3.Click
    If Button3.Text = "Delete" Then
      Button3.Text = "Simpan"
      Button 1.Enabled = False
      Button 2. Enabled = False
      Button 4. Text = "Batal"
      Call SiapIsi()
    Else
      If TextBox1.Text = "" Or TextBox2.Text = "" Or
TextBox3.Text = "" Or TextBox4.Text = "" Then
         MsgBox("Data Belum Lengkap!, silahkan isi semua field")
      Else
         Call koneksi()
         Dim hapusdata As String = "delete tbl_menu where
KodeMenu=" & TextBox1.Text & """
         cmd = New SqlCommand(hapusdata, conn)
```

```
cmd.ExecuteNonQuery()
         MsgBox("Data berhasil dihapus")
         Call KondisiAwal()
      End If
    End If
  End Sub
  Private Sub Button4 Click(sender As Object, e As EventArgs)
Handles Button4.Click
    If Button4.Text = "Tutup" Then
      Me.Close()
    Else
      Call KondisiAwal()
    End If
  End Sub
  Private Sub TextBox1 KeyPress(sender As Object, e As
KeyPressEventArgs) Handles TextBox1.KeyPress
    If e.KeyChar = Chr(13) Then
      Call koneksi()
      cmd = New SqlCommand("Select * from tbl_menu where
KodeMenu=" & TextBox1.Text & "", conn)
      rd = cmd.ExecuteReader
      rd.Read()
      If rd.HasRows Then
         TextBox2.Text = rd.Item("NamaMenu")
         TextBox3.Text = rd.Item("HargaMenu")
         TextBox4.Text = rd.Item("StokMenu")
      Else
         MsgBox("Data Tidak Ada")
      End If
```

```
End If
  End Sub
  Sub NoOtomatis()
    Call koneksi()
    cmd = New SqlCommand("Select * from tbl menu where
KodeMenu in (select max(KodeMenu) from tbl_menu)", conn)
    Dim urutankode As String
    Dim hitung As Long
    rd = cmd. Execute Reader
    rd.Read()
    If Not rd. HasRows Then
       urutankode = "MK" + "01"
    Else
       hitung = Microsoft. VisualBasic.Right(rd.GetString(0), 2) + 1
      urutankode = "MK" + Microsoft.VisualBasic.Right("00" &
hitung, 2)
    End If
    TextBox1.Text = urutankode
  End Sub
End Class
```

# 3.2.2. Tampilan Form Master Menu



#### 3.3. Master Pembeli

# 3.3.1. Codingan Master Pembeli

Imports System.Data.SqlClient

Public Class FormMasterPembeli

Sub KondisiAwal()

TextBox1.Text = ""

TextBox2.Text = ""

TextBox1.Enabled = False

TextBox2.Enabled = False

Button1.Text = "Input"

Button2.Text = "Edit"

Button3.Text = "Delete"

Button4.Text = "Tutup"

Button 1.Enabled = True

Button2.Enabled = True

Button 3. Enabled = True

Button4.Enabled = True

Call koneksi()

da = New SqlDataAdapter("Select \* from tbl pembeli", conn)

```
ds = New DataSet
    da.Fill(ds, "tbl pembeli")
    DataGridView1.DataSource = (ds.Tables("tbl pembeli"))
    TextBox1.MaxLength = 10
  End Sub
  Sub SiapIsi()
    TextBox1.Enabled = True
    TextBox2.Enabled = True
  End Sub
  Private Sub FormMasterBuku Load(sender As Object, e As
EventArgs) Handles MyBase.Load
    Call KondisiAwal()
  End Sub
  Private Sub Button1 Click(sender As Object, e As EventArgs)
Handles Button1.Click
    If Button1.Text = "Input" Then
       Button1.Text = "Simpan"
       Button 2. Enabled = False
       Button 3. Enabled = False
       Button4.Text = "Batal"
       Call SiapIsi()
       Call NoOtomatis()
       TextBox1.Enabled = False
       TextBox2.Focus()
    Else
       If TextBox1.Text = "" Or TextBox2.Text = "" Then
         MsgBox("Data Belum Lengkap!, silahkan isi semua field")
```

```
Else
         Call koneksi()
         Dim simpandata As String = "insert into tbl pembeli
values (" & TextBox1.Text & "," & TextBox2.Text & "')"
         cmd = New SqlCommand(simpandata, conn)
         cmd.ExecuteNonQuery()
         MsgBox("Data berhasil disimpan")
         Call KondisiAwal()
      End If
    End If
  End Sub
  Private Sub Button2 Click(sender As Object, e As EventArgs)
Handles Button2.Click
    If Button2.Text = "Edit" Then
      Button2.Text = "Simpan"
      Button 1.Enabled = False
      Button3.Enabled = False
      Button4.Text = "Batal"
      Call SiapIsi()
    Else
      If TextBox1.Text = "" Or TextBox2.Text = "" Then
         MsgBox("Data Belum Lengkap!, silahkan isi semua field")
      Else
         Call koneksi()
         Dim editdata As String = "update tbl_pembeli set
NamaPembeli="" & TextBox2.Text & "" where KodePembeli="" &
TextBox1.Text & """
         cmd = New SqlCommand(editdata, conn)
         cmd.ExecuteNonQuery()
         MsgBox("Data berhasil diubah")
```

```
Call KondisiAwal()
       End If
    End If
  End Sub
  Private Sub Button3 Click(sender As Object, e As EventArgs)
Handles Button3.Click
    If Button3.Text = "Delete" Then
       Button3.Text = "Simpan"
       Button 1.Enabled = False
       Button 2. Enabled = False
       Button 4. Text = "Batal"
       Call SiapIsi()
    Else
       If TextBox1.Text = "" Or TextBox2.Text = "" Then
         MsgBox("Data Belum Lengkap!, silahkan isi semua field")
       Else
         Call koneksi()
         Dim hapusdata As String = "delete tbl_pembeli where
KodePembeli=" & TextBox1.Text & """
         cmd = New SqlCommand(hapusdata, conn)
         cmd.ExecuteNonQuery()
         MsgBox("Data berhasil dihapus")
         Call KondisiAwal()
       End If
    End If
  End Sub
  Private Sub Button4_Click(sender As Object, e As EventArgs)
Handles Button4.Click
    If Button4.Text = "Tutup" Then
```

```
Me.Close()
    Else
      Call KondisiAwal()
    End If
  End Sub
  Private Sub TextBox1 KeyPress(sender As Object, e As
KeyPressEventArgs) Handles TextBox1.KeyPress
    If e.KeyChar = Chr(13) Then
      Call koneksi()
      cmd = New SqlCommand("Select * from tbl_pembeli where
KodePembeli="" & TextBox1.Text & """, conn)
      rd = cmd.ExecuteReader
      rd.Read()
      If rd. HasRows Then
         TextBox2.Text = rd.Item("NamaPembeli")
      Else
         MsgBox("Data Tidak Ada")
      End If
    End If
  End Sub
  Sub NoOtomatis()
    Call koneksi()
    cmd = New SqlCommand("Select * from tbl pembeli where
KodePembeli in (select max(KodePembeli) from tbl pembeli)",
conn)
    Dim urutankode As String
    Dim hitung As Long
    rd = cmd.ExecuteReader
    rd.Read()
```

```
If Not rd.HasRows Then

urutankode = "PBL" + "0000001"

Else

hitung = Microsoft.VisualBasic.Right(rd.GetString(0), 7) + 1

urutankode = "PBL" +

Microsoft.VisualBasic.Right("0000000" & hitung, 7)


End If

TextBox1.Text = urutankode

End Sub
```

## 3.3.2. Tampilan Form Master Pembeli

**End Class** 



#### 4. Transaksi

# 4.1 Coding Form Transaksi

Imports System.Data.SqlClient

Public Class FormTransaksiPenjualan

Sub KondisiAwal()

LBLNoTransaksi.Text = ""

LBLTglTransaksi.Text = Today

LBLNama.Text = ""

LBLKembalian.Text = ""

```
TextBox3.Text = ""
    LBLNamaMenu.Text = ""
    LBLHarga.Text = ""
    TextBox2.Text = ""
    TextBox2.Enabled = False
    TextBox1.Text = ""
    LBLItem.Text = ""
    Call MunculKodePembeli()
    Call NoOtomatis()
    Call buatKolom()
    Label11. Text = "0"
  End Sub
  Private Sub Timer1 Tick(sender As Object, e As EventArgs) Handles Timer1. Tick
    LBLJamTransaksi.Text = TimeOfDay
  End Sub
  Private Sub FormTransaksiPenjualan Load(sender As Object, e As EventArgs)
Handles MyBase.Load
    Call KondisiAwal()
  End Sub
  Sub MunculKodePembeli()
    Call koneksi()
    ComboBox1.Items.Clear()
    cmd = New SqlCommand("Select * from tbl_pembeli", conn)
    rd = cmd. Execute Reader
    Do While rd.Read
      ComboBox1.Items.Add(rd.Item(0))
    Loop
```

```
Private Sub ComboBox1 SelectedIndexChanged(sender As Object, e As
EventArgs) Handles ComboBox1.SelectedIndexChanged
    Call koneksi()
    cmd = New SqlCommand("Select * from tbl pembeli where KodePembeli = "
& ComboBox1.Text & "", conn)
    rd = cmd.ExecuteReader
    rd.Read()
    If rd.HasRows Then
       LBLNama.Text = rd!NamaPembeli
    End If
  End Sub
  Sub NoOtomatis()
    Call koneksi()
    cmd = New SqlCommand("Select * from tbl transaksi where NoTransaksi in
(select max(NoTransaksi) from tbl_transaksi)", conn)
    Dim urutankode As String
    Dim hitung As Long
    rd = cmd.ExecuteReader
    rd.Read()
    If Not rd. HasRows Then
       urutankode = "TRK" + "0000001"
    Else
       hitung = Microsoft. Visual Basic. Right(rd. Get String(0), 7) + 1
       urutankode = "TRK" + Microsoft. VisualBasic.Right("0000000" & hitung, 7)
    End If
    LBLNoTransaksi.Text = urutankode
  End Sub
  Sub buatKolom()
```

```
DataGridView1.Columns.Clear()
    DataGridView1.Columns.Add("Kode", "Kode")
    DataGridView1.Columns.Add("Nama", "Nama Menu")
    DataGridView1.Columns.Add("Harga", "Harga")
    DataGridView1.Columns.Add("Jumlah", "Jumlah")
    DataGridView1.Columns.Add("SubTotal", "SubTotal")
  End Sub
  Sub RumusSubTotal()
    Dim hitung As Integer = 0
    For i As Integer = 0 To DataGridView1.Rows.Count - 1
      hitung = hitung + DataGridView1.Rows(i).Cells(4).Value
      Label11. Text = hitung
    Next
  End Sub
  Private Sub Button4 Click(sender As Object, e As EventArgs) Handles
Button4.Click
    If LBLNamaMenu.Text = "" Or TextBox2.Text = "" Then
      MsgBox("Silahkan masukan kode barang dan tekan ENTER")
    Else
      DataGridView1.Rows.Add(New String() {TextBox3.Text,
LBLNamaMenu.Text, LBLHarga.Text, TextBox2.Text, Val(LBLHarga.Text) *
Val(TextBox2.Text)})
      Call RumusSubTotal()
      TextBox3.Text = ""
      LBLNamaMenu.Text = ""
      LBLHarga.Text = ""
      TextBox2.Text = ""
      TextBox2. Enabled = False
      Call rumusCariItem()
    End If
```

```
Private Sub TextBox3 KeyPress(sender As Object, e As KeyPressEventArgs)
Handles TextBox3.KeyPress
    If e.KeyChar = Chr(13) Then
      Call koneksi()
      cmd = New SqlCommand("Select * from tbl_menu where KodeMenu=" &
TextBox3.Text & "", conn)
      rd = cmd. Execute Reader
      rd.Read()
      If Not rd. Has Rows Then
         MsgBox("Kode Barang tidak ada")
      Else
         TextBox3.Text = rd.Item("KodeMenu")
         LBLNamaMenu.Text = rd.Item("NamaMenu")
         LBLHarga.Text = rd.Item("HargaMenu")
         TextBox2.Enabled = True
      End If
    End If
  End Sub
  Private Sub TextBox1 KeyPress(sender As Object, e As KeyPressEventArgs)
Handles TextBox1.KeyPress
    If e.KeyChar = Chr(13) Then
      If Val(TextBox1.Text) < Val(Label11.Text) Then
         MsgBox("Pembayaran Kurang!")
      ElseIf Val(TextBox1.Text) = Val(Label11.Text) Then
         LBLKembalian.Text = 0
      ElseIf Val(TextBox1.Text) > Val(Label11.Text) Then
         LBLKembalian.Text = Val(TextBox1.Text) - Val(Label11.Text)
         Button1.Focus()
```

```
End If
     End If
  End Sub
  Sub rumusCariItem()
     Dim hitungitem As Integer = 0
     For i As Integer = 0 To DataGridView1.Rows.Count - 1
       hitungitem = hitungitem + DataGridView1.Rows(i).Cells(3).Value
       LBLItem.Text = hitungitem
     Next
  End Sub
  Private Sub Button1 Click(sender As Object, e As EventArgs) Handles
Button1.Click
     If LBLKembalian.Text = "" Or LBLNama.Text = "" Or Label11.Text = "" Then
       MsgBox("Transaksi tidak ada, silahkan melakukan transaksi terlebih dahulu")
     Else
       Call koneksi()
       Dim tgl As String
       tgl = Format(Today, "yyyy-MM-dd")
       Dim simpanjual As String = "insert into tbl transaksi values (" &
LBLNoTransaksi.Text & "', "' & tgl & "', "' & LBLJamTransaksi.Text & "', "' & ComboBox1.Text & "', "' & LBLItem.Text & "', "' & Label11.Text & "', "' &
TextBox1.Text & "", "" & LBLKembalian.Text & "")"
       cmd = New SqlCommand(simpanjual, conn)
       cmd.ExecuteNonQuery()
       For Baris As Integer = 0 To DataGridView1.Rows.Count - 2
          Call koneksi()
          Dim simpandetail As String = "insert into tbl_detailtransaksi values (" &
LBLNoTransaksi.Text & "', "' & DataGridView1.Rows(Baris).Cells(0).Value & "', "'
& DataGridView1.Rows(Baris).Cells(1).Value & "", "" &
```

```
DataGridView1.Rows(Baris).Cells(2).Value & "', "' &
DataGridView1.Rows(Baris).Cells(3).Value & "', "' &
DataGridView1.Rows(Baris).Cells(4).Value & "')"
         cmd = New SqlCommand(simpandetail, conn)
         cmd.ExecuteNonQuery()
         Call koneksi()
         cmd = New SqlCommand("Select * from tbl menu where KodeMenu=" &
DataGridView1.Rows(Baris).Cells(0).Value & "", conn)
         rd = cmd.ExecuteReader
         rd.Read()
         Call koneksi()
         Dim kurangistok As String = "Update tbl menu set StokMenu =" &
rd.Item("StokMenu") - DataGridView1.Rows(Baris).Cells(3).Value & "' where
KodeMenu="" & DataGridView1.Rows(Baris).Cells(0).Value & """
         cmd = New SqlCommand(kurangistok, conn)
         cmd.ExecuteNonQuery()
       Next
       Call koneksi()
       Dim laporantransaksi As String = "insert into tbl laporantransaksi values (" &
LBLNoTransaksi.Text & "', "' & LBLNama.Text & "', "' & LBLItem.Text & "', "' &
Label11.Text & "')"
       cmd = New SqlCommand(laporantransaksi, conn)
       cmd.ExecuteNonQuery()
       Call KondisiAwal()
       MsgBox("Transaksi Berhasil Disimpan!")
    End If
  End Sub
  Private Sub Button3 Click(sender As Object, e As EventArgs) Handles
Button3.Click
    Me.Close()
  End Sub
```


Private Sub Button2\_Click(sender As Object, e As EventArgs) Handles Button2.Click

Call KondisiAwal()

End Sub

**End Class** 

# 4.2 Tampilan Form Transaksi



# 5. Laporan

# 5.1. Tampilan Laporan

