

# <u>INDEX</u>

Sr No	Title	Page No.
1	Index	2
2	Preface	3
3	Acknowledgement	4
4	Project Profile	5
5	Abstract of Project	6
6	Scope	7
7	Feasibility study	8
8	Requirement Analysis	10
9	Project Life Cycle	11
10	Data Dictionary	20
11	Test Cases Preparation	23
12	Test Data Preparation	24
13	Software Testing	26
14	User Interface(snap shots) and Source Code	29
15	References and Bibliography	104

# PREFACE

As a student of Bachelor of Computer Application according to the syllabus subscribed by Bhakta Kavi Narsinh Mehta University, Junagadh(Gujarat). In 5th semester of B.C.A. to prepare a project on any Particular subject of Student choice. The project should be selected on precise subject that will full fill the requirements.

The main objective of the project is to develop Awareness regarding Application of Theories in the modern world of Information Technology.

Here the project report Training is under taken at Dr.V.R. Godhaniya Institute of Information technology in porbandar. Project report has been prepared on the base of information collected which is a result of hard work done by us.

This report contains overview of the whole website anyone who is technical person can understand the contents of this report very easily.

# **ACKNOWLEDGEMENT**

It is out great pleasure to present our project report on **ShoePlazza** which we conceived during the BCA 5<sup>th</sup> SEM affiliated to Bhakta Kavi Narsinh Mehta University.

I took this opportunity to express our sincere gratitude and we feel immense pleasure to thank our faculty, philosopher and guide **Bhavesh Sir** who helped us and gave full support in each and every way to fulfill and accomplish our project of **ShoePlazza**: an e-commerce website.

We are indebted to out collage Dr. V. R. Godhaniya Collage of I.T our principal **Mr. Sanjay Agal** and director **Mr. Dhaval Kher** for given us an excellent chance to prove our best work and efforts.

I am thankful to Bhavesh Sir who guide us very well circumstances with his bright knowledge. We are mostly thankful to him, for giving us the inspiration and dedication to successfully complete this project.

# PROJECT PROFILE

Project name	ShoePlazza	
Front End	HTML, CSS, JavaScript	
Back End	PHP, MYSQL	
Developed by	Dinesh Khunti	
Tools	Microsoft Visual Studio Code and Wamp server	
Testing	Manual	
Task	Analysis , Designing , Coding , Testing	
Guided by	Bhavesh Sir	
Developed at	Dr. V. R. Godhaniya IT College Porbandar	

# ABSTRACT OF PROJECT

## **Project Information:**

The title of the project is ShoePlazza. This project is aimed to buy or sell all types of shoes online.

Our website is one of the best opportunities for those persons who wish to buy shoes from different brands from one website without visiting any places.

# SCOPE

The scope of this website is to provide an easy information for the clients who wish to buy shoes or know about them.

- Client can easily check different brands.
- Client can easily Order.
- Client can easily view all details.
- > The goals of the website are:
  - To provide all kinds of products at one website.
  - Accuracy in buying and selling.
  - Easy to check information.
  - To provide most of the information on site.

# FEASIBILITY STUDY

A feasibility study is a short, focused study, which aims to answer a number of questions:

Does the system contribute to the overall objectives of the organization.

Different type of feasibility study is as follow:

- 1) Operational Feasibility
- 2) Technical Feasibility
- 3) Economical Feasibility

## **Operational Feasibility**

- ➤ The operational feasibility is a measure of how well a proposed system solves the problems.
- And takes advantages of the opportunities identification during scope definition and how it satisfy the requirement.
- ➤ Identification in the requirement analysis phase of system development.

## **Technical Feasibility:**

- ➤ The technical feasibility assessment is focused on gaining and understanding of present technical resources of the organization and their applicability to the expected needs of the system.
- ➤ It is an evaluation of the hardware and software and how it meets the need of the proposed system.

## **Economical Feasibility:-**

- ➤ The purpose of economical feasibility assessment is to determine the positive economic benefits to the organization that proposed system will provide.
  - It includes qualification and identification of all benefits expected.
  - The assessment typically involves a cost/ benefits analysis

# REQUIREMENT ANALYSIS

# Mininmum hardware requirements:

Component	Minimum Requirement
Processor supported	3.0 ghz or above
architecture	32 bit , 64 bit
Memory	2gb or above
Hard disk	Installing 250gb minimum
Ram	4gb or above

# Minimum storage requirements:

Component	Requirement
Operating System	Windows 8 or above
Wamp	Php 7.4.9 or above
Software used in developement	Microsoft visual studio code
Browser	Google Chrome or any browser


# PROJECT LIFE CYCLE

## • E-R Diagram

## What is E-R Diagram

- E-R Diagram stands for "Entity Relationship Diagram".
- Peter chin developed ERDs in 1976.
- ERD modelling naturally precedes relational modelling.
- When an ERD is complete it is mapped to the relational model more or less directly and the relational model is mapped to its physical model.
- Entity relationship diagram are convenient visual representation of the ER Model frequently used in database design and other tools.
- These are actually a number of variations of how these diagrams are represented. We use the function, conventions which we believe to be the most common and clear.
- An entity-relationship diagram is a specialized graphic that illustrates the interrelationships between entities in a database.
- ER diagram often use symbols to represent three types of information.

# **❖**ER Diagram:






# **▶** <u>Data Flow Diagram (DFD)</u>

DFD graphically representing the functions, or processes, which capture, manipulate, store, and distribute data between a system and its environment and between components of a system.


The visual representation makes it a good communication tool between User and System designer. Structure of DFD allows starting from a broad overview and expand it to a hierarchy of detailed diagrams. DFD has often been used due to the following reasons:

- Logical information flow of the system
- Determination of physical system construction requirements
- Simplicity of notation
- Establishment of manual and automated systems requirements


# ❖ DataFlow Diagram level:0



# ❖ DataFlow Diagram Level:1



# **❖** DataFlow Diagram Level:2



## **Use Case Diagram**


## ❖What is use case diagram?

A use case diagram is a simplest representation of User's interaction with the system that shows the relationship between the user and the different use case in which the user is involved.


A use case diagram is a methodology used in system analysis to identify, clarify and organize system requirements.

Use case diagram are employed in UML (Unified Modeling Language) a standard notation for the modeling of real-world objects and system.

# **❖** Use case diagram for user :



# **❖** Use case diagram for Admin :



# DATA DICTIONARY

## Table:

❖ Login :

Sr.no	Field Name	Data type
1	id	int
2	fullname	Varchar(50)
3	age	Varchar(6)
4	gender	Varchar(3)
5	username	Varchar(30)
6	password	Varchar(30)
7	address	Varchar(50)
8	email	Varchar(20)
9	mobile	Varchar(10)
10	image	Varchar(50)

❖ user\_cart :-

Sr. No.	Field Name	Data Type
1	id	Int
2	Item_id	Int
3	user_id	Int
4	status	Varchar(20)

## ❖ items :-

Sr. No.	Field Name	Data Type
1	id	Int
2	name	Varchar(30)
3	brand	Varchar(20)
4	image	Varchar(70)
5	information	Varchar(700)
6	price	int

# TEST CASES PREPARATION

## Purpose:-

- ➤ The purpose of the test cases is to test the various input and see the output produce any error or not. A correct system must accomplish the following:
  - Computer correct results. Operate safely, and cause the server to operate safely.
  - Perform the tasks required by the system containing the software, as explained in the software applications.
  - Achieve these goals for all inputs.
  - Recognize inputs outside its domain.
  - We shall see that satisfying these pre-requisites depends on a variety of things. One of these things is to provide clear and correct software specifications.
  - Required Input and expected result.

# TEST DATA PREPARATION

- ➤ When an extensive range or volume of data is needed for testing then using the test data preparation tool is of great help.
- ➤ They are very useful for performance and reliability testing, where a large amount of realistic data is needed. They may be used by developers and may also be used during system or acceptance testing.
- ➤ Test data preparation tools allow (enable) data to be selected from an existing database or created, generated, manipulated and edited for use in tests. The most sophisticated tools can deal with a range of files and database formats.
- Features or characteristics of test data preparation tools are as follows:
  - To extract selected data records from files or databases.
  - To 'massage' data records to make them anonymous or not able to be identified with real people.

- To generate new records populated with pseudorandom data, or data set up according to some guidelines, e.g. an operational profile;



# SOFTWARE TESTING

## **❖ Manual (Issues & Solutions) with data**

 Manual testing is a method used by software developers to run tests manually. There are many manual testing types which are carried out manually as well as automatically.

### Black Box Testing:

It is a testing method to test functionalities and requirements of the system. It does not test the internal part of the system.

## White Box Testing:

It is a testing method based on information of the internal logic of an application's code and also known as Glass box Testing. It works on Internal working code of the system.

## Integration Testing:

Integrated modules testing method to verify joint functionality after integration. Modules are typically code modules, individual applications, client and server applications on a network, etc. This type of testing is

especially applicable to client/server and distributed systems.

## System Testing:

It is a technique to test whole system.

## Unit Testing:

Testing method to test specific component of software or module. It is specially done by programmers and not by testers, because it needs thorough knowledge of the internal programming design and code.

## Acceptance Testing:

This type of testing verifies that the system meets the customer specified requirements or not. User or a customer does this testing to decide whether to accept application.


Automated (Issues & Solutions) o The method takes automation tool support to execute the test cases is known as Automation Testing. Automated testing is good for large project. It is a method which uses automation tools to run tests that repeat predefined actions, matches the developed program's probable and real results. If the project prospects and results align, your project is behaving as it should, and you are likely bug free. If the two don't align, still, there is a problem that requires to

be addressed. You'll have to take a look at your code, alter it, and continue to run tests until the actual and expected outcomes align.



# DESIGN AND SOURCE CODE

## index.php




```
<?php
session_start();
include('resources/phpscripts/connect.php');
$cmd = "SELECT * FROM `items`";
$q = mysqli_query($connect, $cmd);
$max = mysqli_num_rows($q) - 1;
min = 0;
$row = mysqli fetch all($q, MYSQLI ASSOC);
$random1 = rand($min, $max);
$random2 = rand($min, $max);
if ($random1 == $random2) {
    if ($random1 >= 0 && $random1 < $max) {</pre>
        $random1++;
    } else {
        $random1--;
r1 = row[random1];
r2 = row[random2];
```

```
?>
<!DOCTYPE html>
<html lang="en">
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" href="resources/css/design.css">
<link rel="stylesheet" href="resources/css/imports.css">
<title>Home Page</title>
</head>
<body class="body" id="body">
    include('resources/imports/cursor.php');
    include('resources/imports/navbar.php');
    ?>
        <div class="content"><br><br>
            <h2>
                Hello !! <br>
                Welcome to ShoePlazza<br>
            </h2>
            <button type="button" class="button" id="button"</pre>
onclick="explore()">Explore</button>
        </div>
        <h1 id="explore">Featured</h1><br>
        <div class="explore">
            <div class="card">
                <img src="resources/brandlogo/<?php echo $r1['brand']; ?>"
class="logo" alt="">
                <img src="resources/productimg/<?php echo $r1['image']; ?>-
1.jpg" class="cardimg" alt="">
                <div class="cardtxt">
                    <h2><?php echo $r1['name']; ?> </h2>
                    <button class="seemore"</pre>
onclick="location.href='productinfo.php?pid=<?php echo $r1['id']; ?>'">See
More</button>
                </div>
            </div>
            <div class="card">
                <img src="resources/brandlogo/<?php echo $r2['brand']; ?>"
class="logo" alt="jordan logo">
                <img src="resources/productimg/<?php echo $r2['image']; ?>-
1.jpg" class="cardimg" alt="">
```

```
<div class="cardtxt">
                     <h2><?php echo $r2['name']; ?> </h2>
                     <button class="seemore"</pre>
onclick="location.href='productinfo.php?pid=<?php echo $r2['id']; ?>'">See
More</button>
                </div>
            </div>
        </div>
        <div class="panel" id="pannike">
            <img src="resources/images/nikenobg.png" class="brand" alt=""</pre>
srcset="">
            <button class="button" class="seemore"</pre>
onclick="location.href='shop.php'
">Shop now</button>
        </div><br>
        <div class="panel" id="panaddidas">
            <img src="resources/images/addidashome.png" class="brand" alt=""</pre>
srcset="">
            <button class="button" onclick="location.href='shop.php'">Shop
now</button>
        </div>
        <?php include('resources/imports/footer.php'); ?>
    </div>
    <script src="resources/js/cursor.js">
    </script>
</body>
</html>
```

## signin.php



```
<?php
session_start();
if (isset($_SESSION['uid'])) {
 header('location:/ShoePlazza/index.php');
}
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="resources/css/login.css" />
  <link rel="stylesheet" href="resources/css/design.css" />
  <link rel="stylesheet" href="resources/css/imports.css">
  <title>Sign in</title>
</head>
<body class="body login">
 <?php
 include("resources/imports/cursor.php");
```

```
include('resources/imports/navbar.php');
  ?>
  <div class="center">
    <div class="left">
      <h1>Hello there !</h1>
      <h2>login here to get access to your account and more...</h2>
      <h2>not a member ?<a href="signup.php">sign up</a></h2>
    </div>
    <form method="post" name="loginform"</pre>
action="resources/phpscripts/chklogin.php" id="form">
      <div class="right">
        <h1>Login</h1>
        <div class="txtfield">
          <input type="text" required name="username" class="idpassinput"</pre>
autofocus />
          <label class="idpasslbl">Username</label>
        </div>
        <div class="txtfield">
          <input type="password" required name="password" class="idpassinput"</pre>
id="pass" />
          <label class="idpasslbl">password</label>
          <button type="button" class="showpwd" onclick="showpass()"><img</pre>
src="resources/images/eyeclosed.png" alt="eyeclosed" id="pwdimg"></button>
        </div>
        <div class="signup">
          <input type="submit" value="Login" class="button loginbtns">
        </div>
      </div>
    </form>
  </div>
  <?php include('resources/imports/footer.php'); ?>
  <script src="resources/js/login.js"></script>
  <script src="resources/js/cursor.js"></script>
</body>
</html>
```

# signup.php



```
session_start();
if (isset($_SESSION['uid'])) header('location:profile.php');
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="resources/css/login.css">
  <link rel="stylesheet" href="resources/css/imports.css">
  <title>Sign up</title>
</head>
<body>
 include("resources/imports/cursor.php");
 include('resources/imports/navbar.php');
  <div class="center" id="signup">
    <div class="left">
```

```
<h1>Hello there !</h1>
      <h2>Looks like you're new !! fill your information and get access to our
site</h2>
      <h2>already a member ?<a href="signin.php">sign in</a></h2>
      <?php
      if (isset($_SESSION['signuperror'])) {
        echo $_SESSION['signuperror'];
        unset($_SESSION['signuperror']);
      }
      <button class="adminrbtnwrapper" id="adminbtn" onclick="admin();">Admin
signup</button>
      <button class="adminrbtnwrapper" id="userbtn" onclick="user();">User
Signup</button>
    </div>
    <form method="post" name="loginform"</pre>
action="resources/phpscripts/chksignup.php" id="signupform">
      <div class="right">
        <input type="radio" name="chkuser" hidden id="userradio"</pre>
class="tblradio" value="user">
        <input type="radio" name="chkuser" hidden id="adminradio"</pre>
class="tblradio" value="admin">
        <h1>signup</h1>
        <div class="tab">
          <div class="txtfield">
            <input type="text" required name="fullname" class="idpassinput"</pre>
oninput="input(0)" autofocus />
            <label class="idpasslbl">Full Name</label>
          </div>
          <div class='radio' onchange="radioval()">
            <label style="display:block;">Gender</label>
              <input type="radio" name="gender" id="male" value="male"</pre>
class="ok">
              <label for="male">Male</label>
            </div>
            <div>
              <input type="radio" name="gender" id="female" value="female"</pre>
class="ok">
              <label for="female">female</label>
            </div>
            <div>
```


```
<input type="radio" name="gender" id="other" value="other"</pre>
class="ok">
              <label for="other">other</label>
            </div>
          </div>
          <div class="txtfield">
            <input type="text" required name="age" class="idpassinput"</pre>
oninput="input(1)" id="age" />
            <label class="idpasslbl" id="agelbl">age</label>
          </div>
          <div class="txtfield">
            <input type="text" required name="email" class="idpassinput"</pre>
oninput="input(2)" id="mail" />
            <label class="idpasslbl" id="maillbl">Email-address</label>
        </div>
        <div class="tab">
          <div class="txtfield">
            <input type="text" required name="username" class="idpassinput"</pre>
oninput="input(3)" />
            <label class="idpasslbl">Username</label>
          </div>
          <div class="txtfield">
            <input type="password" required name="password"</pre>
class="idpassinput" id="pass" oninput="input(4)" />
            <label class="idpasslbl" id="passlbl">password</label>
            <button type="button" class="showpwd" onclick="showpass()"><img</pre>
src="resources/images/eyeclosed.png" alt="eyeclosed" id="pwdimg"></button>
         </div>
          <div class="txtfield">
            <input type="txtfield" required name="mobilenumber" id="mobileno"</pre>
class="idpassinput" oninput="input(5)" />
            <label class="idpasslbl" id="mobilelbl">Mobile no</label>
          </div>
         <div class="txtfield">
            <input type="text" name="address" id="address" required</pre>
oninput="input(6)" class="idpassinput">
            <label class="idpasslbl">Address</label>
          </div>
        </div>
        <button type="button" class="button loginbtns" id="signupbtn"</pre>
onclick="current_tab(1)">next</button>
        <button type="button" class="button loginbtns" style="bottom:20px"</pre>
id="prevbtn" onclick="current_tab(-1)">previous</button>
      </div>
```

```
</form>
  </div>
  </php include('resources/imports/footer.php'); ?>
  <script src="resources/js/Login.js"></script>
    <script src="resources/js/cursor.js"></script>
    <script src="resources/js/signup.js"></script>
  </body>
</html>
```



By Dinesh Khunti

# shop.php



```
Fuse One8

RS-X SPLIT Sneakers

Zoom Freak 4

Air Max Plus
```

```
<?php
session_start();
if (isset($_SESSION['uid'])) header('location:profile.php');
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="resources/css/login.css">
  <link rel="stylesheet" href="resources/css/imports.css">
  <title>Sign up</title>
</head>
<body>
 <?php
 include("resources/imports/cursor.php");
  include('resources/imports/navbar.php');
```

```
?>
  <div class="center" id="signup">
    <div class="left">
      <h1>Hello there !</h1>
      <h2>Looks like you're new !! fill your information and get access to our
site</h2>
      <h2>already a member ?<a href="signin.php">sign in</a></h2>
      <?php
      if (isset($_SESSION['signuperror'])) {
        echo $_SESSION['signuperror'];
        unset($_SESSION['signuperror']);
      <button class="adminrbtnwrapper" id="adminbtn" onclick="admin();">Admin
signup</button>
      <button class="adminrbtnwrapper" id="userbtn" onclick="user();">User
Signup</button>
    </div>
    <form method="post" name="loginform"</pre>
action="resources/phpscripts/chksignup.php" id="signupform">
      <div class="right">
        <input type="radio" name="chkuser" hidden id="userradio"</pre>
class="tblradio" value="user">
        <input type="radio" name="chkuser" hidden id="adminradio"</pre>
class="tblradio" value="admin">
        <h1>signup</h1>
        <div class="tab">
          <div class="txtfield">
            <input type="text" required name="fullname" class="idpassinput"</pre>
oninput="input(0)" autofocus />
            <label class="idpasslbl">Full Name</label>
          <div class='radio' onchange="radioval()">
            <label style="display:block;">Gender</label>
              <input type="radio" name="gender" id="male" value="male"</pre>
class="ok">
              <label for="male">Male</label>
            </div>
            <div>
              <input type="radio" name="gender" id="female" value="female"</pre>
class="ok">
              <label for="female">female</label>
```

```
</div>
            <div>
              <input type="radio" name="gender" id="other" value="other"</pre>
class="ok">
              <label for="other">other</label>
            </div>
          </div>
          <div class="txtfield">
            <input type="text" required name="age" class="idpassinput"</pre>
oninput="input(1)" id="age" />
            <label class="idpasslbl" id="agelbl">age</label>
          </div>
          <div class="txtfield">
            <input type="text" required name="email" class="idpassinput"</pre>
oninput="input(2)" id="mail" />
            <label class="idpasslbl" id="maillbl">Email-address</label>
          </div>
        </div>
        <div class="tab">
          <div class="txtfield">
            <input type="text" required name="username" class="idpassinput"</pre>
oninput="input(3)" />
            <label class="idpasslbl">Username</label>
          </div>
          <div class="txtfield">
            <input type="password" required name="password"</pre>
class="idpassinput" id="pass" oninput="input(4)" />
            <label class="idpasslbl" id="passlbl">password</label>
            <button type="button" class="showpwd" onclick="showpass()"><img</pre>
src="resources/images/eyeclosed.png" alt="eyeclosed" id="pwdimg"></button>
          </div>
          <div class="txtfield">
            <input type="txtfield" required name="mobilenumber" id="mobileno"</pre>
class="idpassinput" oninput="input(5)" />
            <label class="idpasslbl" id="mobilelbl">Mobile no</label>
          </div>
          <div class="txtfield">
            <input type="text" name="address" id="address" required</pre>
oninput="input(6)" class="idpassinput">
            <label class="idpasslbl">Address</label>
          </div>
        </div>
        <button type="button" class="button loginbtns" id="signupbtn"</pre>
onclick="current_tab(1)">next</button>
```

### about.php



Home

Shop

My cart (0)

About

Login

ShoePlazza is your place for athletic and easygoing shoes for the entire family from many named brands. You'll discover styles for ladies, men and children from brands like Nike, Converse, Vans, Sperry, Madden Girl, Skechers, ASICS and then some! With stores in the U.S. furthermore, Canada and much more choice online

ShoePlazza is a main family footwear goal for the popular brands you know and love. For each one of those shoe sweethearts out there, 'ShoePlazza' offer the one-stop goal to pick the correct match of footwear. To satisfy the affection for shoes, we offer heaps of alternatives from driving footwear marks, all under one rooftop. Gone are the days when you needed to go from store to store to locate the correct style and size for yourself.

So What are you waiting for Shop Now

```
<?php session_start(); ?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="resources/css/design.css">
    <link rel="stylesheet" href="resources/css/imports.css">
    <title>About Page</title>
</head>
<body>
    <?php
    include('resources/imports/navbar.php');
    include("resources/imports/cursor.php");
    ?>
    <div class="abg">
        <div class="text">
             ShoePlazza is your place for athletic and easygoing shoes for
the entire family from many named brands.
                You'll discover styles for ladies, men and children from
brands like Nike, Converse, Vans, Sperry, Madden Girl, Skechers, ASICS and
then some! With stores in the U.S. furthermore, Canada and much more choice
online
```

<br>
<

ShoePlazza is a main family footwear goal for the popular brands you know and love.

For each one of those shoe sweethearts out there, 'ShoePlazza' offer the one-stop goal to pick the correct match of footwear. To satisfy the affection for shoes, we offer heaps of alternatives from driving footwear marks, all under one rooftop. Gone are the days when you needed to go from store to store to locate the correct style and size for yourself. <br/>
'br>

So What are you waiting for

<button class="button" onclick="location.href='shop.php'">Shop

Now</button>


```
</div>
</php include('resources/imports/footer.php') ?>
<script src="resources/js/cursor.js">
</script>
```

</body>

</html>



# Admin.php




```
<?php
session_start();
include('resources/phpscripts/connect.php');
if (!isset($_SESSION['admin'])) header('location:signin.php');
else{
    $cmd = "select username from login where id = ".$_SESSION['uid']." and
role = 'admin'";
    $q = mysqli query($connect,$cmd);
   $arr = mysqli_fetch_array($q);
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="resources/css/design.css">
    <link rel="stylesheet" href="resources/css/imports.css">
    <title>Admin Page</title>
</head>
<body>
```

```
<?php
    include('resources/imports/navbar.php');
    include("resources/imports/cursor.php");
        <div class="admin-wrapper">
            <h1>
                Hello ! <?php echo $arr['username']; ?> <br>
            </h1>
            <h4>this is your admin page</h4>
            <button class="wrapper-btn" id="add-product-btn"</pre>
onclick="add_product()">Add products</button><br><br>
            <button class="wrapper-btn" onclick="view sales()">Sales/button>
        </div>
        <div class="add-products" id="add-product">
            <div class="addLeft">
                <form action="resources/phpscripts/add_product.php"</pre>
method="post" enctype="multipart/form-data" id="products">
                    <div class="adminTxtfield">
                         <input type="text" name="name" id="name" class="input"</pre>
required>
                         <label for="name" class="lb1">Name</label>
                    </div>
                    <div class="adminTxtfield">
                         <input type="text" name="information" class="input"</pre>
id="information" required>
                         <label for="information" class="lbl">info</label>
                     </div>
                     <div class="adminTxtfield">
                         <input type="text" name="price" class="input"</pre>
id="price" required>
                         <label for="price" class="lbl">rate</label>
                     </div>
                     <div class="adminTxtfield">
                         <button type="button" id="browse">Click here to Import
images</button>
                         <input type="file" name="image[]"</pre>
onchange="showImg();" id="image" required class="input" accept=".jpg"
multiple>
                    </div>
                     <div class="adminTxtfield">
                         brand:
                         <div class="rbtn">
                             <button class="radiowrap" type="button"</pre>
onclick="document.getElementById('adidas').click();">adidas</button><br>
                             <button type="button" class="radiowrap"</pre>
onclick="document.getElementById('puma').click();">Puma/button><br>
```

```
<button type="button" class="radiowrap"</pre>
onclick="document.getElementById('nike').click();">Nike</button>
                          <input type="radio" name="brand" id="adidas"</pre>
class="brandbtn" hidden value="adidas">
                          <input type="radio" name="brand" id="nike"</pre>
value="nike" hidden class="brandbtn">
                          <input type="radio" name="brand" id="puma"</pre>
value="puma" hidden class="brandbtn">
                      </div>
                   </div>
                   <br>
                   <button id="sbtn" class="adminSubmit" type="button"</pre>
onclick="validate()">Submit</button>
               </form>
           </div>
           <div class="addRight">
               <img src="resources/productimg/nmd v3/nmd v3-1.jpg" alt=""</pre>
id="showimg" class="showimage">
               <img src="resources/productimg/nmd_v3/nmd_v3-1.jpg" alt=""</pre>
id="showimg" class="showimage">
           </div>
       </div>
       <div class="ShowProducts" id="view-sales">
           <?php
           $cmd = "SELECT uc.user_id, uc.status , it.name, it.price"
,l.username FROM `user_cart` uc INNER JOIN items it ON uc.item_id = it.id
INNER JOIN `login` 1 ON uc.user_id = 1.id ";
           $q = mysqli_query($connect, $cmd);
           $r = mysqli fetch all($q, MYSQLI ASSOC);
           ?>
           Products Bought by Users
                   No.
```

```
User id
           Username
           Product Name
           Price
           Status
         <?php
         n = 1;
         for ($i = 0; $i < count($r); $i++) {</pre>
         ?>
           <?php echo $n;
                         $n++; ?>
             <?php echo $r[$i]['user_id'];
?>
             <?php echo $r[$i]['username'];
?>
             <?php echo $r[$i]['name']; ?>
             <?php echo $r[$i]['price']; ?>
             <?php echo $r[$i]['status'];
?>
           <?php
         }
           ?>
      </div>
  </div>
  <script src="resources/js/admin.js"></script>
</body>
</html>
```

### mycart.php



```
<?php
```

```
include('resources/phpscripts/connect.php');
session_start();
if (!isset($_SESSION['uid'])) header('location:signin.php');
$user_id = $_SESSION['uid'];
$cmd = 'SELECT it.id ,it.name,it.price,it.image FROM user_cart ut INNER JOIN
items it on it.id = ut.item_id WHERE ut.user_id= ' .$user_id;
$q = mysqli_query($connect, $cmd);
$count = 0;
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="resources/css/imports.css">
    <link rel="stylesheet" href="resources/css/shop.css">
    <title>My Cart</title>
```

```
</head>
<body>
   <?php include('resources/imports/cursor.php');</pre>
   include('resources/imports/navbar.php');
   sum = 0;
   $userp = mysqli_query($connect, $cmd);
   if (mysqli_num_rows($userp) == 0) { ?>
      <div class="noItem">
         <h1>There are no items in your cart :(</h1><br><br>>
         <h3><a href="shop.php">click me to buy some ;)</a>
         </h3>
      </div>
   <?php
   } else {
      <h1>My Cart</h1>
            <?php
         while ($row = mysqli_fetch_array($userp)) {
            $sum = $sum + $row['price'];
         ?>
            <img src="resources/productimg/<?php</pre>
echo $row['image']; ?>-1.jpg" alt="" srcset="">
               <?php echo $row['name']; ?>
               ₹<?php echo $row['price']; ?>
               <a
href="resources/phpscripts/delete_cart.php?pid=<?php echo $row['id'];</pre>
?>">Remove</a>
            <?php
         }
         ?>
         Total
             ₹<?php echo $sum; ?>
         <?php }
   include("resources/imports/footer.php");
   ?>
</body>
</html>
```

### mycart.php



Home Shop My cart (2) About





#### Air Max 270

Legendary Air gets lifted. Nike's
1st lifestyle Air Max brings you
style, comfort and 270 degrees of
Air to showcase one of our
greatest innovations yet. Add a
lightweight, airy upper and lowcut collar and you've got the
perfect go-to kicks for everyday

₹ 14999 only

Add to Cart

```
<?php
session_start();
include("resources/phpscripts/connect.php");
$status = 0;
if (!isset($_GET['pid'])) header('location:shop.php');
$pid = $_REQUEST['pid'];
if (isset($_SESSION['uid'])) {
    $usr = $_SESSION['uid'];
    $qc = "SELECT status FROM user_cart WHERE user_id ='" . $usr . "' AND
item_id= '" . $pid . "'";
    $pcmd = mysqli_query($connect, $qc);
    $status = mysqli_num_rows($pcmd);
$q = "SELECT * FROM `items` WHERE id = '" . $pid . "'";
$cmd = mysqli_query($connect, $q);
$r = mysqli_fetch_array($cmd);
?>
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="resources/css/products.css" />
    <link rel="stylesheet" href="resources/css/imports.css">
    <title>ProductPage</title>
</head>
<body>
    <?php include('resources/imports/cursor.php'); ?>
    <?php include('resources/imports/navbar.php'); ?>
    <div class="pcenter">
        <div class="pleft" id="left">
            <div class="imgmain">
                <img src="resources/productimg/<?php echo $r['image']; ?>-1"
alt="" srcset="" class="image">
                <img src="resources/productimg/<?php echo $r['image']; ?>-2"
alt="" srcset="" class="image">
            </div>
            <div class="imgmain">
                <img src="resources/productimg/<?php echo $r['image']; ?>-3"
alt="" srcset="" class="image">
                <img src="resources/productimg/<?php echo $r['image']; ?>-4"
alt="" srcset="" class="image">
            </div>
            <div class="imgmain">
                <img src="resources/productimg/<?php echo $r['image']; ?>-5"
alt="" srcset="" class="image">
                <img src="resources/productimg/<?php echo $r['image']; ?>-6"
alt="" srcset="" class="image">
            </div>
        </div>
        <div class="pright" id="right">
            <div class="noscroll" id="noscroll">
                <h1><?php echo $r['name']; ?></h1>
                >
                    <?php
                    echo $r['information'];
                    ?>
                <br>>
                <div class="rate">
                    <h2>₹
                        <?php
                        echo $r['price'];
                        ?>
                        only
```

```
</h2>
                </div>
                <?php
                if ($status > 0) {
                ?>
                    <button class="cartbtn" disabled>added to cart</putton>
                <?php
                } else {
                ?>
                    <button class="cartbtn"</pre>
onclick="location.href='resources/phpscripts/add_to_cart.php?pid=<?php echo</pre>
$r['id']; ?>'">Add to Cart</button>
                <?php } ?>
            </div>
        </div>
    </div><br>
    <?php include('resources/imports/footer.php'); ?>
    </div>
    <script src="resources/js/cursor.js"></script>
    <script src="resources/js/products.js"></script>
    <script src="resources/js/scroll.js"></script>
</body>
</html>
```

# **Cursor.php**



## footer.php



```
Mail us
About us
Login
Signup
Shop
Go to cart
```

©2022 all rights reserved developed by dinesh

```
<div class="Footer">
    <div class="FooterLeft">
        <div class="FooterMid">
            <a href="mailto:khuntidnsh@gmail.com">Mail us</a>
            <a href="about.php">About us</a>
            <a href="login.php">Login</a>
            <a href="signup.php">Signup</a>
            <a href="shop.php">Shop</a>
            <a href="cart.php">Go to cart</a>
        </div>
    </div>
    <div class="FooterRight">
        <div class="img">
            <img src="resources/NavbarIcons/fbicon.png" alt="" srcset="">
            <img src="resources/NavbarIcons/linkedinicon.png" alt=""</pre>
srcset="">
            <img src="resources/NavbarIcons/twittericon.png" alt="" srcset="">
            <img src="resources/NavbarIcons/instaicon.png" alt="" srcset="">
        </div>
    </div>
    <div class="FooterCopy">
        ©2022 all rights reserved
        developed by dinesh
   </div>
</div>
```

# Navbar.php



Home Shop My cart (2) About



```
<?php
include('resources/phpscripts/connect.php');
if (isset($_SESSION['uid'])) {
    $navcmd = "SELECT * FROM user_cart WHERE user_id = " . $_SESSION['uid'];
    $pfpcmd = "SELECT `image` FROM `login` WHERE id=" . $_SESSION['uid'];
    $pfpq = mysqli_query($connect, $pfpcmd);
    $img = mysqli_fetch_array($pfpq);
    $navq = mysqli_query($connect, $navcmd);
    $navitems = mysqli_num_rows($navq);
} else {
    $navitems = 0;
}
?>
<div class="navbarDiv">
    <div class="NavLeft">
        <div class="Branding">
            <a href="index.php">
                <img class="brandlogo" src="resources/images/logo.png" alt=""</pre>
srcset="">
            </a>
        </div>
    </div>
    <div class="NavCenter">
        <div class="NavContent">
            <a class="NavOpt" href="index.php">Home</a>
            <a class="NavOpt" href="shop.php">Shop</a>
            <a class="NavOpt" href="cart.php">My cart (<?php echo $navitems;</pre>
?>)</a>
            <a class="NavOpt" href="about.php">About</a>
        </div>
    </div>
    <div class="NavRight">
        <?php if (!isset($_SESSION['uid'])) { ?>
            <div class="navLogin">
                <a href="signin.php">Login</a>
            </div>
        <?php
        } else {
        ?>
            <div class="NavPfp">
```

# Add\_product.php

```
<?php
include('connect.php');
if (isset($_REQUEST['name'])) {
    $pname = $ REQUEST['name'];
    $pinfo = $_REQUEST['information'];
    $price = $_REQUEST['price'];
    $pbrand = $_REQUEST['brand'];
    $totfiles = count($_FILES['image']['name']) - 1;
    $tempname = $_FILES['image']['tmp_name'];
    $dir = $pname;
    var dump($ FILES);
    if (!is_dir('../productimg/' . $dir)) {
        mkdir('../productimg/' . $dir);
    }
    v = 1;
    for ($i = $totfiles; $i >= 0; $i--) {
        $path = '../productimg/' . $dir . '/' . $dir . '-'
        $v = $v + 1;
        $a = copy($tempname[$i], $path);
    $pimg = $dir . '/' . $dir;
    echo $pimg;
    $selcmd = "SELECT * FROM items WHERE name='" . $pname . "'";
    echo $selcmd;
    $selq = mysqli_query($connect, $selcmd);
    var_dump($selq);
    if (mysqli num rows($selq) > 0) {
        header('location:../../admin.php');
    } else {
        $cmd = "INSERT INTO `items`(`name`, `brand`, `image`, `information`,
`price`) VALUES ('" . $pname . "','" . $pbrand . "','" . $pimg . "','" .
$pinfo . "'," . $price . ")";
        echo $cmd;
        $q = mysqli_query($connect, $cmd);
        header('location:../../admin.php?err="product inserted
successfully"');
   }
}
else{
   header('location:../../admin.php');
}
```

## Add\_to\_cart.php

```
    session_start();
    include('connect.php');
    if(!isset($_REQUEST['pid'])) header('location:../../shop.php');
    $cart_id = $_REQUEST['pid'];
    if (!isset($_SESSION['uid']))
header('location:../../signin.php?err="please login"');
    else{
        $user_id = $_SESSION['uid'];
        $cmd = "insert into user_cart (item_id,user_id,status) values

($cart_id,$user_id,'added to cart')";
        $exe = mysqli_query($connect,$cmd);
        header('location:../../productinfo.php?pid='.$cart_id.'&err="succsessfully added to cart"');
    }
}
```

# Chklogin.php

```
<?php
include("connect.php");
if(!isset($_REQUEST['username'])) header('location:../../signin.php');
if(!isset($_REQUEST['password'])) header('location:../../signin.php');
$uname = $_REQUEST['username'];
$pass = $_REQUEST['password'];
$q_sql = "SELECT * FROM `login` WHERE `username` = '" . $uname . "' and
`password` = '" . $pass . "';";
$result = mysqli_query($connect, $q_sql);
var_dump($result);
$n= mysqli_num_rows($result);
if ($n > 0) {
    $data = mysqli_fetch_array($result,MYSQLI_ASSOC);
    var_dump($data);
    session_start();
    $_SESSION['uid'] = $data['id'];
    $_SESSION['uname'] = $data['username'];
    $_SESSION['pfp'] = $data['image'];
    if($data['role']=='admin'){
        $_SESSION['admin']=true;
        header('location:../../admin.php');
    }
    else{
        header("location:../../index.php");
    }
}
else {
   header('location:../../signin.php?err="incorrect username or passwrord \n
please login again"');
?>
```

# **Chksignup.php**

```
<?php
if (isset($_REQUEST['username'])) {
    include("connect.php");
    $fullname = $_REQUEST['fullname'];
    $username = $_REQUEST['username'];
    $mobileno = $_REQUEST['mobilenumber'];
    $age = $_REQUEST['age'];
    $address = $_REQUEST['address'];
    $gender = $_REQUEST['gender'];
    $email = $_REQUEST['email'];
    $password = $_REQUEST['password'];
    if(!isset($_REQUEST['chkuser'])){
        $user = 'user';
    }
   else{
        $user = $_REQUEST['chkuser'];
    }
    $unamecheck = mysqli_query($connect, "SELECT * FROM `login` WHERE username
= '" . $username . "';");
    $mobilechk = mysqli_query($connect, "SELECT * FROM `login` WHERE mobile =
'" . $mobileno . "';");
    $emailchk = mysqli_query($connect, "SELECT * FROM `login` WHERE email = '"
. $email . "';");
    $pfp = 'noprofile.png';
    session_start();
   if ($unamecheck->num_rows > 0) {
        header("location:signup.php??err='username already exists'");
    }
    if ($emailchk->num_rows > 0) {
        header("location:signup.php??err='email already registered'");
    }
    if ($mobilechk->num_rows > 0) {
        header("location:signup.php??err='mobile already registered'");
    }
```

### **Connect.php**

```
    $host = 'localhost';
    $user = 'root';
    $pass = '';
    $database = 'ShoePlazza';
    $connect = mysqli_connect($host, $user, $pass, $database) or
die(mysqli_connect_error($connect));
}
```

### **Delete\_cart.php**

```
include('connect.php');
    $id = $_GET['pid'];
    session_start();
    if(!isset($_SESSION['uid'])) header('location:
../Login/signin.php?err="please login"');
    else{
        $uid = $_SESSION['uid'];
        $cmd = "DELETE FROM `user_cart` WHERE item_id = $id AND user_id =
$uid";
        $r = mysqli_query($connect,$cmd);
        header('location:../../cart.php?err="successfully removed product from cart"');
    }
}
```

### **Logout.php**

```
<?php
    session_start();
    session_destroy();
    header('location:../../index.php?err="logged out successfully"');
?>
```

### **Updatescript.php**

```
<?php
include("connect.php");
session_start();
if (!isset($_SESSION['uid'])) header('location:../../signin.php');
if (isset($_REQUEST['username'])) {
    if (!strlen($_FILES['avatar']['name']) == 0) {
        // profile photo
        $src = $_FILES['avatar']['tmp_name'];
        //destination path
        // relative path for copy
        $dest = "../pfp/" . $_FILES['avatar']['name'];
        $imgpath = $_FILES['avatar']['name'];
        copy($src, $dest);
    } else {
        $imgpath = $_REQUEST['nofileupdate'];
    $id = $_SESSION['uid'];
    $uname = $_REQUEST['fullname'];
    $age = $_REQUEST['age'];
    $gender = $_REQUEST['gender'];
    $username = $_REQUEST['username'];
    $password = $_REQUEST['password'];
    $address = $_REQUEST['address'];
    $email = $_REQUEST['email'];
    $mobile = $_REQUEST['mobileno'];
    $image = $imgpath;
    $updatecmd = "UPDATE `login` SET `fullname`='" . $uname . "', `age`='" .
$age . "', gender = '" . $gender . "', username = '" . $username .
"',`password`='" . $password . "',`address`='" . $address . "',`email`='" .
$email . "', `mobile`='" . $mobile . "', `image`='" . $image . "' WHERE
`id`=$id";
    $updatedata = mysqli query($connect, $updatecmd, $result =
MYSQLI_STORE_RESULT);
    if ($result == 0) {
        header('location:../../profile.php?err="updated successfully"');
    } else {
        echo "error";
} else {
    header("location:../../profile.php?err='please re-submit the form'");
}
```

# <u>CSS</u>

## **Design.css**

```
@font-face {
  font-family: "regular";
  src: url("../fonts/titilliumweb-regular-webfont.woff2") format("woff2"),
    url("../fonts/titilliumweb-regular-webfont.woff") format("woff"),
    url("../fonts/TitilliumWeb-Regular.ttf") format("truetype");
}
html,
body {
  cursor: none;
  scroll-behavior: smooth;
  margin: 0;
  padding: 0;
  background: white;
  height: 100%;
  width: 100%;
  -ms-overflow-style: none; /* IE and Edge */
  scrollbar-width: none;
  font-family: "regular";
}
body::-webkit-scrollbar {
  display: none;
}
/* home page */
.content {
  height: 650px;
  background: url("../images/homepagebg.jpg");
  background-size: cover;
  padding: 20px;
  background-position: center;
.content button {
  width: 270px;
```

```
height: 30px;
  font-size: 15px;
  border-radius: 10px;
  border: none;
}
#explore {
  margin: 30px;
  margin-bottom: 0;
}
.explore .card {
  margin: auto;
  width: 450px;
  height: 500px;
  position: relative;
  overflow: hidden;
  margin-bottom: 30px;
  box-shadow: rgba(0, 0, 0, 0.24) 0px 3px 8px;
  box-shadow: rgba(50, 50, 93, 0.25) 0px 2px 5px -1px,
    rgba(0, 0, 0, 0.3) 0px 1px 3px -1px;
  border-radius: 10px;
  transition: all 1s;
}
.cardtxt {
  position: absolute;
  bottom: -100px;
  transition: all 0.6s;
 width: 100%;
}
.cardimg {
  width: 100%;
  height: 100%;
.explore {
  display: grid;
  grid-template-columns: 1fr 1fr;
}
.explore .card:hover > .cardtxt {
  bottom: 0;
}
.explore .card:hover {
  box-shadow: rgba(0, 0, 0, 0.2) 0px 20px 30px;
  box-shadow: rgba(17, 17, 26, 0.1) 0px 8px 24px,
    rgba(17, 17, 26, 0.1) 0px 16px 56px, rgba(17, 17, 26, 0.1) 0px 24px 80px;
}
.explore .card:hover > .logo {
```

```
margin: 10px;
}
.explore .card .logo {
  width: 75px;
  height: 65px;
  transition: all 0.5s;
  position: absolute;
}
.explore .card .cardtxt .seemore {
  width: 100%;
  border: none;
  background: black;
  color: white;
  height: 50px;
}
/* after featured */
.panel {
  height: 600px;
  margin: 20px;
  border-radius: 10px;
  position: relative;
  background: none;
}
#pannike {
  background: url("../images/nikepanel.jpg") center;
  background-size: cover;
}
#panaddidas {
  background: url("../images/addidaspanel.jpg") center;
  background-size: cover;
#panaddidas button {
  left: 0;
  right: auto;
.cardlogo {
  width: 50px;
  height: 50px;
  position: absolute;
  z-index: 5;
  transition: all 1s;
}
.panel .brand {
  height: 100px;
  margin: 30px;
```

```
}
.panel button {
  position: absolute;
  width: 200px;
  height: 50px;
  bottom: 0;
  background: white;
  right: 0;
  font-size: 15px;
  margin: 20px;
  border: none;
  border-radius: 50px;
}
.cards .cardinfo:hover {
  box-shadow: rgba(0, 0, 0.2) 0px 50px 100px -7px;
}
.cards .cardinfo:hover > .txt {
  bottom: 0;
}
.cards .cardinfo:hover > .cardlogo {
  margin: 30px;
}
/* profile */
.profile .button {
  color: black;
  background: rgba(255, 255, 255, 0.8);
  width: 150px;
  font-size: 15px;
  border: 0;
  border-radius: 20px;
  height: 40px;
.ProfileWrapper .button {
  color: black;
  background: rgba(255, 255, 255, 0.8);
  width: 150px;
  font-size: 15px;
  border: 0;
  border-radius: 20px;
  height: 50px;
  box-shadow: rgba(0, 0, 0, 0.15) 1.95px 1.95px 2.6px;
.ProfileWrapper .right .button {
```

```
width: 100%;
}
.button:hover {
  box-shadow: rgba(0, 0, 0, 0.35) 0px 5px 15px;
  border: none;
  background: black;
  color: white;
}
.profile {
  padding-top: 40px;
  width: auto;
  height: 700px;
  background: url("../images/profilebg.jpg") center;
  /* background-blend-mode: overlay; */
  font-family: "Oxygen", sans-serif;
  padding: 30px;
  position: relative;
  color: white;
  font-size: 20px;
  background-size: cover;
  background-color: rgba(0, 0, 255, 0.288);
}
.profiletext {
  position: absolute;
  bottom: 50%;
.profile button {
  bottom: 30%;
  position: absolute;
}
.ProfileWrapper .right button {
  width: 100%;
}
#profilehead {
  font-size: 15px;
  font-weight: 100;
.ProfileWrapper .right .profilepic {
  margin-bottom: 30px;
  height: 500px;
  width: 500px;
  border-radius: 10px;
  box-shadow: rgba(0, 0, 0, 0.2) 0px 12px 28px 0px,
    rgba(0, 0, 0, 0.1) 0px 2px 4px 0px,
    rgba(255, 255, 255, 0.05) 0px 0px 0px 1px inset;
```

```
transition: all 0.5s;
}
.ProfileWrapper legend {
  color: rgba(0, 0, 0, 0.7);
  font-family: "regular";
  font-weight: 400;
  font-size: 25px;
}
/* for js */
.nodisplay {
  display: none;
}
.ProfileWrapper {
  font-family: "regular";
  width: 100%;
  display: grid;
  grid-template-columns: 1fr 1fr;
  position: relative;
  height: 900px;
}
.ProfileWrapper .left {
  height: 800px;
  margin: 30px;
  position: relative;
.leftWrapper,
.right fieldset {
  border-radius: 5px;
  border: none;
  padding: 0px 40px 0 40px;
  margin-bottom: 20px;
  position: absolute;
  left: 10%;
  box-shadow: rgba(0, 0, 0, 0.06) 0px 2px 4px 0px inset;
.ProfileWrapper .right fieldset {
  /* padding: 35px; */
  border: none;
  position: relative;
.ProfileWrapper .fields {
  margin: 10px;
  color: rgb(0, 0, 0, 0.6);
```

```
height: 20px;
  border: none;
  width: 300px;
  padding-left: 150px;
  background: none;
  position: relative;
  border: none;
  outline: none;
}
.ProfileWrapper .txtfieldwrapper label {
  position: absolute;
  top: 9px;
  font-weight: 600;
  left: 20px;
  color: rgba(0, 0, 0, 0.829);
.ProfileWrapper .txtfieldwrapper {
  margin: 5px;
  box-shadow: rgba(99, 99, 99, 0.2) 0px 2px 8px 0px;
  width: 400px;
  text-align: right;
  margin-bottom: 30px;
  border-radius: 10px;
  position: relative;
  overflow: hidden;
  transition: all 0.5s;
}
.ProfileWrapper .right {
  padding: 30px;
  position: relative;
  text-align: center;
}
/* admin */
.admin-wrapper {
  height: 750px;
  margin: 0;
  padding: 0;
  background: url('../images/adminbg.jpg');
  background-position: center;
  background-size: cover;
  padding: 30px;
}
.admin-wrapper h4{
```

```
color: rgb(0,0,0,.7);
  font-weight: 100;
}
.add-products {
  display: grid;
  font-family: 'regular';
  grid-template-columns: 400px 1fr;
  margin: auto;
}
.add-products .adminTxtfield {
  position: relative;
  margin: 20px;
  padding: 10px;
  border-radius: 10px;
  transition: all .5s;
  box-shadow: rgba(0, 0, 0, 0.05) 0px 6px 24px 0px, rgba(0, 0, 0, 0.08) 0px
0px 0px 1px;
}
.addRight {
  text-align: center;
  padding: 20px;
}
.add-products .lbl {
  position: absolute;
  left: 10px;
 top: 10px;
  transition: all .5s;
}
.showimage {
  width: 300px;
  box-shadow: rgba(50, 50, 93, 0.25) 0px 2px 5px -1px, rgba(0, 0, 0, 0.3) 0px
1px 3px -1px;
  margin: 2px;
}
.input:focus~.lbl {
 top: -20px;
}
.input:valid~.lbl {
 top: -20px;
}
```

```
.input {
  width: 100%;
  position: relative;
  background: none;
  outline: none;
  border: none;
}
.rbtn {
  transform: translate(50px,-22px);
.brandbtn{
  display: none;
}
#image {
  display: none;
}
#browse{
  width: 100%;
  background: none;
  border: none;
}
.radiowrap{
  background:none;
  width: 150px;
  height: 30px;
  outline: none;
  border: none;
  border-radius: 5px;
  box-shadow: rgba(50, 50, 105, 0.15) 0px 2px 5px 0px, rgba(0, 0, 0, 0.05) 0px
1px 1px 0px;
  transition: all .3s;
  margin:10px;
}
.radiowrap:hover{
  box-shadow: rgba(9, 30, 66, 0.25) 0px 4px 8px -2px, rgba(9, 30, 66, 0.08)
Opx Opx Opx 1px;
}
.adminSubmit{
  width: 90%;
  margin: auto;
  background: none;
  border: none;
  height: 40px;
  border-radius: 10px;
  margin-left: 20px;
  box-shadow: rgba(99, 99, 99, 0.2) 0px 2px 8px 0px;
```

```
transition: all .2s;
}
.adminSubmit:hover{
  box-shadow: rgba(0, 0, 0, 0.12) 0px 1px 3px, rgba(0, 0, 0, 0.24) 0px 1px
2px;
}
.admintable{
  min-height: 800px;
  border-spacing: 0;
  font-family: 'regular';
  /* color:rgba(0, 0, 0, 0.8); */
  width: 80%;
  margin: 10px auto;
  text-align: center;
  border-radius: 10px;
  padding: 20px;
  box-shadow: rgba(0, 0, 0, 0.06) 0px 2px 4px 0px inset;
}
.adminrow{
  box-shadow: rgba(0, 0, 0, 0.1) 0px 1px 3px 0px, rgba(0, 0, 0, 0.06) 0px 1px
2px 0px;
  border-radius: 20px;
}
.column{
  font-size: 20px;
  color: rgb(0,0,0,.8);
  margin-bottom: 20px;
  padding: 20px;
}
.productHead{
  font-size: 30px;
}
.headrow{
  border-radius: 20px;
  outline: none;
}
.wrapper-btn{
  padding:10px;
  border:none;
  border-radius: 10px;
  height: 40px;
  width: 150px;
  transition: all .3s;
.wrapper-btn:hover{
```

```
background:black;
  color:white;
  box-shadow: rgba(50, 50, 93, 0.25) 0px 50px 100px -20px, rgba(0, 0, 0, 0.3)
0px 30px 60px -30px;
/* about */
.abg{
  height: 100%;
  width: 100%;
  background: url('../images/aboutbg.jpg');
  background-position: center;
  background-size: cover;
}
.text {
 width: 100%;
  height: 100%;
  font-family: "regular";
  background: rgb(255,255,255,.2);
  backdrop-filter: blur(20px);
}
.text p {
  padding: 30px;
  font-size: 30px;
  margin: 0;
}
.text p .button {
  border: none;
  font-size: 30px;
  background: none;
  transition: all .3s;
  border-radius: 10px;
}
.text p .button:hover {
  background: black;
}
```

### **Imports.css**

```
.navbarDiv {
  padding: 0 20px 0 20px;
  background: white;
  z-index: 2;
  box-shadow: rgba(0, 0, 0, 0.1) 0px 10px 25px -10px, rgba(0, 0, 0.02) 0px
5px 10px -10px;
  position: fixed;
  overflow: hidden;
  display: grid;
  grid-template-columns: 200px 1fr 200px;
  padding-top: 0;
  position: relative;
}
.NavCenter a {
  margin: 20px;
.NavCenter .NavContent {
 font-size: 20px;
 transform: translateY(50%);
}
.navbarDiv .NavCenter {
 height: 100%;
 text-align: center;
}
.navbarDiv .NavRight {
  display: grid;
  grid-template-columns: 1fr 50px;
  text-align: right;
}
.navLogin {
  padding-top: 15px;
 text-align: right;
  font-size: 20px;
}
.NavLogout {
  margin-top: 15px;
}
.NavPfp {
```

```
margin-top: 10px;
  width: 35px;
  margin-left: 120px;
  height: 35px;
  border-radius: 50%;
  overflow: hidden;
  border: 1px solid black;
}
.Pfp {
  width: 100%;
  height: 100%;
}
.brandlogo {
  width: 50px;
  height: 50px;
}
.NavContent {
 transform: translateY(50%);
  font-size: 20px;
}
a {
  text-decoration: none;
  color: black;
  cursor: none;
}
.body {
  margin: 0%;
  padding: 0%;
  font-family: "regular", sans-serif;
  overflow: scroll;
}
/* go to top */
.gototop {
  width: 50px;
  height: 50px;
  border-radius: 50%;
  border: 0;
  position: fixed;
  z-index: 5;
  bottom: -50px;
  background: url("../images/gototop.png") center;
```

```
right: 30px;
  background-color: white;
  box-shadow: 1px 1px 10px 1px rgba(0, 0, 0, 0.257);
}
.FooterRight img {
  width: 40px;
  height: 40px;
  border-radius: 50%;
}
.FooterRight .img {
  position: absolute;
  right: 3px;
  top: 3px;
}
.ProfileWrapper .right .imgwrapper {
 width: 100px;
}
.FooterRight img:hover {
 background: rgba(0, 0, 0, 0.74);
}
.Footer {
  width: 100%;
  height: max-content;
  position: relative;
  display: grid;
  background:white;
  color: black;
  grid-template-rows: 1fr 30px;
  grid-template-columns: 1fr 1fr;
  margin: 0;
  margin-top: 20px;
  padding: 0;
}
.Footer .FooterLeft {
  display: block;
  grid-row: 1;
}
.Footer .FooterRight {
  grid-row: 1;
  position: relative;
```

```
}
.FooterMid a {
  color: black;
  display: block;
  text-decoration: none;
  margin: 10px;
}
.FooterMid a:hover {
  color: gray;
}
.FooterCopy {
  text-align: center;
  height: 10px;
  bottom: 0;
  grid-row: 2;
  height: 0;
  margin: 0;
  transform: translateX(50%);
  padding: 0;
  color: black;
  background: white;
}
.cursor {
  display: none;
  position: absolute;
}
.innercursor {
  display: none;
  z-index: 20;
  position: absolute;
}
.changecursor {
  display: block;
  height: 40px;
  width: 40px;
  border: 3px solid white;
  border-radius: 50%;
  position: absolute;
  transition: all 70ms linear;
  pointer-events: none;
  background: white;
```

```
mix-blend-mode: difference;
  transform: translate(-50%, -50%);
  z-index: 5;
}
.midcursor {
  display: block;
  z-index: 5;
  height: 5px;
  width: 5px;
  border-radius: 50%;
  border: 1px solid black;
  position: absolute;
  background-color: white;
  mix-blend-mode: difference;
  pointer-events: none;
  transform: translate(-50%, -50%);
}
.hover {
  width: 50px;
  height: 50px;
  background-color: white;
  position: absolute;
}
.onclick {
  position: absolute;
  background-color: black;
  border: 1px solid black;
  transition: all .1s;
}
.txtfieldfocus {
  transition: all 1s;
  background: gray;
  border-radius: 20px;
}
```

## Login.css

```
.center {
  width: 90%;
  height: 650px;
  margin: 20px auto;
  display: flex;
  flex: 1 1 100%;
  border-radius: 10px;
  overflow: hidden;
  align-content: stretch;
  justify-content: space-between;
  background: url("../images/loginbg.jpg") no-repeat;
  background-size: 100%;
  box-shadow: rgba(0, 0, 0, 0.4) 0px 22px 70px 4px;
  animation: bg forwards ease-in-out 3s;
  color: black;
}
@keyframes bg {
  0% {
    background-position: bottom;
  }
  100% {
    background-position: 0;
  }
}
.loginbtns {
  position: absolute;
  bottom: 100px;
  transform: translateX(50%);
.showpwd {
  top: 50px;
  border: none;
  background: none;
  position: absolute;
  right: 5px;
  top: 50%;
}
.showpwd img {
  height: 20px;
  opacity: 80%;
  width: 20px;
```

```
.txtfield {
  margin: 10px;
  margin-top: 20px;
}
.center .left {
  width: 100%;
  height: 100%;
  padding: 30px;
}
.center .left h1 {
  font-size: 10vh;
  text-align: left;
  font-family: "regular", sans-serif;
  font-weight: 500;
}
.center .left h2 {
  font-size: 20px;
  font-family: "regular", sans-serif;
  font-weight: 100;
}
.txtfield .idpassinput {
  width: 90%;
  padding: 0 0 0 10px;
  height: 100%;
  font-size: 16px;
  border: 1px solid gray;
  background: none;
  border: none;
  outline: none;
}
.center .right h1 {
  margin: 0;
  font-size: 10vh;
  text-align: right;
  padding: 0 30px 40px 0;
}
.center .right form .txtfield {
  position: relative;
}
.tab {
  display: none;
```

```
}
.center .right .button {
  width: 50%;
  height: 50px;
  background-color: #313131;
  color: white;
  border-radius: 10px;
  border: none;
}
.center .right {
  padding-top: 0%;
  padding-left: 10px;
  overflow: hidden;
  position: relative;
  cursor: auto;
}
.center .txtfield .idpassinput {
  width: 100%;
  padding: 0 5px;
  height: 20px;
  color: #1d1d1dc7;
  font-size: 16px;
}
.center .txtfield label {
  position: absolute;
  top: 50%;
  color: black;
  font-size: 16px;
  font-weight: 500;
  pointer-events: none;
  transition: 0.5s;
}
.signupradio {
  color: white;
  border-bottom: 1px dotted white;
}
.signupradio .radiolbl {
  height: 100px;
  margin: 10px;
}
#signup{
```

```
min-height: 650px;
}
.adminrbtnwrapper{
  border: none;
  background: white;
  height: 30px;
  border-radius: 10px;
  box-shadow: rgba(0, 0, 0, 0.12) Opx 1px 3px, rgba(0, 0, 0, 0.24) Opx 1px
2px;
}
.adminrbtnwrapper:hover{
  background: black;
  color:white;
  box-shadow: rgba(255, 255, 255, 0.1) 0px 1px 1px 0px inset, rgba(50, 50, 93,
0.25) 0px 50px 100px -20px, rgba(0, 0, 0, 0.3) 0px 30px 60px -30px;
}
.txtfield .idpassinput:focus ~ label,
.txtfield #age:focus ~ label,
.txtfield #age:valid ~ label,
.txtfield .idpassinput:valid ~ label {
 top: -1px;
  color: black;
}
.txtfield .txtarea:focus ~ label,
.txtfield .txtarea:valid ~ label {
 color: black;
}
.center .right {
 width: max-content;
  background: rgba(255, 255, 255, 0.119);
  backdrop-filter: blur(10px);
 height: 100%;
  width: 400px;
}
.center .right .txtfield {
  position: relative;
  padding-top: 30px;
  margin-right: 10px;
  border-bottom: 1px dotted white;
}
```

## **Products.css**

```
@font-face {
    font-family: "regular";
    src: url("../fonts/titilliumweb-regular-webfont.woff2") format("woff2"),
      url("../fonts/titilliumweb-regular-webfont.woff") format("woff"),
      url("../fonts/TitilliumWeb-Regular.ttf") format("truetype");
  }
  body,
  html {
    padding: 0;
    margin: 0;
    font-family: "regular";
    -ms-overflow-style: none;
    background-color: white;
    cursor: none;
    /* IE and Edge */
    scrollbar-width: none;
  }
  body::-webkit-scrollbar {
    display: none;
  }
  .imgmain img {
    width: 50%;
    object-fit: cover;
    margin: 0;
    padding: 0;
  }
  .imgmain {
    display: block;
    margin: 0;
    padding: 0;
    width: 100%;
    overflow: hidden;
    object-fit: cover;
    font-size: 0;
  }
```

```
.pcenter {
 width: 100%;
  display: grid;
 grid-template-columns: auto auto;
}
.pleft {
 width: 950px;
.pright {
  position: sticky;
  display: block;
  background: white;
  right: 0;
}
.noscroll {
  position: sticky;
  text-align: center;
  overflow: scroll;
  display: block;
  height: 100%;
  -ms-overflow-style: none;
  scrollbar-width: none;
}
.noscroll h1 {
 font-size: 40px;
}
.noscroll p {
  margin: 10px 50px 10px 50px;
 font-weight: 500;
 font-size: 20px;
  padding: 20px;
}
.noscroll h1 {
  font-weight: lighter;
 width: 100%;
}
.down {
  background: white;
 width: 100%;
  display: block;
  height: 500px;
```

```
}
.pright .rate {
  color: rgb(0, 0, 0, 0.8);
}
.pright .cartbtn {
 width: 300px;
 height: 50px;
 transition: all 1s;
 border: none;
 border-radius: 10px;
}
.imgwide {
 width: 100%;
 height: 100%;
 overflow: hidden;
}
```



## Shop.css

```
@font-face {
    font-family: "regular";
    src: url("../fonts/titilliumweb-regular-webfont.woff2") format("woff2"),
      url("../fonts/titilliumweb-regular-webfont.woff") format("woff"),
      url("../fonts/TitilliumWeb-Regular.ttf") format("truetype");
  }
html,
body {
    background: white;
    cursor: none;
    margin: 0;
    padding: 0;
    font-family: 'regular';
}
body::-webkit-scrollbar{
   display: none;
}
.card{
    position: relative;
    width: 100%;
    height: 300px;
    overflow: hidden;
    border-radius: 10px;
    box-shadow: rgba(0, 0, 0, 0.15) 1.95px 1.95px 2.6px;
    transition: all .7s;
    margin-bottom: 50px;
}
.cardimage img {
    width: 100%;
    height: 400px;
   font-size: 0;
.cardrow {
    padding:10px;
    margin: 10px;
    display: grid;
    grid-template-columns: 1fr 1fr 1fr;
    column-gap: 10px;
.card .linkbtn{
```

```
bottom:-50px;
    margin: 0;
    border: 0;
    background: black;
    text-align: center;
    text-decoration: none;
    color: white;
    position: absolute;
    height: 30px;
    width: 100%;
    transition: all 1s;
.card:hover > .linkbtn{
    bottom: 0;
}
.card:hover{
    z-index: 1;
    box-shadow: rgba(0, 0, 0, 0.61) 0px 22px 70px 4px;
}
.card .linkbtn:hover{
    background:#0000007b;
    color:black;
}
img{
    font-size: 0;
}
.imgtxt{
    position: absolute;
    top:0;
    font-size: 12px;
    color:rgba(0, 0, 0, 0.8);
    left:4px;
}
.cardimage p{
    display:none;
    transition: all 1s;
.card:hover p{
    display:block;
}
/* cart */
body {
    padding: 0;
    margin: 0;
```

```
font-family: sans-serif;
    text-decoration: none;
}
.CartRow {
    border-radius: 10px;
    overflow: hidden;
    box-shadow: rgba(17, 17, 26, 0.05) 0px 1px 0px, rgba(17, 17, 26, 0.1) 0px
0px 8px;
    transition: all .7s;
}
.CartTable {
    border-collapse: separate;
    border-spacing: 0 30px;
    margin: auto;
    padding: 20px;
    text-align: center;
    border-radius: 10px;
    box-shadow: rgba(17, 17, 26, 0.05) 0px 4px 16px, rgba(17, 17, 26, 0.05)
0px 8px 32px;
    width: 80%;
}
.CartTable h1 {
    margin: 0;
    font-size: 70px;
    font-weight: 600;
    color: rgb(0, 0, 0, 0.8);
}
.CartRow .CartColumns {
    padding: 50px;
}
.cartimg img {
    width: 100%;
    height: 100%;
    border-radius: 10px 0px 0px 10px;
}
.cartimg {
    margin: 0;
    width: 160px;
    height: 180px;
    padding: 0;
}
```

```
.CartRow:hover {
    box-shadow: rgba(0, 0, 0, 0.15) 0px 2px 8px;
}
.noItem {
   height: 700px;
   margin: 50px;
   color: black;
}
.noItem h3 {
    animation: clickhere infinite 1s ease-in-out;
}
@keyframes clickhere {
   0% {
       font-size: 20px;
    }
    50% {
        font-size: 20.5px;
    }
    100% {
        font-size: 20px;
    }
}
```

# **JAVASCRIPT**

# Admin.js

```
let fileinput = document.getElementById('image');
let imgtag = document.getElementsByClassName('showimage');
let txtinput = document.getElementsByClassName('input');
let val = 1
function showImg() {
    if (fileinput.files.length > 0) {
        for (let i = 0; i < fileinput.files.length; i++) {</pre>
            imgtag[i].src = URL.createObjectURL(fileinput.files[i]);
        }
        document.getElementsByClassName('addRight')[0].style.display =
"unset";
        if (fileinput.files.length < 5 | fileinput.files.length < 5) {</pre>
            alert('enter 6 files');
        if (fileinput.files.length == 6) {
            val = 0;
    }
};
function validate() {
    for (let i = 0; i < txtinput.length; i++) {</pre>
        if (txtinput[i].value == "") {
            alert('please enter values in empty textbox');
            val++;
            break;
        }
    }
    if (val == 0) {
        document.getElementById('products').submit();
    }
    else {
        console.log('cant do');
};
function adidas() {
```

```
document.getElementById('adidas').click();
};
function puma() {
    document.getElementById('puma').click();
};
function nike() {
    document.getElementById('nike').click();
};
let rbtn = document.getElementsByClassName('radiowrap');
for (let i = 0; i < rbtn.length; i++) {</pre>
    rbtn[i].addEventListener('click', () => {
        for (let i = 0; i < rbtn.length; i++) {</pre>
            rbtn[i].style.background = "none";
        rbtn[i].style.background = "red";
    })
}
let browsebtn = document.getElementById('browse');
browsebtn.addEventListener('click', () => {
    fileinput.click();
})
let field = document.getElementsByClassName('adminTxtfield');
for (let i = 0; i < field.length; i++) {</pre>
    txtinput[i].addEventListener("focus", function () {
        // wrapper[i].style.animation = "focus .6s 1 ease-in-out";
        field[i].style.boxShadow = "rgba(0, 0, 0, 0.2) 0px 20px 30px";
    })
    txtinput[i].addEventListener("focusout", function () {
        field[i].style.boxShadow = "";
    })
}
function add product() {
    document.getElementById('add-product').scrollIntoView({ behavior:
"smooth", block: "start", inline: "end" });
function view_sales() {
    document.getElementById('view-sales').scrollIntoView({ behavior: "smooth",
block: "start", inline: "end" });
}
```

### **Cursor.js**

```
var txtfield = document.querySelectorAll("txtfield");
var midcur = document.querySelector(".innercursor");
var btn = document.querySelectorAll('button');
var link = document.querySelectorAll('a');
var login = document.getElementById("center");
var mainCur = document.querySelector(".cursor");
var logbutton = document.getElementById("logbtn");
var footer = document.getElementsByClassName('footer');
//main cursor movements
window.addEventListener("mousemove", cursor);
function cursor(e) {
   mainCur.style.top = e.pageY + "px";
   mainCur.style.left = e.pageX + "px";
   midcur.style.top = e.pageY + "px";
   midcur.style.left = e.pageX + "px";
}
//mouse click
document.addEventListener('mousedown', function () {
   mainCur.classList.add('onclick');
});
document.addEventListener('mouseup', function () {
   mainCur.classList.remove('onclick');
});
//hover on linkss
link.forEach(item => {
   item.addEventListener('mouseover', () => {
        mainCur.classList.add('hover');
    });
    item.addEventListener('mouseleave', () => {
        mainCur.classList.remove('hover');
    });
});
// change style on hover
document.addEventListener('mouseover', () => {
   mainCur.classList.add("changecursor");
   midcur.classList.add("midcursor");
});
//no cursor if mouse not in webpage
```

```
document.addEventListener("mouseout", function () {
    mainCur.classList.remove("changecursor");
    midcur.classList.remove("midcursor");
});
function explore() {
    document.getElementById('explore').scrollIntoView({
        behavior: "smooth",
        block: "start",
        inline: "end"
    });
}
```



## Login.js

```
let pwd = document.getElementById('pass');
let showpwd = document.getElementById('pwdimg');
var click = 0;
function showpass() {
   if (click == 0) {
      document.getElementById('pass').type = "text";
      showpwd.src="resources/images/eyeopen.png";
      click++;
   }
   else {
      document.getElementById('pass').type = "password";
      showpwd.src="resources/images/eyeclosed.png";
      click = 0;
   }
}
```

## **Products.js**

```
var a = document.getElementsByClassName("rbtn");
var lbl = document.getElementsByClassName("btncol");
function radiocolor() {
    for (let i = 0; i < a.length; i++) {</pre>
        if (a[i].checked) {
            lbl[i].classList.add('btnchange');
            console.log('ok');
        }
        else {
            lbl[i].classList.remove('btnchange');
        }
    }
}
function quantity(n) {
    var qty = document.getElementById("qty");
    var val = parseInt(qty.value);
    var num = 0;
    if (val >= 1) {
        num = val + n;
    }
    if (num >= 1) {
        qty.value = num;
        price(num);
    }
}
var rate = 0;
window.addEventListener('DOMContentLoaded', () => {
    rate = document.getElementById('price').value;
});
function price(x) {
   var valu = document.getElementById('price').value;
    var priceval = parseInt(rate);
    valu = priceval * x;
    document.getElementById('price').value = valu;
}
```

## Signup.js

```
var currpage = 0;
show_tab(currpage);
var err = "";
let len = document.getElementsByClassName("tab").length;
var txtfield = document.getElementsByClassName("idpassinput");
let lbl = document.getElementsByClassName('idpasslbl');
function show_tab(n) {
    console.log(currpage);
    var x = document.getElementsByClassName("tab");
   x[n].style.display = "block";
    if (n == 0) {
        document.getElementById("prevbtn").style.display = "none";
        document.getElementById("signupbtn").innerHTML = "next";
    } else {
        document.getElementById("prevbtn").style.display = "block";
        document.getElementById("signupbtn").innerHTML = "submit";
    }
}
function current_tab(n) {
    let x = document.getElementsByClassName("tab");
    if (n == 1 && !validation()) {
        alert(err);
        err = "";
        return false;
    }
    x[currpage].style.display = "none";
    currpage = currpage + n;
    if (currpage >= x.length) {
        document.getElementById("signupform").submit();
        return false;
    show_tab(currpage);
}
var valid = true;
var validate = 0;
function validation() {
    //other remaining
   validate = 0;
    var x, y, i;
```

```
x = document.getElementsByClassName("tab");
    y = x[currpage].getElementsByClassName("idpassinput");
    for (i = 0; i < y.length; i++) {</pre>
        if (y[i].value == "") {
            lbl[i].style.color = "#ff3d3d";
            validate++;
        }
    }
    if (validate > 0) {
        err += "please enter empty fields\n";
    }
    //age validation
    let age = document.getElementById('age');
    let agelbl = document.getElementById('agelbl');
    if (isNaN(age.value) | age.value < 1 | age.value > 100) {
        agelbl.style.color = "red";
        err += "please enter valid age \n";
        validate++;
    }
          radio gender validation
    //
    var r = document.getElementsByClassName('ok');
    var rdobtn = document.getElementsByClassName('radio');
    var a = 0;
    for (let i = 0; i < r.length; i++) {</pre>
        if (r[i].checked) {
            console.log('got ' + r[i].value);
        }
        else {
            a++;
    }
    if (a == r.length) {
        err += "please enter valid gender \n ";
        for (let i = 0; i < rdobtn.length; i++) {</pre>
         rdobtn[i].style.color = "red";
        }
        validate++;
    }
    //mobile validation
    if (currpage == 1) {
        let mobile = document.getElementById('mobileno');
        var mval = document.getElementById('mobileno').value;
        if (!isNaN(mobile) || !mval.length == 10 || mval == "" || !/[6-
9]/.test(mval)) {
            document.getElementById('mobilelbl').style.color = "red";
```

```
validate++;
            err += "mobile no already exists \n";
        }
        //passwrd
        let pass = document.getElementById('pass').value;
        if (pass.length > 7 | !/[0-9]/.test(pass) | !/[a-z]/.test(pass)) {
            err += "please enter valid password which have numbers and
characters \n";
            document.getElementById('passlbl').style.color = "red";
            validate++;
        }
    }
    //email
    if (currpage == 0) {
        var mail = document.getElementById('mail').value;
        var at = mail.search('@');
        var dot = mail.search(/\./);
        if (at < 2 | | dot < 2 | | mail == "") {
            document.getElementById('maillbl').style.color = "red";
            err += "please enter an valid email \n";
            validate++;
        }
    }
    if (currpage == 1 && validate == 1) {
        return true;
    }
    if (validate > 0) {
        return false;
    }
    return true;
function input(n) {//onclick html
   lbl[n].style.color = "unset";
}
function radioval() {//onclick html
    var rdobtn = document.getElementsByClassName('radio');
    for (let i = 0; i < rdobtn.length; i++) {</pre>
        rdobtn[i].style.background = "none";
        rdobtn[i].style.color = "black";
}
let tabrad = document.getElementsByClassName('tblradio');
for (let i = 0; i < tabrad.length; i++) {</pre>
    tabrad[i].addEventListener('check', () => {
```

```
})
}
function admin() {
    document.getElementById('adminradio').click();
    document.getElementById('adminbtn').style.background = "gray";
    document.getElementById('userbtn').style.background = "";
}
function user() {
    document.getElementById('adminradio').click();
    document.getElementById('userbtn').style.background = "gray";
    document.getElementById('adminbtn').style.background = "";
}
```



## **Update.js**

```
let update = document.getElementById('updatebtn');
let fields = document.getElementsByClassName('fields');
let form = document.getElementById('updateform');
let wrapper = document.getElementsByClassName("txtfieldwrapper");
let pfp = document.getElementById('pfp');
let pfplabel = document.getElementById('pfplegend');
let fileinput = document.getElementById('filebrowse');
var en = 0;
function enable() {
    if (en == 0) {
        for (let i = 0; i < fields.length; i++) {</pre>
            fields[i].disabled = false;
            wrapper[i].style.boxShadow = "rgba(0, 0, 0, 0.15) 1.95px 1.95px
2.6px";
        pfp.style.boxShadow = "rgba(0, 0, 0, 0.25) 0px 0.0625em 0.0625em,
rgba(0, 0, 0, 0.25) 0px 0.125em 0.5em, rgba(255, 255, 255, 0.1) 0px 0px 0px
1px inset";
        pfplabel.innerHTML = "Double click to change profile pic";
        document.getElementById('updatebtn').classList.add('nodisplay');
        document.getElementById('updatesubmit').classList.remove('nodisplay');
        en++;
    }
    else {
        for (let i = 0; i < fields.length; i++) {</pre>
            fields[i].disabled = true;
            // wrapper[i].style.animation = "noinputshadow .6s ease-in-out";
            wrapper[i].style.boxShadow = "rgba(0, 0, 0, 0.15) 1.95px 1.95px
2.6px";
        pfp.style.boxShadow = "rgba(17, 17, 26, 0.1) 0px 4px 16px, rgba(17,
17, 26, 0.05) 0px 8px 32px";
        pfplabel.innerHTML = "Profile Pic";
        en = 0;
    }
for (let i = 0; i < fields.length; i++) {</pre>
    fields[i].addEventListener('input',()=>{
        wrapper[i].style.border='none';
    })
```

```
function reload() {
    if (en == 0) {
        return;
    }
    else {
       return "alerrt";
    }
function validate() {
    let validate = 0;
    for (let i = 0; i < fields.length; i++) {</pre>
        if (fields[i].value == "") {
            wrapper[i].style.border = "2px solid red";
            validate++;
        }
    }
    var age = document.getElementById('age');
    if (isNaN(age.value) | age.value < 1 | age.value > 100) {
        console.log("ok");
        document.getElementById('agewrapper').style.border = "2px solid red";
        validate++;
    }
    var mail = document.getElementById('email').value;
    var at = mail.search('@');
    var dot = mail.search(/\./);
    if (at < 2 || dot < 2 || mail == "") {</pre>
        document.getElementById('emailwrapper').style.border = "2px solid
red";
       validate++;
    var pass = document.getElementById('password').value;
    if (!pass.length > 7 | !/[0-9]/.test(pass) | !/[a-z]/.test(pass)) {
        document.getElementById('pwdwrapper').style.border = "2px solid red";
        validate++;
    var gender = document.getElementById('gender');
    var lower = gender.value.toLowerCase();
    if (lower != "male" && lower != "female") {
        document.getElementById('genderwrapper').style.border = "2px solid
red"
        validate++;
    if (validate == 0) {
       form.submit();
    else {
```

```
alert('kindly enter values properly');
        return;
    }
}
function scrollupdate() {
    window.scrollTo({
        behavior: 'smooth',
        top: 780,
        left: 0
    });
function readfile() {
    pfp.src = URL.createObjectURL(fileinput.files[0]);
function filebrowse() {
    if (en > 0) {
        document.getElementById('filebrowse').click();
    }
for (let i = 0; i < fields.length; i++) {</pre>
    fields[i].addEventListener("focus", function () {
        wrapper[i].style.boxShadow = "rgba(50, 50, 93, 0.25) 0px 30px 60px -
12px, rgba(0, 0, 0, 0.3) 0px 18px 36px -18px";
    })
    fields[i].addEventListener("focusout", function () {
        wrapper[i].style.boxShadow = "rgba(0, 0, 0, 0.15) 1.95px 1.95px
2.6px";
    })
}
```

# REFERENCES AND IBLIOGRAPHY

www.Google.com

www.youtube.com

www.iconfinder.com

stackoverflow.com

www.iconarchive.com

www.w3schools.com

www.tutorialspoint.com