API Specification For BO_PAN for OBPP

Table of Contents

Introduction 3
List of API 3
API Name 3
Description 3
Transport protocol (SOAP/ REST) 3
API Request URLs 3
Access Restrictions 3
Data Security 4
1. Function Name :- PANVerifyRequest 4
Input Parameters 4
Sample Call to CDSL (Post Method) 5
List of Error Codes return in case of failed API call 7

Strictly Confidential

Introduction

Project – CDSL API for BO-PAN verification

List of API

List down the APIs part of the projects:

Sr. No	Name	Description
1	BO-PAN API for OBPP	API will receive BO-PAN data from OBPP. This API is compatible for OBPP's internal business use only.

API Name

PAN Verify Request

Description

The service is an interface that allows the Client/Business Validate BO-PAN Combination

Transport protocol (SOAP/ REST)

REST API
Media Type: application/json
Version :1.0.0

API Request URLs

Test URL: https://testapp.cdslindia.com/EasiEasiestApi/BOPAN/PANVerifyRequest/

Note: Above URL is an example URL. The actual URL will be shared later.

Access Restrictions

- Request will be received from a specific server of client.
- Server IP Address will be shared by client.
- This API will be available from 06:00 A.M. till 10:00 P.M.

Data Security

Strictly Confidential

Request shared to the URL should be in encrypted format AES 256-symmetric encryption (cipher mode -CBC, padding mode- pkcs7) by using encryption key provided by CDSL.

1. **Function Name**:- `PANVerifyRequest`

This function will help to *Validate BO-PAN Combination*

Input Parameters

Business Parameter Name	Description	Data Type	Length	Mandatory(M) / Optional(O)	Remarks
Header Parameters					
version	Version number of API. Should be "1.0"	***string***	***6***	***M***	
EntityID	Unique Entity Id	***string***	***16***	***M***	
Reqdatetime	Request Date and Time. In current milliseconds	***string***	***16***	***M***	
Body Parameters (RequestData object)					
reqdatetime	datetime	***string***	14	M	
boid	Bo id	String	16	M	
pan1	**First holder pan**	String	10	M	
pan2	**Second holder pan**	String	10	O	
pan3	**Third holder pan**	String	10	O	

Sample Call to CDSL (Post Method)

Header
"version": "1.0"
“entityid”: ” test1415”
"reqdatetime": "1748424448056"

Body:
"zvchjcXqZaPPTGhxIAz21jboPh5jMgy8lmJbiHDkVVqO9t39rL1BmKCAvvjUeuoHtQgknasiCVM/LqGNhBiELFy4ePI7EvxsMFQVC/lQjykuWgN4ze9E26fJE9820Ozla7PD3mU40G8HpF3SGnoGdDM8TLvb344d6HVYVrPtrV8tM26CXvczdvVUW+P8lCAe99riIAqFF+FJpeOVsV8IiFKRl18Zy/zyg3mZFzXogVBlJonlKqgVpkq9EkdsidSIaGvDR27QNz/AsunUm+F/mZjTfTywGZ430S6FfrJFy60CScml89XObvGi7gNbnHZa"

RequestData decrypted format

Body:
{
"RequestData": {
"reqdatetime": "12062025124400",
"boid": "1207120000000879",
"pan1": "ACPAN0008Q",
"pan2": null,
"pan3": null
}
}

Response output

Parameter Name	Description	Data Type	Length	Possible value	Remarks
ReqSeqNo	Request Sequence Number	string	24	065697485919	
StatusCode	Status Code	String	2	00/01	
TimeStamp	Request Date and Time.	String	14	10062025132751	
ErrorCode	Error Code	String	3	104	
ErrorDescription	Error Description	String	200	Entity User Does Not Exists	

Response Sample

Strictly Confidential

In case of success following will be the response


```
{
    "ReqSeqNo": "065697485919",
    "StatusCode": "01",
    "TimeStamp": "10062025132751",
    "ErrorCode": "000",
    "ErrorDescription": ""
}
```


In case of failure the following will be the response


```
{
    "ReqSeqNo": "065697485919",
    "StatusCode": "00",
    "TimeStamp": "10062025132751",
    "ErrorCode": "104",
    "ErrorDescription": "Entity User Does Not Exists"
}
```


Strictly Confidential

List of Error Codes return in case of failed API call

Error Code	Error Description	Detail explanation
100	Request Body Required	This occurs if the request body is missing when required.
101	Version Required	Triggered when the API version is not provided in the request.
102	EntityID Not Provided	Happens if the EntityID is not included in the request.
103	Invalid Entity ID	Occurs if the provided EntityID is invalid or malformed.
104	Entity User Does Not Exists	When the specified entity user does not exist in the system.
105	Request Sequence Number Not Provided	Triggered if the request sequence number is missing.
106	Invalid Request Sequence Number	Occurs if the sequence number is invalid or out of range.
107	Request Date Time Not Provided	When the request date and time are not provided.
108	Invalid Request Date Time	Happens if the request date and time format is invalid.
109	Decryption Failure	Triggered if decryption of request data fails.
110	BOID Is Required	Occurs when the BOID is missing.
111	User does not Exist	When the specified user does not exist.
112	User is not Active	Triggered if the user account is inactive or disabled.
113	Invalid Length of BOID	Occurs if the BOID length is incorrect.
114	PAN1 Is Required	When the first PAN is missing in the request.
115	Invalid PAN1	If the first PAN value is invalid or improperly formatted.
116	PAN2 Is Required	Occurs if the second PAN is missing.
117	Invalid PAN2	When the second PAN value is invalid.
118	PAN3 Is Required	Triggered if the third PAN is missing.
119	Invalid PAN3	Occurs when the third PAN value is invalid.
120	Exception	A generic error indicating an unexpected exception occurred.
121	Request Date Time Did Not Match	When the request date and time do not match expected values.

Note: List of Error Codes is the initial list and may be updated in future and shared

Strictly Confidential