

Table

- **HTML table tag** is used to display data in tabular form (row * column). There can be many columns in a row.
- We can create a table to display data in tabular form, using `<table>` element, with the help of `<tr>`, `<td>`, and `<th>` elements.
- In Each table, table row is defined by `<tr>` tag, table header is defined by `<th>`, and table data is defined by `<td>` tags.
- HTML tables are used to manage the layout of the page e.g. header section, navigation bar, body content, footer section etc. But it is recommended to use div tag over table to manage the layout of the page .

❖ HTML Table Tags

Tag	Description
<code><table></code>	It defines a table.
<code><tr></code>	It defines a row in a table.
<code><th></code>	It defines a header cell in a table.
<code><td></code>	It defines a cell in a table.
<code><caption></code>	It defines the table caption.
<code><colgroup></code>	It specifies a group of one or more columns in a table for formatting.
<code><col></code>	It is used with <code><colgroup></code> element to specify column properties for each column.

<code><tbody></code>	It is used to group the body content in a table.
<code><thead></code>	It is used to group the header content in a table.
<code><tfooter></code>	It is used to group the footer content in a table.

Example:

```
<table>

<tr>
<th>First_Name</th>
<th>Last_Name</th>
<th>Marks</th>
</tr>

<tr>
<td>Sonoo</td>
<td>Jaiswal</td>
<td>60</td>
</tr>

<tr>
<td>James</td>
<td>William</td>
<td>80</td>
</tr>

<tr>
<td>Swati</td>
<td>Sironi</td>
<td>82</td>
</tr>
```

```
<tr>
<td>Chetna</td>
<td>Singh</td>
<td>72</td>
</tr>

</table>
```

Output:

First_Name	Last_Name	Marks
Sonoo	Jaiswal	60
James	William	80
Swati	Sironi	82
Chetna	Singh	72

❖ HTML Table with Border

There are two ways to specify border for HTML tables.

- 1) By border attribute of table in HTML
- 2) By border property in CSS

1) HTML Border attribute

You can use border attribute of table tag in HTML to specify border. But it is not recommended now.

Example:

```
<table border="1">

<tr>
<th>First_Name</th>
<th>Last_Name</th>
<th>Marks</th></tr>
<tr>

<td>Sonoo</td>
<td>Jaiswal</td>
<td>60</td>
</tr>

<tr>
<td>James</td>
<td>William</td>
<td>80</td>
</tr>

<tr>
<td>Swati</td>
<td>Sironi</td>
<td>82</td>
</tr>

</table>
```

2) CSS Border property

It is now recommended to use border property of CSS to specify border in table.

Example:

```
<style>
table, th, td {
  border: 1px solid black;
}
</style>
```

❖ HTML Table with cell padding

You can specify padding for table header and table data by two ways:

- 1) By cellpadding attribute of table in HTML
- 2) By padding property in CSS

The cellpadding attribute of HTML table tag is obsolete now. It is recommended to use CSS. So let's see the code of CSS.

Example:

```
<style>
table, th, td {
  border: 1px solid pink;
  border-collapse: collapse;
}
th, td {
  padding: 10px;
}
</style>
```

Output:

First_Name	Last_Name	Marks
Sonoo	Jaiswal	60
James	William	80
Swati	Sironi	82
Chetna	Singh	72