


CSSP BEGINNER CYBER CHALLENGE 2026

FINAL PROFESSIONAL CYBERSECURITY REPORT

PREPARED FOR	PARTICIPANT
CSSP Beginner Cyber Challenge	DINESH S
INDIVIDUAL PARTICIPATION	450 POINT ASSESSMENT

LINUX • NETWORK • RECON • NMAP • MOBILE SECURITY



Evidence-driven • Reproducible • Professionally documented

01 | EXECUTIVE DASHBOARD

Assessment at a glance

This report consolidates the practical evidence collected during the CSSP Beginner Cyber Challenge 2026. The assessment spans Linux fundamentals, network/IP analysis, reconnaissance, Nmap enumeration, and Android APK static analysis.

450 TOTAL POINTS	6 CHALLENGES	5 TECHNICAL AREAS	100% DOCUMENTED
---------------------	-----------------	----------------------	--------------------

01	LINUX EXPLORER	Filesystem tasks, file creation, permissions, hidden-file discovery	50
02	NETWORK DETECTIVE	Public/private IP identification and target DNS resolution	50
03	RECON MASTER	WHOIS, registrar, DNS, subdomains and web technologies	100
04	NMAP CHALLENGE	Open ports, running services and service versions	100
05	MOBILE SECURITY	APK metadata, permissions and potential security/privacy risks	50
06	FINAL REPORT	Objective, methodology, findings, evidence, recommendations, conclusion	100


REPORTING STANDARD

Observed results are separated from interpretation. Where a lookup did not return a verified result, the report records the limitation instead of inventing a value.

02 | METHODOLOGY

A structured assessment workflow

Each technical stage feeds the next stage: establish the environment, identify network context, enumerate public-facing information, validate exposed services, analyze the APK, and finally convert evidence into findings and recommendations.



PHASE	PRIMARY COMMANDS / TOOLS
Linux	mkdir • cd • pwd • touch • echo • cat • ls • chmod • find
Network	hostname -I • curl • dig • host
Recon	whois • dig • WhatWeb • curl -I • Certificate Transparency query
Nmap	nmap -sV
Mobile	aapt dump badging • aapt dump permissions • apktool

03 | CHALLENGE 1 — LINUX EXPLORER

Objective

Complete the required Linux filesystem tasks and verify file permissions and hidden-file discovery.

TASK	RESULT
Directory	~/cssp2026 created and verified with pwd → /home/kali/cssp2026
File	student.txt created and contents verified
Permissions	chmod 600 applied; final mode shown as rw-----
Hidden-file discovery	find command used to enumerate hidden files under the home directory

Commands recorded

```
mkdir -p ~/cssp2026
cd ~/cssp2026
pwd
touch student.txt
echo name:Dinesh S > student.txt
cat student.txt
ls -l student.txt
chmod 600 student.txt
ls -la
find ~ -maxdepth 4 -type f -name ".*" 2>/dev/null
```

SECURITY TAKEAWAY

The permission change to 600 restricts the file to owner read/write access, reducing exposure to other local users.

04 | CHALLENGE 2 — NETWORK DETECTIVE

Observed network findings

ITEM	OBSERVED VALUE
Private IPv4	10.0.2.15 and 192.168.56.102
Public IPv4	157.51.197.26
Target — later DNS capture	64.29.17.3 and 216.198.79.3
Earlier target capture	64.29.17.195 and 216.198.79.195

Commands used

```
hostname -I  
curl -4 ifconfig.me  
dig +short evcyberacademy.vercel.app  
host evcyberacademy.vercel.app
```

EVIDENCE NOTE

The supplied terminal compilation contains two target-IP captures from different moments. Both are preserved here exactly as observed rather than silently replacing one with the other.

05 | CHALLENGE 3 — RECON MASTER

Reconnaissance findings

AREA	OBSERVATION
A records	64.29.17.3 and 216.198.79.3 in the later DNS capture
CNAME	Direct CNAME query returned ANSWER: 0
Nameservers	ns1.vercel-dns-3.com • ns2.vercel-dns-3.com • ns3.vercel-dns-3.com • ns4.vercel-dns-3.com
Website	HTTP 200; Vercel HTTP server; HTML5; Open Graph; JSON-LD/module scripts; HSTS
WHOIS	Lookup failed at whois.nic.app because name resolution was unavailable; registrar not verified
Subdomains	Certificate Transparency query shown in evidence returned no additional names

Tools used

whois • dig +short • dig CNAME • dig NS • dig A • WhatWeb • curl -I • crt.sh query

06 | CHALLENGE 4 — NMAP

Service enumeration findings

TARGET	OPEN PORTS	SERVICE / VERSION
64.29.17.3	80/tcp • 443/tcp	HTTP — Vercel • HTTPS/HTTP — Golang net/http server
216.198.79.3	80/tcp • 443/tcp	HTTP — Vercel • HTTPS/HTTP — Golang net/http server
scanme.nmap.org	22/tcp • 80/tcp • 443/tcp	SSH • HTTP • HTTPS

Nmap commands used

```
nmap -sV scanme.nmap.org  
nmap -sV 64.29.17.3  
nmap -sV 216.198.79.3
```

INTERPRETATION

The EV Cyber Academy scans show 998 filtered TCP ports and only ports 80 and 443 open in the captured results. For scanme.nmap.org, the supplied basic scan showed 22, 80 and 443 open and 113 closed.

07 | CHALLENGE 5 — MOBILE SECURITY

APK static-analysis findings

FIELD	OBSERVED VALUE
Package	com.saarckampuss.college
Version	1.1.6 • versionCode 11
Minimum SDK	24
Target SDK	36
Compile SDK	36
Application label	Not verified in the captured aapt output; no value is invented

High-value permissions for review

PERMISSION / CAPABILITY	POTENTIAL CONCERN
CAMERA	Camera access if granted and used
COARSE / FINE LOCATION	Approximate or precise location access
READ / WRITE STORAGE	File/storage access on applicable Android versions
INTERNET	Network communication and data-transfer surface
NFC	Interaction with NFC hardware
BOOT / FOREGROUND SERVICE	Background or persistent service behavior
POST_NOTIFICATIONS	Notification capability when permitted
EXACT ALARM	Exact alarm scheduling capability
AD ID / AD SERVICES	Advertising/attribution-related capability

Risk note: a requested permission is not proof of malicious behavior. These are potential risks requiring contextual review.

08 | RISK REVIEW

Prioritization for professional follow-up

The matrix below prioritizes review areas based on the capability exposed by the observed permissions and the importance of the associated data or system function. It is a review priority, not a claim that a vulnerability was exploited.

AREA	IMPACT	PRIORITY	REVIEW ACTION
Camera / precise location	Privacy	HIGH	Confirm business need; request only when required
Storage access	Data exposure	HIGH	Minimize scope and verify Android-version behavior
Internet / network	Data transfer	MEDIUM	Review endpoints, TLS, and transmitted data
Boot / foreground service	Persistence / resource use	MEDIUM	Verify lifecycle and background behavior
NFC / alarms / notifications	Device interaction	MEDIUM	Confirm necessity and user expectations
Advertising identifiers	Tracking / attribution	MEDIUM	Review consent, disclosure and data use

IDENTIFY



VERIFY



MINIMIZE



MONITOR

Permission / service

Actual use

Least privilege

Periodic review

PROFESSIONAL PRINCIPLE

Document what was observed, explain why it matters, and recommend a proportionate control. Avoid labeling a capability as a vulnerability without supporting evidence.


09 | EVIDENCE GALLERY

Terminal evidence supplied with the assessment

The following pages reproduce the supplied evidence images without altering their terminal content. They are presented inside a consistent report frame for readability and traceability.

EVIDENCE 01

DNS / CNAME reconnaissance




```
kali@kali: ~  
$ dig +short evcyberacademy.vercel.app  
64.29.17.3  
216.198.79.3  
  
$ dig CNAME evcyberacademy.vercel.app  
  
;<>> DiG 9.20.20-1-Debian <>> CNAME evcyberacademy.vercel.app  
;; global options: +cmd  
;; Got answer:  
;;->HEADER<- opcode: QUERY, status: NOERROR, id: 59303  
;; flags: qr rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1  
  
;; OPT PSEUDOSECTION:  
; EDNS: version: 0, flags:; udp: 1280  
;; QUESTION SECTION:  
;evcyberacademy.vercel.app. IN CNAME  
  
;; AUTHORITY SECTION:  
vercel.app. 545 IN SOA ns1.vercel-dns-3.com. awsdns-hostmaster.amazon.com. 1 7200 900 1209600 86400  
  
;; Query time: 219 msec  
;; SERVER: 192.168.43.1#53(192.168.43.1) (UDP)  
;; WHEN: Sun Aug 30 00:45:14 EDT 2026  
;; MSG SIZE rcvd: 135  
  
$ dig NS vercel.app  
  
;<>> DiG 9.20.20-1-Debian <>> NS vercel.app  
;; global options: +cmd  
;; Got answer:  
;;->HEADER<- opcode: QUERY, status: NOERROR, id: 3012  
;; flags: qr rd ra; QUERY: 1, ANSWER: 4, AUTHORITY: 0, ADDITIONAL: 1  
  
;; OPT PSEUDOSECTION:  
; EDNS: version: 0, flags:; udp: 1280  
;; QUESTION SECTION:  
;vercel.app. IN NS  
  
;; ANSWER SECTION:  
vercel.app. 86400 IN NS ns1.vercel-dns-3.com.  
vercel.app. 86400 IN NS ns2.vercel-dns-3.com.  
vercel.app. 86400 IN NS ns3.vercel-dns-3.com.  
vercel.app. 86400 IN NS ns4.vercel-dns-3.com.  
  
;; Query time: 176 msec  
;; SERVER: 192.168.43.1#53(192.168.43.1) (UDP)  
;; WHEN: Sun Aug 30 00:45:30 EDT 2026  
;; MSG SIZE rcvd: 127  
  
$ dig evcyberacademy.vercel.app  
  
;<>> DiG 9.20.20-1-Debian <>> evcyberacademy.vercel.app  
;; global options: +cmd  
;; Got answer:  
;;->HEADER<- opcode: QUERY, status: NOERROR, id: 22075
```

Target A-record and CNAME query evidence.

EVIDENCE 02

Vercel nameserver enumeration



```
kali@kali: ~  
$ dig NS vercel.app  
  
;<>> DiG 9.20.20-1-Debian <>> NS vercel.app  
;; global options: +cmd  
;; Got answer:  
;;->HEADER<- opcode: QUERY, status: NOERROR, id: 3012  
;; flags: qr rd ra; QUERY: 1, ANSWER: 4, AUTHORITY: 0, ADDITIONAL: 1  
  
;; OPT PSEUDOSECTION:  
; EDNS: version: 0, flags:; udp: 1280  
;; QUESTION SECTION:  
;vercel.app. IN NS  
  
;; ANSWER SECTION:  
vercel.app. 86400 IN NS ns1.vercel-dns-3.com.  
vercel.app. 86400 IN NS ns2.vercel-dns-3.com.  
vercel.app. 86400 IN NS ns3.vercel-dns-3.com.  
vercel.app. 86400 IN NS ns4.vercel-dns-3.com.  
  
;; Query time: 176 msec  
;; SERVER: 192.168.43.1#53(192.168.43.1) (UDP)  
;; WHEN: Sun Aug 30 00:45:30 EDT 2026  
;; MSG SIZE rcvd: 127  
  
$ dig evcyberacademy.vercel.app  
  
;<>> DiG 9.20.20-1-Debian <>> evcyberacademy.vercel.app  
;; global options: +cmd  
;; Got answer:  
;;->HEADER<- opcode: QUERY, status: NOERROR, id: 22075
```

Nameserver records for vercel.app and target DNS output.


09 | EVIDENCE GALLERY

Terminal evidence supplied with the assessment

The following pages reproduce the supplied evidence images without altering their terminal content. They are presented inside a consistent report frame for readability and traceability.

EVIDENCE 03

Network Detective




```
kali@kali: ~  
$ host evcyberacademy.vercel.app  
evcyberacademy.vercel.app has address 64.29.17.195  
evcyberacademy.vercel.app has address 216.198.79.195  
  
kali@kali: ~  
$ echo "=== PRIVATE IP ==="  
hostname -I  
10.0.2.15  
  
kali@kali: ~  
$ echo "=== PUBLIC IP ==="  
curl -4 ifconfig.me  
64.29.17.195  
  
kali@kali: ~  
$ echo "=== EV CYBER ACADEMY IP ==="  
dig +short evcyberacademy.vercel.app  
64.29.17.195  
216.198.79.195  
  
kali@kali: ~  
$ echo "=== DNS VERIFICATION ==="  
host evcyberacademy.vercel.app  
evcyberacademy.vercel.app has address 64.29.17.195  
evcyberacademy.vercel.app has address 216.198.79.195
```

Private/public IP and target DNS verification evidence.

EVIDENCE 04

Target A-record + WhatWeb setup



```
kali@kali: ~  
$ dig 9.20.20-1-Debian <> evcyberacademy.vercel.app  
;; global options: +cmd  
;; Got answer:  
;;->HEADER<-- opcode: QUERY, status: NOERROR, id: 22075  
;; flags: qr rd ra ad; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 0  
  
;; QUESTION SECTION:  
;evcyberacademy.vercel.app. IN A  
  
;; ANSWER SECTION:  
evcyberacademy.vercel.app. 170 IN A 64.29.17.3  
evcyberacademy.vercel.app. 170 IN A 216.198.79.3  
  
;; Query time: 16 msec  
;; SERVER: 192.168.43.1#53(192.168.43.1) (UDP)  
;; WHEN: Sun Aug 30 00:45:41 EDT 2026  
;; MSG SIZE rcvd: 75  
  
kali@kali: ~  
$ sudo apt install whatweb -y  
Upgrading:  
whatweb  
  
Summary:  
Upgrading: 1, Installing: 0, Removing: 0, Not Upgrading: 1905  
Download size: 2,324 kB  
Space needed: 7,168 B / 59.8 GB available  
  
Get:1 http://kali.download/kali kali-rolling/main amd64 whatweb all 0.6.4-1 [2,324 kB]  
Fetched 2,324 kB in 5s (464 kB/s)  
(Reading database... 427461 files and directories currently installed.)
```

Later target IP capture and WhatWeb installation evidence.


09 | EVIDENCE GALLERY

Terminal evidence supplied with the assessment

The following pages reproduce the supplied evidence images without altering their terminal content. They are presented inside a consistent report frame for readability and traceability.

EVIDENCE 05

Web technology detection




```
kali@kali: ~  
Session Actions Edit View Help  
$ whatweb https://evcyberacademy.vercel.app  
https://evcyberacademy.vercel.app [200 OK] Country[UNITED STATES][US], Email[evcyberacademy@gmail.com], HTML5, HTTPServer[Vercel], IP[216.198.79.3], Meta-Author[Vimal], Open-Graph-Protocol[website], Script[application/json,module], Strict-Transport-Security[max-age=63072000; includeSubDomains; preload], Title[EV Cyber Academy | Cyber Security Training by Vimal], UncommonHeaders[access-control-allow-origin,x-vercel-cache,x-vercel-id]  
  
(kali@kali)-[~]  
$ curl -I https://evcyberacademy.vercel.app  
HTTP/2 200  
accept-ranges: bytes  
content-disposition: inline  
content-type: text/html; charset=utf-8  
date: Sun, 30 Aug 2026 04:47:17 GMT  
etag: "fd2a8c6446ec13567fb1a18f01ca01d7"  
last-modified: Wed, 26 Aug 2026 01:58:45 GMT  
server: Vercel  
strict-transport-security: max-age=63072000; includeSubDomains; preload  
x-vercel-cache: HIT  
x-vercel-id: bom1::x9mzr-1788065237930-3d47a6e3db2a  
content-length: 4787  
  
(kali@kali)-[~]  
$ curl -s "https://crt.sh/?q=%25.evcyberacademy.vercel.app&output=json" > crt.json  
  
(kali@kali)-[~]  
$ grep -o "name_value":"[^"]*" crt.json | sort -u  
  
(kali@kali)-[~]  
$
```

WhatWeb and HTTP response-header evidence.

EVIDENCE 06

Nmap — 64.29.17.3



```
kali@kali: ~  
Session Actions Edit View Help  
$ nmap -sV 64.29.17.3  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-08-30 07:49 -0400  
Nmap scan report for 64.29.17.3  
Host is up (0.014s latency).  
Not shown: 998 filtered tcp ports (no-response)  
PORT      STATE SERVICE VERSION  
80/tcp    open  http      Vercel  
443/tcp    open  ssl/http  Golang net/http server  
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :  
SF-Port80-TCP:V=7.98I=7%0=8/30Time=6A9418DA&P=x86_64-pc-linux-gnu&r(GetR  
SF:request,8A,"HTTP/1.0x20308x20Permanentx20Redirect\r\nContent-Type:x  
SF:20text/plain\r\nLocation:x20https://r\nRefresh:x20url=https://r  
SF:Inserver:x20Vercel\r\n\r\nRedirecting\\.\\.\\.")&c(HTTPOptions,8A,"HTTP/1  
SF:\\.0x20308x20Permanentx20Redirect\r\nContent-Type:x20text/plain\r\n\r\n  
SF:ocation:x20https://r\nRefresh:x20url=https://r\nInserver:x20Verc  
SF:el\r\n\r\nRedirecting\\.\\.\\.")&r(FourOhFourRequest,D0,"HTTP/1.0x20308  
SF:x20Permanentx20Redirect\r\nContent-Type:x20text/plain\r\nLocation:x2  
SF:0https://nice%20ports%2C/Tri%6Eity\\.txt%2ebak\r\nRefresh:x20url=htt  
SF:ps://nice%20ports%2C/Tri%6Eity\\.txt%2ebak\r\nInserver:x20Vercel\r\n\r\n\r\n  
SF:Redirecting\\.\\.\\.");  
  
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 105.23 seconds  
  
(kali@kali)-[~]  
$
```

Service/version scan showing ports 80 and 443.


09 | EVIDENCE GALLERY

Terminal evidence supplied with the assessment

The following pages reproduce the supplied evidence images without altering their terminal content. They are presented inside a consistent report frame for readability and traceability.

EVIDENCE 07

Nmap — 216.198.79.3




```
kali@kali: ~  
$ nmap -sV 216.198.79.3  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-08-30 07:52 -0400  
Nmap scan report for 216.198.79.3  
Host is up (0.011s latency).  
Not shown: 998 filtered tcp ports (no-response)  
PORT      STATE SERVICE VERSION  
80/tcp    open  http      Vercel  
443/tcp    open  ssl/http  GoLang net/http server  
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :  
_SF-Port80-TCP:V=7.98%I=7%O=8/30%Time=6A941978%P=x86_64-pc-linux-gnu%r(GetR  
SF:request,8A,"HTTP/1.0\x20308\x20Permanent\x20Redirect\r\nContent-Type:\x  
SF:20text/plain\r\nLocation:\x20https://\r\nRefresh:\x200;url=https://\r  
SF:\r\nServer:\x20Vercel\r\n\r\nRedirecting\\.\\.\\.")%r(HTTPOptions,8A,"HTTP/1  
SF:1.0\x20308\x20Permanent\x20Redirect\r\nContent-Type:\x20text/plain\r\nL  
SF:ocation:\x20https://\r\nRefresh:\x200;url=https://\r\nServer:\x20Verc  
SF:el\r\n\r\nRedirecting\\.\\.\\.")%r(FourOhFourRequest,D0,"HTTP/1.0\x20308\  
SF:\x20Permanent\x20Redirect\r\nContent-Type:\x20text/plain\r\nLocation:\x2  
SF:https://nice\x20ports\x2C/Tri%6Eity\\.txt%2Ebak\r\nRefresh:\x200;url=htt  
SF:ps://nice\x20ports\x2C/Tri%6Eity\\.txt%2Ebak\r\nServer:\x20Vercel\r\n\r\n  
SF:Redirecting\\.\\.\\.");  
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 105.23 seconds
```

Service/version scan showing ports 80 and 443.

EVIDENCE 08

APK metadata



```
kali@kali: ~/Downloads  
$ aapt dump badging app.apk | head -20  
08-30 08:13:39.013 17648 17648 W Asset : Asset path app.apk is neither a directory nor file (type=1).  
ERROR: dump failed because assets could not be loaded  
$ aapt dump badging base.apk | head -20  
package: name='com.saarckampuss.college' versionCode='11' versionName='1.1.6' platformBuildVersionName='16' platformBuildVersionCode='36' compileSdkVersion='36' compi  
leSdkVersionCodeName='16'  
sdkVersion:'24'  
targetSdkVersion:'36'  
uses-permission: name='android.permission.INTERNET'  
uses-permission: name='android.permission.CAMERA'  
uses-permission: name='android.permission.READ_EXTERNAL_STORAGE'  
uses-permission: name='android.permission.WRITE_EXTERNAL_STORAGE' maxSdkVersion='29'  
uses-permission: name='android.permission.ACCESS_COARSE_LOCATION'  
uses-permission: name='android.permission.ACCESS_FINE_LOCATION'  
uses-permission: name='android.permission.ACCESS_NETWORK_STATE'  
uses-permission: name='android.permission.ACCESS_WIFI_STATE'  
uses-permission: name='android.permission.WAKE_LOCK'  
uses-permission: name='android.permission.DOWNLOAD_WITHOUT_NOTIFICATION'  
uses-permission: name='android.permission.NFC'  
uses-permission: name='android.permission.POST_NOTIFICATIONS'  
uses-permission: name='com.google.android.c2dm.permission.RECEIVE'  
uses-permission: name='com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE'  
uses-permission: name='com.google.android.gms.permission.AD_ID'  
uses-permission: name='android.permission.ACCESS_AD_SERVICES_ATTRIBUTION'  
uses-permission: name='android.permission.ACCESS_AD_SERVICES_AD_ID'
```

aapt badging output for com.saarckampuss.college.


09 | EVIDENCE GALLERY

Terminal evidence supplied with the assessment

The following pages reproduce the supplied evidence images without altering their terminal content. They are presented inside a consistent report frame for readability and traceability.

EVIDENCE 09

APK permissions




```
kali@kali: ~/Downloads
Session Actions Edit View Help
(kali@kali) [~/Downloads]
$ aapt dump permissions base.apk
package: com.saarckampus.college
uses-permission: name='android.permission.INTERNET'
uses-permission: name='android.permission.CAMERA'
uses-permission: name='android.permission.READ_EXTERNAL_STORAGE' maxSdkVersion='29'
uses-permission: name='android.permission.WRITE_EXTERNAL_STORAGE' maxSdkVersion='29'
uses-permission: name='android.permission.ACCESS_COARSE_LOCATION'
uses-permission: name='android.permission.ACCESS_FINE_LOCATION'
uses-permission: name='android.permission.ACCESS_NETWORK_STATE'
uses-permission: name='android.permission.ACCESS_WIFI_STATE'
uses-permission: name='android.permission.WAKE_LOCK'
uses-permission: name='android.permission.DOWNLOAD_WITHOUT_NOTIFICATION'
uses-permission: name='android.permission.NFC'
uses-permission: name='android.permission.POST_NOTIFICATIONS'
uses-permission: name='com.google.android.c2dm.permission.RECEIVE'
uses-permission: name='com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE'
uses-permission: name='com.google.android.gms.permission.AD_ID'
uses-permission: name='android.permission.ACCESS_AD_SERVICES_ATTRIBUTION'
uses-permission: name='android.permission.ACCESS_AD_SERVICES_AD_ID'
uses-permission: name='android.permission.RECEIVE_BOOT_COMPLETED'
uses-permission: name='android.permission.FOREGROUND_SERVICE'
uses-permission: name='com.saarckampus.college.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION'
uses-permission: name='com.saarckampus.college.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION'
uses-permission: name='android.permission.VIBRATE'
uses-permission: name='android.permission.SCHEDULE_EXACT_ALARM'
uses-permission: name='android.permission.BROADCAST_CLOSE_SYSTEM_DIALOGS' maxSdkVersion='30'
uses-permission: name='android.permission.ACCESS_NOTIFICATION_POLICY'
uses-permission: name='android.permission.READ_BASIC_PHONE_STATE'
uses-permission: name='com.android.vending.CHECK_LICENSE'
```

Requested Android permissions from aapt.

EVIDENCE 10

APK metadata + permissions



```
kali@kali: ~/Downloads
Session Actions Edit View Help
(kali@kali) [~/Downloads]
$ aapt dump badging base.apk | head -20
package: name='com.saarckampus.college' versionCode='11' versionName='1.1.6' platformBuildVersionName='16' platformBuildVersionCode='36' compileSdkVersion='36' compileSdkVersionCodeName='16'
sdkVersion='24'
targetSdkVersion='36'
uses-permission: name='android.permission.INTERNET'
uses-permission: name='android.permission.CAMERA'
uses-permission: name='android.permission.READ_EXTERNAL_STORAGE' maxSdkVersion='29'
uses-permission: name='android.permission.WRITE_EXTERNAL_STORAGE' maxSdkVersion='29'
uses-permission: name='android.permission.ACCESS_COARSE_LOCATION'
uses-permission: name='android.permission.ACCESS_FINE_LOCATION'
uses-permission: name='android.permission.ACCESS_NETWORK_STATE'
uses-permission: name='android.permission.ACCESS_WIFI_STATE'
uses-permission: name='android.permission.WAKE_LOCK'
uses-permission: name='android.permission.DOWNLOAD_WITHOUT_NOTIFICATION'
uses-permission: name='android.permission.NFC'
uses-permission: name='android.permission.POST_NOTIFICATIONS'
uses-permission: name='com.google.android.c2dm.permission.RECEIVE'
uses-permission: name='com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE'
uses-permission: name='com.google.android.gms.permission.AD_ID'
uses-permission: name='android.permission.ACCESS_AD_SERVICES_ATTRIBUTION'
uses-permission: name='android.permission.ACCESS_AD_SERVICES_AD_ID'

(kali@kali) [~/Downloads]
$ aapt dump badging base.apk | grep -E "application-label|package:"
package: name='com.saarckampus.college' versionCode='11' versionName='1.1.6' platformBuildVersionName='16' platformBuildVersionCode='36' compileSdkVersion='36' compileSdkVersionCodeName='16'
application-label: 'Saarckampus College'
```

Repeated/extended aapt evidence retained from the supplied compilation.


09 | EVIDENCE GALLERY

Terminal evidence supplied with the assessment

The following pages reproduce the supplied evidence images without altering their terminal content. They are presented inside a consistent report frame for readability and traceability.

EVIDENCE 11

scanme.nmap.org



```
kali@kali: ~  
$ ping -c 3 scanme.nmap.org  
ping: scanme.nmap.org: Name or service not known  
  
kali@kali: ~  
$ ping -c 3 scanme.nmap.org  
PING scanme.nmap.org (45.33.32.156) 56(84) bytes of data.  
64 bytes from scanme.nmap.org (45.33.32.156): icmp_seq=1 ttl=64 time=282 ms  
64 bytes from scanme.nmap.org (45.33.32.156): icmp_seq=2 ttl=64 time=278 ms  
64 bytes from scanme.nmap.org (45.33.32.156): icmp_seq=3 ttl=64 time=298 ms  
  
--- scanme.nmap.org ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 2002ms  
rtt min/avg/max/mdev = 277.991/286.132/298.467/8.869 ms  
  
kali@kali: ~  
$ nmap scanme.nmap.org  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-08-30 00:52 -0400  
Nmap scan report for scanme.nmap.org (50.116.1.184)  
Host is up (0.024s latency).  
Other addresses for scanme.nmap.org (not scanned): 2600:3c01:e000:3e6::6d4e:7061  
rDNS record for 50.116.1.184: ack.nmap.org  
Not shown: 996 filtered tcp ports (no-response)  
PORT      STATE SERVICE  
22/tcp    open  ssh  
80/tcp    open  http  
113/tcp   closed ident  
443/tcp   open  https  
  
Nmap done: 1 IP address (1 host up) scanned in 26.58 seconds  
  
kali@kali: ~  
$
```

Ping and basic Nmap evidence for the supplied Nmap target.

10 | RECOMMENDATIONS & CONCLUSION

Recommendations

01	Least privilege	Review whether camera, location, storage, NFC, notification, alarm and background-service permissions are necessary.
02	Network exposure	Keep publicly reachable services to the minimum required and review HTTP/HTTPS configuration regularly.
03	Recon hygiene	Reduce unnecessary public infrastructure and metadata exposure where practical.
04	Mobile security	Use deeper static/dynamic analysis before treating a permission set as evidence of malicious behavior.
05	Evidence quality	Preserve commands, timestamps, target names and screenshots so findings remain reproducible.

Conclusion

The assessment demonstrates a structured beginner cybersecurity workflow: Linux fundamentals, network/IP identification, passive reconnaissance, service enumeration, and Android permission analysis. The final report preserves the supplied evidence, distinguishes observed results from interpretation, and records limitations where the evidence did not verify a result. This approach keeps the submission professional, reproducible, and evidence-driven.

DINESH S	CSSP 2026
Final Professional Submission	450-POINT ASSESSMENT