

# GOVERNMENT ARTS AND SCIENCE COLLEGE, HARUR

*Department of computer science(B.sc)*

This Project Submitted By  
R.DINESHKUMAR  
A.ATHIYAMAN  
K.MURALIDASS  
M.KATHIRVEL

Intelligent Admissions: The Future of University Decision Making  
with Machine Learning

## Introduction

### Overview

University admission is the process by which students are selected to attend a college or university. The process typically involves several steps, including submitting an application, taking entrance exams, and participating in interviews or other evaluations.

Students are often worried about their chances of admission in University. the university admission process for students can be demanding, but by being well-informed, prepared, and organized, students can increase their chances of being admitted to the university of their choice.

The aim of this project is to help students in short listing universities with their profiles. Machine learning algorithms are then

used to train a model on this data, which can be used to predict the chances of future applicants being admitted.


With this project, students can make more informed decisions about which universities to apply to, and universities can make more efficient use of their resources by focusing on the most promising applicants. The predicted output gives them a fair idea about their admission chances in a particular university. This analysis should also help students who are currently preparing or will be preparing to get a better idea.

### Purpose

This project can help students to predict their chance of admission in universities. The project is employed with a well trained model which can predict accurate results. With proper user(student) input, the flask web app can predict the result with the trained model.

# Problem Definition and Design Thinking

## Empathy Map




## Brainstorm and Idea Prioritization




# Result

## Homepage



A screenshot of a web browser displaying the 'University Admission Prediction' homepage. The page has a light blue background with a green-to-purple gradient on the right. The title 'University Admission Prediction' is at the top. Below it, the instruction 'Enter your details and get probability of your admission' is shown. The form includes input fields for 'Enter GRE score' (220), 'Enter TOEFL score' (50), 'Select University No' (radio buttons 1-5, with 2 selected), 'Enter SOP' (1), 'Enter LOR' (3), 'Enter CGPA' (6), and 'Research' (radio buttons 'Research' and 'No Research', with 'No Research' selected). A 'Predict' button is at the bottom left.

## Prediction



"Chance of Admit" depends on CGPA,GRE,TOEFEL.The columns SOP,LOR and Reserach have less impact on university admission. GRE score TOEFL score and CGPA all are linearly related to each other.

Students in research score high in TOEFL and GRE compared to non research candidates.

# Advantages and Disadvantages

## Advantages

The project takes into account of all the necessary variables that determine the admission of students in universities.

The variables are absolutely bare minimal and is strictly required to perform accurate predictions.

It help students to get a preliminary prediction of how their profile/score may perform on the university prediction process.

It enables students to get their overall image on university shortlistings...

## Disadvantages

This projects only takes into account of minimal variables and special edge cases are not considered.

It omits certain special cases which the students and universities may have come across.

The dataset used is merely adequate not dense enough to train high or world class models that is capable of predicting complex inputs while producing accurate results.

Currently, this project makes uses of web technologies such as Google Colab and Ngrok.

Due to poor hardware at our end we have used the web technologies, to deploy the code in other environments and produce a valid webapp, the code must be modified to be run locally on the development server.

## Applications

This project unfortunately can only be applied to Education Fields especially, Universities.

And it is only useful for students to assess their profile performance.

The project may be further modified to fit other educational fields such as schools and other educational bodies, that assess student's past performance to allow them in their institutions.

## Conclusion

This project is very useful for students to assess their overall profile performance that is necessary to get a overall preliminary of their profile before applying applications to various universities.

It helps them to filter out universities that fit their profile and apply to selected universities that has high rate of being accepted.

## Futute Scope

Currently, the project uses a bare minimal dataset that has entries of about 400 rows.

Although this dataset is enough, it is not feature rich.

To further enhance the project, a more dense and feature rich dataset is to be used.

The additional complex features helps in addressing edge or special cases that the students and universities may encounter during their academical span.

Additional algorithms will be used to proof the accuracy of the dataset split. And feature rich data helps in creating and training a model that can generate much precise and accurate results while handling special or edge cases.

The code needs to be further enhanced to get additional variable inputs from user that are helpful in overall prediction with much specialised and accurate results.



## Appendix

### Source code

uni\_adm\_pred.ipynb

```
# -*- coding: utf-8 -*- """uni_adm_pred.ipynb
```

Automatically generated by Colaboratory.

Original file is located at

[https://colab.research.google.com/drive/1ICJRuL\\_-58wSg5HO7dbBhZ3pdeaCNByc](https://colab.research.google.com/drive/1ICJRuL_-58wSg5HO7dbBhZ3pdeaCNByc) """

```
# Commented out IPython magic to ensure Python compatibility.
```

```
import numpy as np
```

```
import pandas as pd
```

```
import matplotlib.pyplot as pltimport seaborn as sns
```

```
# %matplotlib inline
```

```
# Commented out IPython magic to ensure Python compatibility. #
```

```
mount google drive and copy dataset
```

```
from google.colab import drive drive.mount('/content/drive')
```

```
# %cp '/content/drive/My
```

```
Drive/university_admission_prediction/dataset/Admission_Predict.c
```

```
sv' '/content/'
```

```
data = pd.read_csv('Admission_Predict.csv')
```

```
data.head()
```

```
data.drop(["Serial No."],axis=1,inplace=True) data.head()
```

```
data.describe()
```

```
data.info()
```

```
data = data.rename(columns = {'Chance of Admit ':'Chance of  
Admit'}) data.head()
```

```
data.isnull().any()
```

```
data.corr()
```

```
sns.heatmap(data.corr(),annot=True,cmap="RdYlGn")
```

```
sns.pairplot(data=data,hue='Research', markers=["^", "v"],  
palette='inferno')
```

```
sns.scatterplot(x='University Rating', y='CGPA', data=data,  
color='Red', s=100)
```

```
category = ['GRE Score', 'TOEFL Score', 'University Rating', 'SOP',  
'LOR ', 'CGPA', 'Research', 'Chance of Admit']
```

```
color = ['yellowgreen', 'gold', 'lightskyblue', 'pink', 'red', 'purple',  
'orange', 'gray'] start = True
```

```
for i in np.arange(4):
```

```
    fig = plt.figure(figsize=(14,8)) plt.subplot2grid((4,2), (i,0))  
    data[category[2*i]].hist(color=color[2*i], bins=10)  
    plt.title(category[2*i])  
    plt.subplot2grid((4,2), (i,1))  
    data[category[2*i+1]].hist(color=color[2*i+1], bins=10)  
    plt.title(category[2*i+1])
```

```
plt.subplots_adjust(hspace=0.7, wspace=0.2)plt.show()
```

```
x = data.iloc[:,0:-1].values
```

```
y = data['Chance of Admit'].values
```

```
from sklearn.preprocessing import MinMaxScaler
```

```
sc = MinMaxScaler()
```

```
x = sc.fit_transform(x)
```

```
from sklearn.model_selection import train_test_split
```

```
x_train, x_test, y_train, y_test = train_test_split(x, y, test_size=0.20,  
random_state=42)
```

```
y_train = (y_train>0.5)y_test = (y_test>0.5)
```

```
from sklearn.linear_model import LogisticRegression
```

```
from sklearn.metrics import accuracy_score, recall_score,  
roc_auc_score, classification_report, confusion_matrix
```

```
cls = LogisticRegression(random_state=0)lr = cls.fit(x_train, y_train)  
y_pred = lr.predict(x_test)
```

```
print("Logistic Regression")
```

```
print("Accuracy score : %f" %(accuracy_score(y_test, y_pred) * 100))  
print("Recall score : %f" %(recall_score(y_test, y_pred) * 100))  
print("ROC score : %f" %(roc_auc_score(y_test, y_pred) * 100))  
print("Confusion Matrix \n", confusion_matrix(y_test, y_pred))
```

```
import keras
```

```
from keras.models import Sequentialfrom keras.layers import  
Dense
```

```
model = Sequential()
```

```
model.add(Dense(units=7, activation='relu', input_dim=7))
```

```
model.add(Dense(units=7, activation='relu'))
```

```
model.add(Dense(units=1, activation='linear'))
```

```
model.compile(optimizer='adam', loss='binary_crossentropy',  
metrics=['accuracy'])
```

```
model.fit(x_train, y_train, batch_size=20, epochs=100)
```

```
ann_pred_tr = model.predict(x_train)print(ann_pred_tr)
```

```
train_acc = model.evaluate(x_train, y_train, verbose=0)[1]  
print(train_acc)
```

```
test_acc = model.evaluate(x_test, y_test, verbose=0)[1]  
print(test_acc)
```

```
ann_pred = model.predict(x_test)ann_pred = (ann_pred>0.5)  
ann_pred_tr = (ann_pred_tr>0.5)
```

```
ann_pred
```

```
print("ANN Model \n")
```

```
print("Train Prediction \n")
```

```
print("Confusion Matrix \n", confusion_matrix(y_train,  
ann_pred_tr)) print("\n Classification Report \n",  
classification_report(y_train, ann_pred_tr))
```

```
print("Prediction \n")
```

```
print("Confusion Matrix \n",confusion_matrix(y_test, ann_pred))  
print("\nClassification Report \n", classification_report(y_test,  
ann_pred))
```

```
# Commented out IPython magic to ensure Python compatibility. #  
save and copy the saved model to mounted google drive  
model.save('model.h5')
```

```
# %cp '/content/model.h5' '/content/drive/My  
Drive/university_admission_prediction/training/'
```

```
app.py
```

```
# -*- coding: utf-8 -*- """app.py
```

Automatically generated by Colaboratory.

Original file is located at

<https://colab.research.google.com/drive/1a2qzmOmvcbmvJXqsR0ouQ47MPgYnBFhW>

```
"""
```

```
import numpy as np
```

```
from flask import Flask, request, jsonify, render_template
```

```
# install pyngrok
```

```
!pip install pyngrok
```

```
# import ngrok

from pyngrok import ngrok

from tensorflow.keras.models import load_model

# Commented out IPython magic to ensure Python compatibility.
from google.colab import drive
drive.mount('/content/drive')

# %cp '/content/drive/My
Drive/university_admission_prediction/training/model.h5' '/content/'
# %cp -r '/content/drive/My
Drive/university_admission_prediction/flask/templates' '/content/'

!killall ngrok

app = Flask(__name__)

ngrok.set_auth_token("2NejXWwLPdVu3YU8rQUBjbIPzT5_6kpmTTTf
41ZBxUDwtDtso")

public_url = ngrok.connect(5000) print("URL : ", public_url)

model = load_model('model.h5')

@app.route('/', methods=['GET', 'POST'])
```

```
def home():  
    return render_template('home.html')  
  
@app.route('/y_predict', methods=['POST']) def y_predict():  
    min1 = [290.0, 92.0, 1.0, 1.0, 1.0, 6.8, 0.0]  
    max1 = [340.0, 120.0, 5.0, 5.0, 5.0, 9.92, 1.0]  
    k = [float(x) for x in request.form.values()] p = []  
  
    for i in range(7):  
        l = (k[i]-min1[i]) / (max1[i]-min1[i]) p.append(l)  
  
    prediction = model.predict([p]) print(prediction)  
    output = prediction[0]  
  
    if(output == False):  
        return render_template('no_chance.html') else:  
        return render_template('chance.html')  
  
app.run()
```