DATA SHEET

TRINAI®
Vision With Intelligence

Trinai Facial BioStand

(with 4G, GPS & In Built Power Backup)

5000 Face

Mask Detection

RFID

Touch Screen

Access Control

QR Code

Model no: TrinAI-TN50

key features

- Dual HD camera (IR + RGB) for spoof detection
- AI engine for fast and accurate face recognition
- Real-time user verification in under 1 second
- Touch screen-based user interface (5-inch)
- High-performance embedded Linux system
- Built-in Aadhaar API support for seamless integration
- In Built Battery Backup Up to 5 Hours
- Works under challenging lighting and environmental conditions
- Scalable for large user databases
- Ideal for public service, telecom, financial, and access control applications
- Aadhaar eKYC-based face authentication (Optional)

DATA SHEET

TRINAI®
Vision With Intelligence

Specifications	
Model Name	TrinAI-TN50
Display	5-inch Capacitive Touch Screen
Face Recognition Capacity	5000 Faces
Face Recognition Speed	≤ 1 Second
Camera Type	Dual Camera – RGB + IR
Spoof Detection	Enabled (with IR camera)
Operating System	Embedded Linux
Processor	High-performance Quad-core Processor
RAM/Storage	1 GB RAM / 8 GB Flash
Connectivity	Ethernet, Wi-Fi, Optional 4G LTE
eKYC Integration	Aadhaar API Compatible
Communication Interface	RS485, Wiegand, USB, TCP/IP
Audio	Built-in Speaker for Voice Prompts
GPS	Yes
Power Supply	DC 12V / 2A
Temperature Range	-10°C to +60°C
Installation	Stand Mount
Humidity	10% ~ 90% (Non-condensing)

DATA SHEET

TRINAI®
Vision With Intelligence

Specifications	
Dimensions	185mm x 100mm x 20mm (LxWxD)
Weight	< 500g

Certificate

FC CE ROHS

Applications

Education | Retail | Government | Health | Bank | Logistics | Office | Factory

+91 98858 88835
www.trinai.in
Manufacturing Unit:
Sy No. 340, Plot No.198/2, 201, 202, 203 & 204, Tuniki Bollaram
Siddipet, TG - 502279