


Page Object Model

19 August 2024 21:23

Pom is a design pattern we can maintain the locators or Web Elements and test methods in a separate classes.
Its not a frame work

If don't use pom normally we will place all the following things in one place (test methods, code, validations+ Actions)





Problems With Page Object Model

- 1) Duplication of elements/locators
- 2) Updation .

Here Search methods depends on both Login and search Web Elements

Advanced Search method depends on Login, Search and Advanced Search methods



- 1) We will identify number of pages we have to deal with in our application.
- 2) Create Page object class for each page and place respective page elements and Action methods in page object class
- 3) Finally in testng class we will place test methods and do respective Validation by invoking page object class which then calls action methods and perform Actions on respective page element.

Here we are referring the same page object elements in multiple tests elements in to multiple so that we can achieve use them multiple times.

update - if there is any change happened in login page or any such page, that particular change only we can include in that particular page object class that automatically reflect in all that type of classes.

2 Approaches to create page object classes

- 1) Without using Page Factory
- 2) Using Page Factory

Page Factory is a predefined class given by web driver to create page object class.



According to the test case requirement we will only add respective required elements.

Later based on the other test case requirements we will add remaining elements into the same page object class.

In each page object class we need below three mandatorily

//constructor - will initiate driver - for finding web element we need findElement() method and to this method is available in driver

//locators - we can place all the id's and xpath in this

//Action methods

```
WebElement usertxt= driver.findElement(By.xpath("//input[@placeholder='Username']"));
```

```
By loc = By.path("//input[@placeholder='Username']");  
driver.findElement(loc).sendKeys("xyz")
```

If we use pagefactory approach we can avoid findElement method

Another way of locating web elements

```
@FindBy(how = How.XPATH, using = "//input[@placeholder='Username']")  
WebElement txt_username;
```