

## Database Scenario

You are developing a database for a company called **TechNova Solutions**.

The company has two tables:

- Departments
- Employees

Employees belong to different departments, and the management wants various analytical reports using **Subqueries**.

---

### Create the Tables

Create the following tables:

departments

| Column          | Data Type   |
|-----------------|-------------|
| id              | INT         |
| department_name | VARCHAR(50) |
| location        | VARCHAR(50) |

```
create table departments(  
id int primary key,  
department_name varchar(50),  
location varchar(50));  
insert into departments values  
(1,'Engineering','Hyderabad'),  
(2,'Sales','Bangalore'),  
(3,'HR','Hyderabad'),  
(4,'Finance','Chennai')  
;
```

---

employees

| Column | Data Type |
|--------|-----------|
| id     | INT       |

| Column        | Data Type     |
|---------------|---------------|
| name          | VARCHAR(50)   |
| salary        | DECIMAL(10,2) |
| department_id | INT           |

Use appropriate **PRIMARY KEY** and **FOREIGN KEY** constraints.

Insert:

- At least **4 Departments**
- At least **10 Employees**

Make sure:

- Multiple employees belong to the same department.
- Different departments have different average salaries.
- At least two departments are in the same city.

```
create table employees(
id int primary key,
name varchar(50),
salary decimal(10,2),
department_id int,
foreign key(department_id) references departments(id)
);
insert into employees values
(101,'Dinesh',80000,1),
(102,'Akhila',68000,2),
(103,'Sushma',65000,1),
(104,'Anitha',75000,2),
(105,'Kalyan',85000,3),
(106,'Babu',35000,4),
(107,'Vignesh',40000,4),
(108,'Siddhu',81000,2),
(109,'Bob',90000,1),
(110,'Pavan',82000,3)
;
```

---

## Section A – Scalar Subqueries

Use **only Scalar Subqueries**.

---

1.

Display employees earning more than the company average salary.

```
40 • select* from employees
41 where
42 salary > (select avg(salary) from employees);
```

Result Grid

|   | id   | name   | salary   | department_id |
|---|------|--------|----------|---------------|
| ▶ | 101  | Dinesh | 80000.00 | 1             |
|   | 104  | Anitha | 75000.00 | 2             |
|   | 105  | Kalyan | 85000.00 | 3             |
|   | 108  | Siddhu | 81000.00 | 2             |
|   | 109  | Bob    | 90000.00 | 1             |
|   | 110  | Pavan  | 82000.00 | 3             |
| * | NULL | NULL   | NULL     | NULL          |

2.

Display the employee(s) earning the highest salary.

```
44 • select * from employees
45 where
46 salary = (select max(salary) from employees);
```

Result Grid

|   | id   | name | salary   | department_id |
|---|------|------|----------|---------------|
| ▶ | 109  | Bob  | 90000.00 | 1             |
| * | NULL | NULL | NULL     | NULL          |

3.

Display the employee(s) earning the lowest salary.

```

48 • select * from employees
49 where
50 salary = (select min(salary) from employees);

```

Result Grid

Filter Rows:

Edit:

|   | id   | name | salary   | department_id |
|---|------|------|----------|---------------|
| ▶ | 106  | Babu | 35000.00 | 4             |
| * | NULL | NULL | NULL     | NULL          |

4.

Display employees earning more than the minimum salary.

```

52 • select * from employees
53 where
54 salary > (select min(salary) from employees);

```

Result Grid

Filter Rows:

Edit:

Exp

|   | id   | name    | salary   | department_id |
|---|------|---------|----------|---------------|
| ▶ | 101  | Dinesh  | 80000.00 | 1             |
|   | 102  | Akhila  | 68000.00 | 2             |
|   | 103  | Sushma  | 65000.00 | 1             |
|   | 104  | Anitha  | 75000.00 | 2             |
|   | 105  | Kalyan  | 85000.00 | 3             |
|   | 107  | Vignesh | 40000.00 | 4             |
|   | 108  | Siddhu  | 81000.00 | 2             |
|   | 109  | Bob     | 90000.00 | 1             |
|   | 110  | Pavan   | 82000.00 | 3             |
| * | NULL | NULL    | NULL     | NULL          |

5.

Display employees earning less than the highest salary.

```

56 • select * from employees
57 where
58 salary < (select max(salary) from employees);

```

---

Result Grid   Filter Rows:  Edit:   

|   | id   | name    | salary   | department_id |
|---|------|---------|----------|---------------|
| ▶ | 101  | Dinesh  | 80000.00 | 1             |
|   | 102  | Akhila  | 68000.00 | 2             |
|   | 103  | Sushma  | 65000.00 | 1             |
|   | 104  | Anitha  | 75000.00 | 2             |
|   | 105  | Kalyan  | 85000.00 | 3             |
|   | 106  | Babu    | 35000.00 | 4             |
|   | 107  | Vignesh | 40000.00 | 4             |
|   | 108  | Siddhu  | 81000.00 | 2             |
|   | 110  | Pavan   | 82000.00 | 3             |
| * | NULL | NULL    | NULL     | NULL          |

6.

Display employees earning exactly the average salary.

Observe the output.

```

60 • select * from employees
61 where
62 salary=(select avg(salary) from employees);

```

---

Result Grid   Filter Rows:  Edit:   

|   | id   | name | salary | department_id |
|---|------|------|--------|---------------|
| * | NULL | NULL | NULL   | NULL          |

7.

Display employees earning greater than the average salary but less than the highest salary.

```

64 • select * from employees
65 where
66 salary > (select avg(salary) from employees) and salary < (select max(salary) from employees);

```

| Result Grid | Filter Rows: | Edit:    | Export/Import: | Wrap Cell Content: |
|-------------|--------------|----------|----------------|--------------------|
| id          | name         | salary   | department_id  |                    |
| 101         | Dinesh       | 80000.00 | 1              |                    |
| 104         | Anitha       | 75000.00 | 2              |                    |
| 105         | Kalyan       | 85000.00 | 3              |                    |
| 108         | Siddhu       | 81000.00 | 2              |                    |
| 110         | Pavan        | 82000.00 | 3              |                    |
| NULL        | NULL         | NULL     | NULL           |                    |

8.

Display employees earning less than the company average but greater than the minimum salary.

```

68 • select * from employees
69 where
70 salary < (select avg(salary) from employees) and salary > (select min(salary) from employees);

```

| Result Grid | Filter Rows: | Edit:    | Export/Import: | Wrap Cell Content: |
|-------------|--------------|----------|----------------|--------------------|
| id          | name         | salary   | department_id  |                    |
| 102         | Akhila       | 68000.00 | 2              |                    |
| 103         | Sushma       | 65000.00 | 1              |                    |
| 107         | Vignesh      | 40000.00 | 4              |                    |
| NULL        | NULL         | NULL     | NULL           |                    |

9.

Find employees earning exactly the maximum salary.

```

72 • select * from employees
73 where
74 salary = (select max(salary) from employees);

```

| Result Grid | Filter Rows: | Edit:    | Export/Import: |
|-------------|--------------|----------|----------------|
| id          | name         | salary   | department_id  |
| 109         | Bob          | 90000.00 | 1              |
| NULL        | NULL         | NULL     | NULL           |

10.

Find employees earning exactly the minimum salary.

```
76 • select * from employees
77 where
78 salary=(select min(salary) from employees);
```

---

Result Grid | Filter Rows:  Edit:

|   | id   | name | salary   | department_id |
|---|------|------|----------|---------------|
| ▶ | 106  | Babu | 35000.00 | 4             |
| * | NULL | NULL | NULL     | NULL          |

---

## Section B – Multi-row Subqueries

Use **only Multi-row Subqueries** with the **IN** operator.

---

11.

Display employees working in Hyderabad departments.

```
80 • select * from employees
81 where
82 department_id in (select id from departments where location='Hyderabad');
```

---

Result Grid | Filter Rows:  Edit: Export/Import: Wrap Cell Con

|   | id   | name   | salary   | department_id |
|---|------|--------|----------|---------------|
| ▶ | 101  | Dinesh | 80000.00 | 1             |
|   | 103  | Sushma | 65000.00 | 1             |
|   | 109  | Bob    | 90000.00 | 1             |
|   | 105  | Kalyan | 85000.00 | 3             |
|   | 110  | Pavan  | 82000.00 | 3             |
| * | NULL | NULL   | NULL     | NULL          |

12.

Display employees working in Bangalore departments.

```

84 • select * from employees
85 where
86 department_id in (select id from departments where location = 'Bangalore');

```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Cont

|   | id   | name   | salary   | department_id |
|---|------|--------|----------|---------------|
| ▶ | 102  | Akhila | 68000.00 | 2             |
|   | 104  | Anitha | 75000.00 | 2             |
|   | 108  | Siddhu | 81000.00 | 2             |
| • | NULL | NULL   | NULL     | NULL          |

13.

Display employees working in Chennai departments.

```

88 • select * from employees
89 where
90 department_id = (select id from departments where location = 'Chennai');

```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell

|   | id   | name    | salary   | department_id |
|---|------|---------|----------|---------------|
| ▶ | 106  | Babu    | 35000.00 | 4             |
|   | 107  | Vignesh | 40000.00 | 4             |
| * | NULL | NULL    | NULL     | NULL          |

14.

Display employees working in Engineering or Sales departments.



```

92 • select * from employees
93 where
94 department_id in (select id from departments
95 where
96 department_name='Engineering' or department_name='Sales');

```

| Result Grid | Filter Rows: | Edit:    | Export/Import: |
|-------------|--------------|----------|----------------|
| id          | name         | salary   | department_id  |
| 101         | Dinesh       | 80000.00 | 1              |
| 103         | Sushma       | 65000.00 | 1              |
| 109         | Bob          | 90000.00 | 1              |
| 102         | Akhila       | 68000.00 | 2              |
| 104         | Anitha       | 75000.00 | 2              |
| 108         | Siddhu       | 81000.00 | 2              |
| NULL        | NULL         | NULL     | NULL           |

15.

Display employees belonging to departments whose ID is greater than 2.

```

98 • select * from employees
99 where
100 department_id in (select id from departments where id > 2);
101

```

| Result Grid | Filter Rows: | Edit:    | Export/Import: |
|-------------|--------------|----------|----------------|
| id          | name         | salary   | department_id  |
| 105         | Kalyan       | 85000.00 | 3              |
| 110         | Pavan        | 82000.00 | 3              |
| 106         | Babu         | 35000.00 | 4              |
| 107         | Vignesh      | 40000.00 | 4              |
| NULL        | NULL         | NULL     | NULL           |

16.

Display employees belonging to departments located in Hyderabad or Chennai.

```
104 • select * from employees
105 where
106 department_id in (select id from departments
107 where location = 'Hyderabad' or location='Chennai');
```

Result Grid

|   | id   | name    | salary   | department_id |
|---|------|---------|----------|---------------|
| ▶ | 101  | Dinesh  | 80000.00 | 1             |
|   | 103  | Sushma  | 65000.00 | 1             |
|   | 109  | Bob     | 90000.00 | 1             |
|   | 105  | Kalyan  | 85000.00 | 3             |
|   | 110  | Pavan   | 82000.00 | 3             |
|   | 106  | Babu    | 35000.00 | 4             |
|   | 107  | Vignesh | 40000.00 | 4             |
| * | NULL | NULL    | NULL     | NULL          |

17.

Display employees working in departments whose names start with the letter **S**.

```
109 • select * from employees
110 where
111 department_id in (select id from departments where department_name like 's%');
```

Result Grid

|   | id   | name   | salary   | department_id |
|---|------|--------|----------|---------------|
| ▶ | 102  | Akhila | 68000.00 | 2             |
|   | 104  | Anitha | 75000.00 | 2             |
|   | 108  | Siddhu | 81000.00 | 2             |
| * | NULL | NULL   | NULL     | NULL          |

18.

Display employees working in departments located outside Bangalore.

```

113 • select * from employees
114 where
115 department_id in (select id from departments where
116 location != 'Bangalore');

```

| Result Grid | Filter Rows: | Edit:    | Export/Im     |
|-------------|--------------|----------|---------------|
| id          | name         | salary   | department_id |
| 101         | Dinesh       | 80000.00 | 1             |
| 103         | Sushma       | 65000.00 | 1             |
| 109         | Bob          | 90000.00 | 1             |
| 105         | Kalyan       | 85000.00 | 3             |
| 110         | Pavan        | 82000.00 | 3             |
| 106         | Babu         | 35000.00 | 4             |
| 107         | Vignesh      | 40000.00 | 4             |
| NULL        | NULL         | NULL     | NULL          |

19.

Display employees belonging to departments with IDs less than 3.

```

118 • select * from employees
119 where
120 department_id in (select id from departments where id < 3);

```

| Result Grid | Filter Rows: | Edit:    | Export/Import: |
|-------------|--------------|----------|----------------|
| id          | name         | salary   | department_id  |
| 101         | Dinesh       | 80000.00 | 1              |
| 103         | Sushma       | 65000.00 | 1              |
| 109         | Bob          | 90000.00 | 1              |
| 102         | Akhila       | 68000.00 | 2              |
| 104         | Anitha       | 75000.00 | 2              |
| 108         | Siddhu       | 81000.00 | 2              |
| NULL        | NULL         | NULL     | NULL           |

20.

Display employees belonging to all departments located in Hyderabad.

```

122 • select * from employees
123 where
124 department_id in (select id from departments where location = 'Hyderabad');

```

---

Result Grid Filter Rows:  Edit: Export/Import: Wrap Cell Conte

|   | id   | name   | salary   | department_id |
|---|------|--------|----------|---------------|
| ▶ | 101  | Dinesh | 80000.00 | 1             |
|   | 103  | Sushma | 65000.00 | 1             |
|   | 109  | Bob    | 90000.00 | 1             |
|   | 105  | Kalyan | 85000.00 | 3             |
|   | 110  | Pavan  | 82000.00 | 3             |
| * | NULL | NULL   | NULL     | NULL          |

### Challenge Question

Try replacing **IN** with **=** in one of the above queries.

Observe the error and explain why it occurs.

```

select * from employees where department_id = (select id from departments where location = 'Hyderabad') LIMIT 0, 1000
0 19 17:49:35 Error Code: 1242. Subquery returns more than 1 row 0.000 sec

```

### Section C – Correlated Subqueries

Use **only Correlated Subqueries**.

21.

Display employees earning more than the average salary of their own department.

```

126 • select * from employees e
127     where
128     salary > (select avg(salary) from employees
129     where department_id = e.department_id);

```

| Result Grid                       |      |         |          |               |
|-----------------------------------|------|---------|----------|---------------|
| Filter Rows: <input type="text"/> |      |         |          |               |
| Edit:                             |      |         |          |               |
| Export/Import:                    |      |         |          |               |
| Wrap Cell Content:                |      |         |          |               |
|                                   | id   | name    | salary   | department_id |
|                                   | 101  | Dinesh  | 80000.00 | 1             |
|                                   | 104  | Anitha  | 75000.00 | 2             |
|                                   | 105  | Kalyan  | 85000.00 | 3             |
|                                   | 107  | Vignesh | 40000.00 | 4             |
|                                   | 108  | Siddhu  | 81000.00 | 2             |
| ▶                                 | 109  | Bob     | 90000.00 | 1             |
| *                                 | NULL | NULL    | NULL     | NULL          |

22.

Display the highest paid employee from each department.

```

131 • select * from employees e
132     where
133     salary = (select max(salary) from employees where department_id = e.department_id);

```

| Result Grid                       |      |         |          |               |
|-----------------------------------|------|---------|----------|---------------|
| Filter Rows: <input type="text"/> |      |         |          |               |
| Edit:                             |      |         |          |               |
| Export/Import:                    |      |         |          |               |
| Wrap Cell Content:                |      |         |          |               |
|                                   | id   | name    | salary   | department_id |
| ▶                                 | 105  | Kalyan  | 85000.00 | 3             |
|                                   | 107  | Vignesh | 40000.00 | 4             |
|                                   | 108  | Siddhu  | 81000.00 | 2             |
|                                   | 109  | Bob     | 90000.00 | 1             |
| *                                 | NULL | NULL    | NULL     | NULL          |

23.

Display the lowest paid employee from each department.

```

135 • select * from employees e
136     where
137     salary =(select min(salary) from employees where department_id=e.department_id);

```

| Result Grid                       |      |        |          |               |
|-----------------------------------|------|--------|----------|---------------|
| Filter Rows: <input type="text"/> |      |        |          |               |
| Edit:                             |      |        |          |               |
| Export/Import:                    |      |        |          |               |
| Wrap Cell Content:                |      |        |          |               |
|                                   | id   | name   | salary   | department_id |
| ▶                                 | 102  | Akhila | 68000.00 | 2             |
|                                   | 103  | Sushma | 65000.00 | 1             |
|                                   | 106  | Babu   | 35000.00 | 4             |
|                                   | 110  | Pavan  | 82000.00 | 3             |
| *                                 | NULL | NULL   | NULL     | NULL          |

24.

Display employees earning exactly the average salary of their department.

Observe the output.

```
139 • select * from employees e
140 where
141 salary = (select avg(salary) from employees where department_id=e.department_id);
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

|   | id   | name | salary | department_id |
|---|------|------|--------|---------------|
| * | NULL | NULL | NULL   | NULL          |

25.

Display employees earning above their department average but below the company average.

```
143 • select * from employees e
144 where
145 salary > (select avg(salary) from employees where department_id=e.department_id)
146 and
147 salary < (select avg(salary) from employees);
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

|   | id   | name    | salary   | department_id |
|---|------|---------|----------|---------------|
| ▶ | 107  | Vignesh | 40000.00 | 4             |
| * | NULL | NULL    | NULL     | NULL          |

26.

Display employees earning below their department average.

```

149 • select * from employees e
150 where
151 salary < (select avg(salary) from employees where department_id=e.department_id);

```

| Result Grid | Filter Rows: | Edit:    | Export/Import: | Wrap Cell Content: |
|-------------|--------------|----------|----------------|--------------------|
| id          | name         | salary   | department_id  |                    |
| 102         | Akhila       | 68000.00 | 2              |                    |
| 103         | Sushma       | 65000.00 | 1              |                    |
| 106         | Babu         | 35000.00 | 4              |                    |
| 110         | Pavan        | 82000.00 | 3              |                    |
| NULL        | NULL         | NULL     | NULL           |                    |

27.

Display employees whose salary is equal to the maximum salary in their department.

```

154 • select * from employees e
155 where
156 salary = (select max(salary) from employees where department_id=e.department_id);

```

| Result Grid | Filter Rows: | Edit:    | Export/Import: | Wrap Cell Content: |
|-------------|--------------|----------|----------------|--------------------|
| id          | name         | salary   | department_id  |                    |
| 105         | Kalyan       | 85000.00 | 3              |                    |
| 107         | Vignesh      | 40000.00 | 4              |                    |
| 108         | Siddhu       | 81000.00 | 2              |                    |
| 109         | Bob          | 90000.00 | 1              |                    |
| NULL        | NULL         | NULL     | NULL           |                    |

28.

Display employees whose salary is equal to the minimum salary in their department.

```

158 • select * from employees e
159 where
160 salary = (select min(salary) from employees where department_id = e.department_id);

```

| Result Grid | Filter Rows: | Edit:    | Export/Import: | Wrap Cell Content: |
|-------------|--------------|----------|----------------|--------------------|
| id          | name         | salary   | department_id  |                    |
| 102         | Akhila       | 68000.00 | 2              |                    |
| 103         | Sushma       | 65000.00 | 1              |                    |
| 106         | Babu         | 35000.00 | 4              |                    |
| 110         | Pavan        | 82000.00 | 3              |                    |
| NULL        | NULL         | NULL     | NULL           |                    |

29.

Display employees whose salary is greater than every other employee in their own department.

```
162 • select * from employees e
163 where
164 salary = (select max(salary) from employees where department_id = e.department_id);
165
```

|   | id   | name    | salary   | department_id |
|---|------|---------|----------|---------------|
| ▶ | 105  | Kalyan  | 85000.00 | 3             |
|   | 107  | Vignesh | 40000.00 | 4             |
|   | 108  | Siddhu  | 81000.00 | 2             |
|   | 109  | Bob     | 90000.00 | 1             |
| * | NULL | NULL    | NULL     | NULL          |

30.

Display employees whose salary is less than every other employee in their own department.

```
166 • select * from employees e
167 where
168 salary = (select min(salary) from employees where department_id = e.department_id);
169
```

|   | id   | name   | salary   | department_id |
|---|------|--------|----------|---------------|
| ▶ | 102  | Akhila | 68000.00 | 2             |
|   | 103  | Sushma | 65000.00 | 1             |
|   | 106  | Babu   | 35000.00 | 4             |
|   | 110  | Pavan  | 82000.00 | 3             |
| * | NULL | NULL   | NULL     | NULL          |

## All queries

```
create database TechNova_solutions;
```

```
use technova_solutions;
```

```
create table departments(
```

```
id int primary key,
```

```
department_name varchar(50),
```

```
location varchar(50));
```

```
create table employees(
```

```
id int primary key,
```



```
name varchar(50),
salary decimal(10,2),
department_id int,
foreign key(department_id) references departments(id)
);
```

```
insert into departments values
(1,'Engineering','Hyderabad'),
(2,'Sales','Bangalore'),
(3,'HR','Hyderabad'),
(4,'Finance','Chennai')
;
```

```
insert into employees values
(101,'Dinesh',80000,1),
(102,'Akhila',68000,2),
(103,'Sushma',65000,1),
(104,'Anitha',75000,2),
(105,'Kalyan',85000,3),
(106,'Babu',35000,4),
(107,'Vignesh',40000,4),
(108,'Siddhu',81000,2),
(109,'Bob',90000,1),
(110,'Pavan',82000,3)
;
```

```
select * from employees;
```

```
select* from employees
where
```

```
salary > (select avg(salary) from employees);
```

```
select * from employees
```

```
where
```

```
salary = (select max(salary) from employees);
```

```
select * from employees
```

```
where
```

```
salary = (select min(salary) from employees);
```

```
select * from employees
```

```
where
```

```
salary > (select min(salary) from employees);
```

```
select * from employees
```

```
where
```

```
salary < (select max(salary) from employees);
```

```
select * from employees
```

```
where
```

```
salary=(select avg(salary) from employees);
```

```
select * from employees
```

```
where
```

```
salary>(select avg(salary) from employees) and salary < (select max(salary) from employees);
```

```
select * from employees
```

```
where
```

```
salary < (select avg(salary) from employees) and salary > (select min(salary) from employees);
```

```
select * from employees
```

where

salary=(select max(salary) from employees);

select \* from employees

where

salary=(select min(salary) from employees);

select \* from employees

where

department\_id in (select id from departments where location='Hyderabad');

select \* from employees

where

department\_id in (select id from departments where location = 'Bangalore');

select \* from employees

where

department\_id = (select id from departments where location = 'Chennai');

select \* from employees

where

department\_id in (select id from departments

where

department\_name='Engineering' or department\_name='Sales');

select \* from employees

where

department\_id in (select id from departments where id > 2);

select \* from employees

where

```
department_id in (select id from departments
where location = 'Hyderabad' or location = 'Chennai');
```

```
select * from employees
where
department_id in (select id from departments where department_name like 's%');
```

```
select * from employees
where
department_id in (select id from departments where
location != 'Bangalore');
```

```
select * from employees
where
department_id in (select id from departments where id < 3);
```

```
select * from employees
where
department_id in (select id from departments where location = 'Hyderabad');
```

```
select * from employees e
where
salary > (select avg(salary) from employees
where department_id = e.department_id);
```

```
select * from employees e
where
salary = (select max(salary) from employees where department_id = e.department_id);
```

```
select * from employees e
where
```

```
salary =(select min(salary) from employees where department_id=e.department_id);
```

```
select * from employees e
```

```
where
```

```
salary = (select avg(salary) from employees where department_id=e.department_id);
```

```
select * from employees e
```

```
where
```

```
salary > (select avg(salary) from employees where department_id=e.department_id)
```

```
and
```

```
salary < (select avg(salary) from employees);
```

```
select * from employees e
```

```
where
```

```
salary < (select avg(salary) from employees where department_id=e.department_id);
```

```
select * from employees e
```

```
where
```

```
salary = (select max(salary) from employees where department_id=e.department_id);
```

```
select * from employees e
```

```
where
```

```
salary = (select min(salary) from employees where department_id = e.department_id);
```

```
select * from employees e
```

```
where
```

```
salary = (select max(salary) from employees where department_id = e.department_id);
```

```
select * from employees e
```

```
where
```

```
salary = (select min(salary) from employees where department_id = e.department_id);
```