Status	Finished
Started	Tuesday, 20 October 2026, 2:24 PM
Completed	Tuesday, 20 October 2026, 2:41 PM
Duration	17 mins 27 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

a. readlines(1)
b. line()
c. readline() ✓
d. read(1)

The correct answer is: readline()

Question **2**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)
b. infile = open(“a.txt”, “r”) ✓
c. infile = open(file, “a.txt”, “r”)
d. infile = open(file = “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. r+ ✓
b. w
c. a
d. r

The correct answer is: r+

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. tell() ✓
b. position()
c. current()
d. locate()

The correct answer is: tell()

Question **5**

Incorrect

Mark 0.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open(file = “c:\\scores.txt”, “w”) ✗
b. outfile = open(file = “c:\scores.txt”, “w”)
c. outfile = open(“c:\scores.txt”, “w”)
d. outfile = open(“c:\\scores.txt”, “w”)

The correct answer is:
outfile = open(“c:\\scores.txt”, “w”)

Question **6**

Incorrect

Mark 0.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. 1 ✗
b. 0
c. garbage
d. null
e. 2

The correct answer is:
0

Question **7**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

- a. writelines() ✓
- b. write_all()
- c. write()
- d. write_list()

The correct answer is: writelines()

Question **8**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

- a. seek() ✓
- b. tell()
- c. fseek()
- d. ftell()

The correct answer is: seek()

Question **9**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

- a. read(size) ✓
- b. readline()
- c. readlines()
- d. readchar()

The correct answer is: read(size)

Question **10**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The access mode of the file
b. The buffer size for the file operations ✓
c. The encoding of the file
d. The file's read/write position

The correct answer is: The buffer size for the file operations

Question **11**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. An empty string ✓
b. None
c. EOFError
d. 0

The correct answer is: An empty string

Question **12**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓
False

The correct answer is 'True'.

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. finish()
b. end()
c. terminate()
d. close() ✓

The correct answer is: close()

Question **14**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. A new file is created
b. An error is raised ✓
c. An empty file object is returned
d. The operation is ignored

The correct answer is: An error is raised

Question **15**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Moves the file cursor to the beginning
b. Flushes the internal buffer to the file ✓
c. Closes the file
d. Deletes the file content

The correct answer is: Flushes the internal buffer to the file