```c
#include <stdio.h>

int main()
{
    int n;
    scanf("%d", &n);

    int counter = 0;

    int i = 1;
    counter++;

    int s = 1;
    counter++;

    while (s <= n)
    {
        counter++;

        i++;
        counter++;

        s += i;
        counter++;
    }

    counter++;

    printf("%d", counter);

    return 0;
}
```

	Input	Expected	Got	
✔	9	12	12	✔
✔	4	9	9	✔

Passed all tests! ✔

Activate Windows
Go to Settings to activate

```c
#include <stdio.h>

int main()
{
    int n;
    scanf("%d", &n);

    int counter = 0;

    counter++;

    if (n != 1)
    {
        counter++;

        for (int i = 1; i <= n; i++)
        {
            counter++;

            counter++;

            for (int j = 1; j <= n; j++)
            {
                counter++;

                counter++;
                break;
            }

            counter++;
        }


    }

    printf("%d", counter);

    return 0;
}
```

	Input	Expected	Got	
✔	2	12	12	✔
✔	1000	5002	5002	✔
✔	143	717	717	✔

Passed all tests! ✔

```c
#include <stdio.h>

int main()
{
    int num;
    scanf("%d", &num);

    int counter = 0;

    //counter++;

    for (int i = 1; i <= num; i++)
    {
        counter++;
        counter++;
        if (num % i == 0)
        {


            counter++;
        }


    }

    counter++;

    printf("%d", counter);

    return 0;
}
```

	Input	Expected	Got	
✔	12	31	31	✔
✔	25	54	54	✔
✔	4	12	12	✔

Passed all tests! ✔

```c
#include <stdio.h>
int main()
{
    int n;
    scanf("%d", &n);
    int c = 0;
    c++;
    for (int i = n / 2; i < n; i++)
    {
        c++;
        for (int j = 1; j < n; j = 2 * j)
        {
            c++;
            for (int k = 1; k < n; k = k * 2)
            {
                c++;
                c++;
            }
            c++;
        }
        c++;
    }
    c++;
    printf("%d", c);
    return 0;
}
```

	Input	Expected	Got	
✔	4	30	30	✔
✔	10	212	212	✔

Passed all tests! ✔

```c
#include <stdio.h>

int main()
{
    int n, rev = 0, rem;
    int counter = 0;

    scanf("%d", &n);

    counter++;

    while (n != 0)
    {
        counter++;
        rem = n % 10;

        counter++;
        rev = rev * 10 + rem;

        counter++;
        n = n / 10;

        counter++;
    }

    counter+=2;

    printf("%d", counter);

    return 0;
}
```

	Input	Expected	Got	
✔	12	11	11	✔
✔	1234	19	19	✔

Passed all tests! ✔