

# MYSQL DATE AND TIME FUNCTIONS

<http://www.tutorialspoint.com/mysql/mysql-date-time-functions.htm>

Copyright © tutorialspoint.com

Name	Description
<a href="#"><u>ADDDATE()</u></a>	Add dates
<a href="#"><u>ADDTIME()</u></a>	Add time
<a href="#"><u>CONVERT TZ()</u></a>	Convert from one timezone to another
<a href="#"><u>CURDATE()</u></a>	Return the current date
<a href="#"><u>CURRENT_DATE()</u></a> , <a href="#"><u>CURRENT_DATE</u></a>	Synonyms for CURDATE()
<a href="#"><u>CURRENT_TIME()</u></a> , <a href="#"><u>CURRENT_TIME</u></a>	Synonyms for CURTIME()
<a href="#"><u>CURRENT_TIMESTAMP()</u></a> , <a href="#"><u>CURRENT_TIMESTAMP</u></a>	Synonyms for NOW()
<a href="#"><u>CURTIME()</u></a>	Return the current time
<a href="#"><u>DATE_ADD()</u></a>	Add two dates
<a href="#"><u>DATE_FORMAT()</u></a>	Format date as specified
<a href="#"><u>DATE_SUB()</u></a>	Subtract two dates
<a href="#"><u>DATE()</u></a>	Extract the date part of a date or datetime expression
<a href="#"><u>DATEDIFF()</u></a>	Subtract two dates
<a href="#"><u>DAY()</u></a>	Synonym for DAYOFMONTH()
<a href="#"><u>DAYNAME()</u></a>	Return the name of the weekday
<a href="#"><u>DAYOFMONTH()</u></a>	Return the day of the month (1-31)
<a href="#"><u>DAYOFWEEK()</u></a>	Return the weekday index of the argument
<a href="#"><u>DAYOFYEAR()</u></a>	Return the day of the year (1-366)
<a href="#"><u>EXTRACT</u></a>	Extract part of a date
<a href="#"><u>FROM_DAYS()</u></a>	Convert a day number to a date
<a href="#"><u>FROM_UNIXTIME()</u></a>	Format date as a UNIX timestamp
<a href="#"><u> HOUR()</u></a>	Extract the hour
<a href="#"><u>LAST_DAY</u></a>	Return the last day of the month for the argument
<a href="#"><u>LOCALTIME()</u></a> , <a href="#"><u>LOCALTIME</u></a>	Synonym for NOW()

<a href="#"><u>LOCALTIMESTAMP, LOCALTIMESTAMP()</u></a>	Synonym for NOW()
<a href="#"><u>MAKEDATE()</u></a>	Create a date from the year and day of year
<a href="#"><u>MAKETIME</u></a>	MAKETIME()
<a href="#"><u>MICROSECOND()</u></a>	Return the microseconds from argument
<a href="#"><u>MINUTE()</u></a>	Return the minute from the argument
<a href="#"><u>MONTH()</u></a>	Return the month from the date passed
<a href="#"><u>MONTHNAME()</u></a>	Return the name of the month
<a href="#"><u>NOW()</u></a>	Return the current date and time
<a href="#"><u>PERIOD_ADD()</u></a>	Add a period to a year-month
<a href="#"><u>PERIOD_DIFF()</u></a>	Return the number of months between periods
<a href="#"><u>QUARTER()</u></a>	Return the quarter from a date argument
<a href="#"><u>SEC_TO_TIME()</u></a>	Converts seconds to 'HH:MM:SS' format
<a href="#"><u>SECOND()</u></a>	Return the second (0-59)
<a href="#"><u>STR_TO_DATE()</u></a>	Convert a string to a date
<a href="#"><u>SUBDATE()</u></a>	When invoked with three arguments a synonym for DATE_SUB()
<a href="#"><u>SUBTIME()</u></a>	Subtract times
<a href="#"><u>SYSDATE()</u></a>	Return the time at which the function executes
<a href="#"><u>TIME_FORMAT()</u></a>	Format as time
<a href="#"><u>TIME_TO_SEC()</u></a>	Return the argument converted to seconds
<a href="#"><u>TIME()</u></a>	Extract the time portion of the expression passed
<a href="#"><u>TIMEDIFF()</u></a>	Subtract time
<a href="#"><u>TIMESTAMP()</u></a>	With a single argument, this function returns the date or datetime expression. With two arguments, the sum of the arguments
<a href="#"><u>TIMESTAMPADD()</u></a>	Add an interval to a datetime expression
<a href="#"><u>TIMESTAMPDIFF()</u></a>	Subtract an interval from a datetime expression
<a href="#"><u>TO_DAYS()</u></a>	Return the date argument converted to days
<a href="#"><u>UNIX_TIMESTAMP()</u></a>	Return a UNIX timestamp
<a href="#"><u>UTC_DATE()</u></a>	Return the current UTC date
<a href="#"><u>UTC_TIME()</u></a>	Return the current UTC time
<a href="#"><u>UTC_TIMESTAMP()</u></a>	Return the current UTC date and time

<a href="#"><u>WEEK()</u></a>	Return the week number
<a href="#"><u>WEEKDAY()</u></a>	Return the weekday index
<a href="#"><u>WEEKOFYEAR()</u></a>	Return the calendar week of the date (1-53)
<a href="#"><u>YEAR()</u></a>	Return the year
<a href="#"><u>YEARWEEK()</u></a>	Return the year and week

## ADDDATE(date,INTERVAL expr unit), ADDDATE(expr,days)

When invoked with the INTERVAL form of the second argument, ADDDATE() is a synonym for DATE\_ADD(). The related function SUBDATE() is a synonym for DATE\_SUB(). For information on the INTERVAL unit argument, see the discussion for DATE\_ADD().

```
mysql> SELECT DATE_ADD('1998-01-02', INTERVAL 31 DAY);
+-----+
| DATE_ADD('1998-01-02', INTERVAL 31 DAY) |
+-----+
| 1998-02-02                               |
+-----+
1 row in set (0.00 sec)

mysql> SELECT ADDDATE('1998-01-02', INTERVAL 31 DAY);
+-----+
| ADDDATE('1998-01-02', INTERVAL 31 DAY) |
+-----+
| 1998-02-02                               |
+-----+
1 row in set (0.00 sec)
```

When invoked with the days form of the second argument, MySQL treats it as an integer number of days to be added to expr.

```
mysql> SELECT ADDDATE('1998-01-02', 31);
+-----+
| DATE_ADD('1998-01-02', INTERVAL 31 DAY) |
+-----+
| 1998-02-02                               |
+-----+
1 row in set (0.00 sec)
```

## ADDTIME(expr1,expr2)

ADDTIME() adds expr2 to expr1 and returns the result. expr1 is a time or datetime expression, and expr2 is a time expression.

```
mysql> SELECT ADDTIME('1997-12-31 23:59:59.999999', '1 1:1:1.000002');
+-----+
| DATE_ADD('1997-12-31 23:59:59.999999', '1 1:1:1.000002') |
+-----+
| 1998-01-02 01:01:01.000001                               |
+-----+
1 row in set (0.00 sec)
```

## CONVERT\_TZ(dt,from\_tz,to\_tz)

This converts a datetime value dt from the time zone given by from\_tz to the time zone given by to\_tz and returns the resulting value. This function returns NULL if the arguments are invalid.

```
mysql> SELECT CONVERT_TZ('2004-01-01 12:00:00','GMT','MET');
+-----+
| CONVERT_TZ('2004-01-01 12:00:00','GMT','MET') |
+-----+
| 2004-01-01 13:00:00 |
+-----+
1 row in set (0.00 sec)

mysql> SELECT CONVERT_TZ('2004-01-01 12:00:00','+00:00','+10:00');
+-----+
| CONVERT_TZ('2004-01-01 12:00:00','+00:00','+10:00') |
+-----+
| 2004-01-01 22:00:00 |
+-----+
1 row in set (0.00 sec)
```

## CURDATE()

Returns the current date as a value in 'YYYY-MM-DD' or YYYYMMDD format, depending on whether the function is used in a string or numeric context.

```
mysql> SELECT CURDATE();
+-----+
| CURDATE() |
+-----+
| 1997-12-15 |
+-----+
1 row in set (0.00 sec)

mysql> SELECT CURDATE() + 0;
+-----+
| CURDATE() + 0 |
+-----+
| 19971215 |
+-----+
1 row in set (0.00 sec)
```

## CURRENT\_DATE and CURRENT\_DATE()

CURRENT\_DATE and CURRENT\_DATE() are synonyms for CURDATE()

## CURTIME()

Returns the current time as a value in 'HH:MM:SS' or HHMMSS format, depending on whether the function is used in a string or numeric context. The value is expressed in the current time zone.

```
mysql> SELECT CURTIME();
+-----+
| CURTIME() |
+-----+
| 23:50:26 |
+-----+
1 row in set (0.00 sec)

mysql> SELECT CURTIME() + 0;
+-----+
| CURTIME() + 0 |
+-----+
| 235026 |
+-----+
1 row in set (0.00 sec)
```

## CURRENT\_TIME and CURRENT\_TIME()

CURRENT\_TIME and CURRENT\_TIME() are synonyms for CURTIME().

## CURRENT\_TIMESTAMP and CURRENT\_TIMESTAMP()

CURRENT\_TIMESTAMP and CURRENT\_TIMESTAMP() are synonyms for NOW().

## DATE(expr)

Extracts the date part of the date or datetime expression expr.

```
mysql> SELECT DATE('2003-12-31 01:02:03');
+-----+
| DATE('2003-12-31 01:02:03') |
+-----+
| 2003-12-31 |
+-----+
1 row in set (0.00 sec)
```

## DATEDIFF(expr1,expr2)

DATEDIFF() returns expr1 . expr2 expressed as a value in days from one date to the other. expr1 and expr2 are date or date-and-time expressions. Only the date parts of the values are used in the calculation.

```
mysql> SELECT DATEDIFF('1997-12-31 23:59:59','1997-12-30');
+-----+
| DATEDIFF('1997-12-31 23:59:59','1997-12-30') |
+-----+
| 1 |
+-----+
1 row in set (0.00 sec)
```

## DATE\_ADD(date,INTERVAL expr unit), DATE\_SUB(date,INTERVAL expr unit)

These functions perform date arithmetic. date is a DATETIME or DATE value specifying the starting date. expr is an expression specifying the interval value to be added or subtracted from the starting date. expr is a string; it may start with a -. for negative intervals. unit is a keyword indicating the units in which the expression should be interpreted.

The INTERVAL keyword and the unit specifier are not case sensitive.

The following table shows the expected form of the expr argument for each unit value;

unit Value	ExpectedexprFormat
MICROSECOND	MICROSECONDS
SECOND	SECONDS
MINUTE	MINUTES
HOUR	HOURS
DAY	DAYS
WEEK	WEEKS
MONTH	MONTHS
QUARTER	QUARTERS
YEAR	YEARS

SECOND_MICROSECOND	'SECONDS.MICROSECONDS'
MINUTE_MICROSECOND	'MINUTES.MICROSECONDS'
MINUTE_SECOND	'MINUTES:SECONDS'
HOUR_MICROSECOND	'HOURS.MICROSECONDS'
HOUR_SECOND	'HOURS:MINUTES:SECONDS'
HOUR_MINUTE	'HOURS:MINUTES'
DAY_MICROSECOND	'DAYS.MICROSECONDS'
DAY_SECOND	'DAYS HOURS:MINUTES:SECONDS'
DAY_MINUTE	'DAYS HOURS:MINUTES'
DAY_HOUR	'DAYS HOURS'
YEAR_MONTH	'YEARS-MONTHS'

The values QUARTER and WEEK are available beginning with MySQL 5.0.0.

```
mysql> SELECT DATE_ADD('1997-12-31 23:59:59',
-> INTERVAL '1:1' MINUTE_SECOND);
+-----+
| DATE_ADD('1997-12-31 23:59:59', INTERVAL... |
+-----+
| 1998-01-01 00:01:00 |
+-----+
1 row in set (0.00 sec)

mysql> SELECT DATE_ADD('1999-01-01', INTERVAL 1 HOUR);
+-----+
| DATE_ADD('1999-01-01', INTERVAL 1 HOUR) |
+-----+
| 1999-01-01 01:00:00 |
+-----+
1 row in set (0.00 sec)
```

## DATE\_FORMAT(date,format)

Formats the date value according to the format string.

The following specifiers may be used in the format string. The .%. character is required before format specifier characters.

Specifier	Description
%a	Abbreviated weekday name (Sun..Sat)
%b	Abbreviated month name (Jan..Dec)
%c	Month, numeric (0..12)
%D	Day of the month with English suffix (0th, 1st, 2nd, 3rd, .)

%d	Day of the month, numeric (00..31)
%e	Day of the month, numeric (0..31)
%f	Microseconds (000000..999999)
%H	Hour (00..23)
%h	Hour (01..12)
%I	Hour (01..12)
%i	Minutes, numeric (00..59)
%j	Day of year (001..366)
%k	Hour (0..23)
%l	Hour (1..12)
%M	Month name (January..December)
%m	Month, numeric (00..12)
%p	AM or PM
%r	Time, 12-hour (hh:mm:ss followed by AM or PM)
%S	Seconds (00..59)
%s	Seconds (00..59)
%T	Time, 24-hour (hh:mm:ss)
%U	Week (00..53), where Sunday is the first day of the week
%u	Week (00..53), where Monday is the first day of the week
%V	Week (01..53), where Sunday is the first day of the week; used with %X
%v	Week (01..53), where Monday is the first day of the week; used with %x
%W	Weekday name (Sunday..Saturday)
%w	Day of the week (0=Sunday..6=Saturday)
%X	Year for the week where Sunday is the first day of the week, numeric, four digits; used with %V
%x	Year for the week, where Monday is the first day of the week, numeric, four digits; used with %v
%Y	Year, numeric, four digits
%y	Year, numeric (two digits)
%%	A literal .%. character
%x	x, for any.x. not listed above

```
mysql> SELECT DATE_FORMAT('1997-10-04 22:23:00', '%W %M %Y');
+-----+
| DATE_FORMAT('1997-10-04 22:23:00', '%W %M %Y') |
+-----+
| Saturday October 1997 |
+-----+
1 row in set (0.00 sec)

mysql> SELECT DATE_FORMAT('1997-10-04 22:23:00'
-> '%H %k %I %r %T %S %w');
+-----+
| DATE_FORMAT('1997-10-04 22:23:00..... |
+-----+
| 22 22 10 10:23:00 PM 22:23:00 00 6 |
+-----+
1 row in set (0.00 sec)
```

## DATE\_SUB(date,INTERVAL expr unit)

This is similar to DATE\_ADD() function.

## DAY(date)

DAY() is a synonym for DAYOFMONTH().

## DAYNAME(date)

Returns the name of the weekday for date.

```
mysql> SELECT DAYNAME('1998-02-05');
+-----+
| DAYNAME('1998-02-05') |
+-----+
| Thursday |
+-----+
1 row in set (0.00 sec)
```

## DAYOFMONTH(date)

Returns the day of the month for date, in the range 0 to 31.

```
mysql> SELECT DAYOFMONTH('1998-02-03');
+-----+
| DAYOFMONTH('1998-02-03') |
+-----+
| 3 |
+-----+
1 row in set (0.00 sec)
```

## DAYOFWEEK(date)

Returns the weekday index for date (1 = Sunday, 2 = Monday, .., 7 = Saturday). These index values correspond to the ODBC standard.

```
mysql> SELECT DAYOFWEEK('1998-02-03');
+-----+
| DAYOFWEEK('1998-02-03') |
+-----+
| 3 |
+-----+
1 row in set (0.00 sec)
```



## DAYOFYEAR(date)

Returns the day of the year for date, in the range 1 to 366.

```
mysql> SELECT DAYOFYEAR('1998-02-03');
+-----+
| DAYOFYEAR('1998-02-03') |
+-----+
| 34                       |
+-----+
1 row in set (0.00 sec)
```

## EXTRACT(unit FROM date)

The EXTRACT() function uses the same kinds of unit specifiers as DATE\_ADD() or DATE\_SUB(), but extracts parts from the date rather than performing date arithmetic.

```
mysql> SELECT EXTRACT(YEAR FROM '1999-07-02');
+-----+
| EXTRACT(YEAR FROM '1999-07-02') |
+-----+
| 1999                             |
+-----+
1 row in set (0.00 sec)

mysql> SELECT EXTRACT(YEAR_MONTH FROM '1999-07-02 01:02:03');
+-----+
| EXTRACT(YEAR_MONTH FROM '1999-07-02 01:02:03') |
+-----+
| 199907                                           |
+-----+
1 row in set (0.00 sec)
```

## FROM\_DAYS(N)

Given a day number N, returns a DATE value.

```
mysql> SELECT FROM_DAYS(729669);
+-----+
| FROM_DAYS(729669) |
+-----+
| 1997-10-07        |
+-----+
1 row in set (0.00 sec)
```

Use FROM\_DAYS() with caution on old dates. It is not intended for use with values that precede the advent of the Gregorian calendar (1582).

## FROM\_UNIXTIME(unix\_timestamp)

### FROM\_UNIXTIME(unix\_timestamp,format)

Returns a representation of the unix\_timestamp argument as a value in 'YYYY-MM-DD HH:MM:SS' or YYYYMMDDHHMMSS format, depending on whether the function is used in a string or numeric context. The value is expressed in the current time zone. unix\_timestamp is an internal timestamp value such as is produced by the UNIX\_TIMESTAMP() function.

If format is given, the result is formatted according to the format string, which is used the same way as listed in the entry for the DATE\_FORMAT() function.

```
mysql> SELECT FROM_UNIXTIME(875996580);
+-----+
```

```
| FROM_UNIXTIME(875996580) |
+-----+
| 1997-10-04 22:23:00 |
+-----+
1 row in set (0.00 sec)
```

## **HOUR(time)**

Returns the hour for time. The range of the return value is 0 to 23 for time-of-day values. However, the range of TIME values actually is much larger, so HOUR can return values greater than 23.

```
mysql> SELECT HOUR('10:05:03');
+-----+
| HOUR('10:05:03') |
+-----+
| 10 |
+-----+
1 row in set (0.00 sec)
```

## **LAST\_DAY(date)**

Takes a date or datetime value and returns the corresponding value for the last day of the month. Returns NULL if the argument is invalid.

```
mysql> SELECT LAST_DAY('2003-02-05');
+-----+
| LAST_DAY('2003-02-05') |
+-----+
| 2003-02-28 |
+-----+
1 row in set (0.00 sec)
```

## **LOCALTIME and LOCALTIME()**

LOCALTIME and LOCALTIME() are synonyms for NOW().

## **LOCALTIMESTAMP and LOCALTIMESTAMP()**

LOCALTIMESTAMP and LOCALTIMESTAMP() are synonyms for NOW().

## **MAKEDATE(year,dayofyear)**

Returns a date, given year and day-of-year values. dayofyear must be greater than 0 or the result is NULL.

```
mysql> SELECT MAKEDATE(2001,31), MAKEDATE(2001,32);
+-----+
| MAKEDATE(2001,31), MAKEDATE(2001,32) |
+-----+
| '2001-01-31', '2001-02-01' |
+-----+
1 row in set (0.00 sec)
```

## **MAKETIME(hour,minute,second)**

Returns a time value calculated from the hour, minute, and second arguments.

```
mysql> SELECT MAKETIME(12,15,30);
+-----+
| MAKETIME(12,15,30) |
+-----+
| '12:15:30' |
+-----+
```

```
1 row in set (0.00 sec)
```

## MICROSECOND(expr)

Returns the microseconds from the time or datetime expression `expr` as a number in the range from 0 to 999999.

```
mysql> SELECT MICROSECOND('12:00:00.123456');
+-----+
| MICROSECOND('12:00:00.123456') |
+-----+
| 123456 |
+-----+
1 row in set (0.00 sec)
```

## MINUTE(time)

Returns the minute for time, in the range 0 to 59.

```
mysql> SELECT MINUTE('98-02-03 10:05:03');
+-----+
| MINUTE('98-02-03 10:05:03') |
+-----+
| 5 |
+-----+
1 row in set (0.00 sec)
```

## MONTH(date)

Returns the month for date, in the range 0 to 12.

```
mysql> SELECT MONTH('1998-02-03')
+-----+
| MONTH('1998-02-03') |
+-----+
| 2 |
+-----+
1 row in set (0.00 sec)
```

## MONTHNAME(date)

Returns the full name of the month for date.

```
mysql> SELECT MONTHNAME('1998-02-05');
+-----+
| MONTHNAME('1998-02-05') |
+-----+
| February |
+-----+
1 row in set (0.00 sec)
```

## NOW()

Returns the current date and time as a value in 'YYYY-MM-DD HH:MM:SS' or 'YYYYMMDDHHMMSS' format, depending on whether the function is used in a string or numeric context. The value is expressed in the current time zone.

```
mysql> SELECT NOW();
+-----+
| NOW() |
+-----+
| 1997-12-15 23:50:26 |
+-----+
```

```
1 row in set (0.00 sec)
```

## PERIOD\_ADD(P,N)

Adds N months to period P (in the format YYMM or YYYYMM). Returns a value in the format YYYYMM. Note that the period argument P is not a date value.

```
mysql> SELECT PERIOD_ADD(9801,2);
+-----+
| PERIOD_ADD(9801,2) |
+-----+
| 199803              |
+-----+
1 row in set (0.00 sec)
```

## PERIOD\_DIFF(P1,P2)

Returns the number of months between periods P1 and P2. P1 and P2 should be in the format YYMM or YYYYMM. Note that the period arguments P1 and P2 are not date values.

```
mysql> SELECT PERIOD_DIFF(9802,199703);
+-----+
| PERIOD_DIFF(9802,199703) |
+-----+
| 11                        |
+-----+
1 row in set (0.00 sec)
```

## QUARTER(date)

Returns the quarter of the year for date, in the range 1 to 4.

```
mysql> SELECT QUARTER('98-04-01');
+-----+
| QUARTER('98-04-01') |
+-----+
| 2                   |
+-----+
1 row in set (0.00 sec)
```

## SECOND(time)

Returns the second for time, in the range 0 to 59.

```
mysql> SELECT SECOND('10:05:03');
+-----+
| SECOND('10:05:03') |
+-----+
| 3                  |
+-----+
1 row in set (0.00 sec)
```

## SEC\_TO\_TIME(seconds)

Returns the seconds argument, converted to hours, minutes, and seconds, as a value in 'HH:MM:SS' or HHMMSS format, depending on whether the function is used in a string or numeric context.

```
mysql> SELECT SEC_TO_TIME(2378);
+-----+
| SEC_TO_TIME(2378) |
+-----+
| 00:39:38          |
+-----+
```

```
+-----+
1 row in set (0.00 sec)
```

## STR\_TO\_DATE(str,format)

This is the inverse of the DATE\_FORMAT() function. It takes a string str and a format string format. STR\_TO\_DATE() returns a DATETIME value if the format string contains both date and time parts, or a DATE or TIME value if the string contains only date or time parts.

```
mysql> SELECT STR_TO_DATE('04/31/2004', '%m/%d/%Y');
+-----+
| STR_TO_DATE('04/31/2004', '%m/%d/%Y') |
+-----+
| 2004-04-31 |
+-----+
1 row in set (0.00 sec)
```

## SUBDATE(date,INTERVAL expr unit) and SUBDATE(expr,days)

When invoked with the INTERVAL form of the second argument, SUBDATE() is a synonym for DATE\_SUB(). For information on the INTERVAL unit argument, see the discussion for DATE\_ADD().

```
mysql> SELECT DATE_SUB('1998-01-02', INTERVAL 31 DAY);
+-----+
| DATE_SUB('1998-01-02', INTERVAL 31 DAY) |
+-----+
| 1997-12-02 |
+-----+
1 row in set (0.00 sec)

mysql> SELECT SUBDATE('1998-01-02', INTERVAL 31 DAY);
+-----+
| SUBDATE('1998-01-02', INTERVAL 31 DAY) |
+-----+
| 1997-12-02 |
+-----+
1 row in set (0.00 sec)
```

## SUBTIME(expr1,expr2)

SUBTIME() returns expr1 . expr2 expressed as a value in the same format as expr1. expr1 is a time or datetime expression, and expr2 is a time.

```
mysql> SELECT SUBTIME('1997-12-31 23:59:59.999999',
-> '1 1:1:1.000002');
+-----+
| SUBTIME('1997-12-31 23:59:59.999999'... |
+-----+
| 1997-12-30 22:58:58.999997 |
+-----+
1 row in set (0.00 sec)
```

## SYSDATE()

Returns the current date and time as a value in 'YYYY-MM-DD HH:MM:SS' or YYYYMMDDHHMMSS format, depending on whether the function is used in a string or numeric context.

```
mysql> SELECT SYSDATE();
+-----+
| SYSDATE() |
+-----+
| 2006-04-12 13:47:44 |
+-----+
```

```
1 row in set (0.00 sec)
```

## TIME(expr)

Extracts the time part of the time or datetime expression `expr` and returns it as a string.

```
mysql> SELECT TIME('2003-12-31 01:02:03');
+-----+
| TIME('2003-12-31 01:02:03') |
+-----+
| 01:02:03                     |
+-----+
1 row in set (0.00 sec)
```

## TIMEDIFF(expr1,expr2)

`TIMEDIFF()` returns `expr1 . expr2` expressed as a time value. `expr1` and `expr2` are time or date-and-time expressions, but both must be of the same type.

```
mysql> SELECT TIMEDIFF('1997-12-31 23:59:59.000001',
-> '1997-12-30 01:01:01.000002');
+-----+
| TIMEDIFF('1997-12-31 23:59:59.000001'..... |
+-----+
| 46:58:57.999999                             |
+-----+
1 row in set (0.00 sec)
```

## TIMESTAMP(expr), TIMESTAMP(expr1,expr2)

With a single argument, this function returns the date or datetime expression `expr` as a datetime value. With two arguments, it adds the time expression `expr2` to the date or datetime expression `expr1` and returns the result as a datetime value.

```
mysql> SELECT TIMESTAMP('2003-12-31');
+-----+
| TIMESTAMP('2003-12-31') |
+-----+
| 2003-12-31 00:00:00      |
+-----+
1 row in set (0.00 sec)
```

## TIMESTAMPADD(unit,interval,datetime\_expr)

Adds the integer expression `interval` to the date or datetime expression `datetime_expr`. The unit for interval is given by the `unit` argument, which should be one of the following values: `FRAC_SECOND`, `SECOND`, `MINUTE`, `HOUR`, `DAY`, `WEEK`, `MONTH`, `QUARTER`, or `YEAR`.

The unit value may be specified using one of keywords as shown, or with a prefix of `SQL_TSI_`. For example, `DAY` and `SQL_TSI_DAY` both are legal.

```
mysql> SELECT TIMESTAMPADD(MINUTE,1,'2003-01-02');
+-----+
| TIMESTAMPADD(MINUTE,1,'2003-01-02') |
+-----+
| 2003-01-02 00:01:00                 |
+-----+
1 row in set (0.00 sec)
```

## TIMESTAMPDIFF(unit,datetime\_expr1,datetime\_expr2)

Returns the integer difference between the date or datetime expressions `datetime_expr1` and `datetime_expr2`. The unit for the result is given by the `unit` argument. The legal values for `unit` are the same as those listed in the description of the `TIMESTAMPADD()` function.

```
mysql> SELECT TIMESTAMPDIFF(MONTH, '2003-02-01', '2003-05-01');
+-----+
| TIMESTAMPDIFF(MONTH, '2003-02-01', '2003-05-01') |
+-----+
| 3 |
+-----+
1 row in set (0.00 sec)
```

## TIME\_FORMAT(time,format)

This is used like the `DATE_FORMAT()` function, but the format string may contain format specifiers only for hours, minutes, and seconds.

If the time value contains an hour part that is greater than 23, the `%H` and `%k` hour format specifiers produce a value larger than the usual range of 0..23. The other hour format specifiers produce the hour value modulo 12.

```
mysql> SELECT TIME_FORMAT('100:00:00', '%H %k %h %I %l');
+-----+
| TIME_FORMAT('100:00:00', '%H %k %h %I %l') |
+-----+
| 100 100 04 04 4 |
+-----+
1 row in set (0.00 sec)
```

## TIME\_TO\_SEC(time)

Returns the time argument, converted to seconds.

```
mysql> SELECT TIME_TO_SEC('22:23:00');
+-----+
| TIME_TO_SEC('22:23:00') |
+-----+
| 80580 |
+-----+
1 row in set (0.00 sec)
```

## TO\_DAYS(date)

Given a date `date`, returns a day number (the number of days since year 0).

```
mysql> SELECT TO_DAYS(950501);
+-----+
| TO_DAYS(950501) |
+-----+
| 728779 |
+-----+
1 row in set (0.00 sec)
```

## UNIX\_TIMESTAMP(), UNIX\_TIMESTAMP(date)

If called with no argument, returns a Unix timestamp (seconds since '1970-01-01 00:00:00' UTC) as an unsigned integer. If `UNIX_TIMESTAMP()` is called with a date argument, it returns the value of the argument as seconds since '1970-01-01 00:00:00' UTC. `date` may be a `DATE` string, a `DATETIME` string, a `TIMESTAMP`, or a number in the format `YYMMDD` or `YYYYMMDD`.

```
mysql> SELECT UNIX_TIMESTAMP();
+-----+
```

```
| UNIX_TIMESTAMP() |
+-----+
| 882226357 |
+-----+
1 row in set (0.00 sec)

mysql> SELECT UNIX_TIMESTAMP('1997-10-04 22:23:00');
+-----+
| UNIX_TIMESTAMP('1997-10-04 22:23:00') |
+-----+
| 875996580 |
+-----+
1 row in set (0.00 sec)
```

## UTC\_DATE, UTC\_DATE()

Returns the current UTC date as a value in 'YYYY-MM-DD' or YYYYMMDD format, depending on whether the function is used in a string or numeric context.

```
mysql> SELECT UTC_DATE(), UTC_DATE() + 0;
+-----+
| UTC_DATE(), UTC_DATE() + 0 |
+-----+
| 2003-08-14, 20030814 |
+-----+
1 row in set (0.00 sec)
```

## UTC\_TIME, UTC\_TIME()

Returns the current UTC time as a value in 'HH:MM:SS' or HHMMSS format, depending on whether the function is used in a string or numeric context.

```
mysql> SELECT UTC_TIME(), UTC_TIME() + 0;
+-----+
| UTC_TIME(), UTC_TIME() + 0 |
+-----+
| 18:07:53, 180753 |
+-----+
1 row in set (0.00 sec)
```

## UTC\_TIMESTAMP, UTC\_TIMESTAMP()

Returns the current UTC date and time as a value in 'YYYY-MM-DD HH:MM:SS' or YYYYMMDDHHMMSS format, depending on whether the function is used in a string or numeric context.

```
mysql> SELECT UTC_TIMESTAMP(), UTC_TIMESTAMP() + 0;
+-----+
| UTC_TIMESTAMP(), UTC_TIMESTAMP() + 0 |
+-----+
| 2003-08-14 18:08:04, 20030814180804 |
+-----+
1 row in set (0.00 sec)
```

## WEEK(date[,mode])

This function returns the week number for date. The two-argument form of WEEK() allows you to specify whether the week starts on Sunday or Monday and whether the return value should be in the range from 0 to 53 or from 1 to 53. If the mode argument is omitted, the value of the default\_week\_format system variable is used

Mode	First Day of week	Range	Week 1 is the first week .



0	Sunday	0-53	with a Sunday in this year
1	Monday	0-53	with more than 3 days this year
2	Sunday	1-53	with a Sunday in this year
3	Monday	1-53	with more than 3 days this year
4	Sunday	0-53	with more than 3 days this year
5	Monday	0-53	with a Monday in this year
6	Sunday	1-53	with more than 3 days this year
7	Monday	1-53	with a Monday in this year

```
mysql> SELECT WEEK('1998-02-20');
+-----+
| WEEK('1998-02-20') |
+-----+
| 7 |
+-----+
1 row in set (0.00 sec)
```

## WEEKDAY(date)

Returns the weekday index for date (0 = Monday, 1 = Tuesday, . 6 = Sunday).

```
mysql> SELECT WEEKDAY('1998-02-03 22:23:00');
+-----+
| WEEKDAY('1998-02-03 22:23:00') |
+-----+
| 1 |
+-----+
1 row in set (0.00 sec)
```

## WEEKOFYEAR(date)

Returns the calendar week of the date as a number in the range from 1 to 53. WEEKOFYEAR() is a compatibility function that is equivalent to WEEK(date,3).

```
mysql> SELECT WEEKOFYEAR('1998-02-20');
+-----+
| WEEKOFYEAR('1998-02-20') |
+-----+
| 8 |
+-----+
1 row in set (0.00 sec)
```

## YEAR(date)

Returns the year for date, in the range 1000 to 9999, or 0 for the .zero. date.

```
mysql> SELECT YEAR('98-02-03');
+-----+
| YEAR('98-02-03') |
+-----+
| 1998 |
+-----+
1 row in set (0.00 sec)
```

---

## YEARWEEK(date), YEARWEEK(date,mode)

Returns year and week for a date. The mode argument works exactly like the mode argument to WEEK(). The year in the result may be different from the year in the date argument for the first and the last week of the year.

```
mysql> SELECT YEARWEEK('1987-01-01');
+-----+
| YEAR('98-02-03')YEARWEEK('1987-01-01') |
+-----+
| 198653 |
+-----+
1 row in set (0.00 sec)
```

Note that the week number is different from what the WEEK() function would return (0) for optional arguments 0 or 1, as WEEK() then returns the week in the context of the given year.

For more information check [MySQL Official Website - Date and Time Functions](#)