


Created Api collection for the Swagger Ai Agent



The collection contains these main feature groups:

1. Spec Management

- Import Swagger/OpenAPI from URL, file, or Git
- Validate specifications
- View spec metadata
- List operations
- List tags

2. Environment Management

- Create environments such as QA, development, or production
- List environments
- View environment details
- Update environment setting
- Delete environments

3. API Test Execution

- Plan test runs
- Run an existing plan
- Plan and run a complete specification
- View run status and reports
- Retry failed tests

4. Test Generation

- Generate Axios and Jest tests
- Include negative, authentication, and boundary tests
- Preview generated test suites


5. MCP Agent Tools

- List operations for the AI agent
- Plan agent-driven runs
- Execute individual API operations
- Generate Axios tests through MCP


6. LLM Features


- Build request payloads from schemas
- Use domain and locale hints
- Suggest additional tests with AI

UI For swagger Ai Agent implemented:





Specifications







Environments







Execution:






Test case Generation:







Phase 5 implemented




Phase 6



Phase 7




Phase 8 to 12





All the 12 phase implemented fro backend.

Specification



Implemented to show what is imported here in Ui



Swagger AI Agent > Spec > Get spec metadata

GET `{{baseUrl}}/spec/{{specId}}` Send

Params Authorization Headers 6 Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body Cookies Headers 8 Test Results 200 OK • 4 ms • 541 B Save Response

JSON Preview Visualize

```
1 {
2   "specId": "6a501401-c2ca-478f-bf2f-356b57122ec4",
3   "title": "Swagger Petstore - OpenAPI 3.0",
4   "version": "1.0.27",
5   "servers": [
6     {
7       "url": "/api/v3"
8     }
9   ],
10  "operationCount": 19,
11  "tags": [
12    {
13      "name": "pet",
14      "description": "Operations on the pet resource",
15      "externalDocs": {
16        "description": "Find more about this resource",
17        "url": "http://swagger.io"
18      }
19    }
20  ]
21 }
```

Open Folder Terminal Console Import Complete All systems are go!

Env

Swagger AI Agent > Environments > Create environment

POST `{{baseUrl}}/environment` Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

raw Text

```
1 {
2   "specId": "{{specId}}",
3   "name": "qa",
4   "baseUrl": "https://api.google.com",
5   "defaultHeaders": { "Accept": "application/json" },
6   "authConfig": {}
7 }
```

Body 201 Created • 5 ms • 489 B Save Response

JSON Preview Visualize

```
1 {
2   "id": "62c77776-9ca9-4d31-96bc-c7afb4fb1a8e",
3   "specId": "6a501401-c2ca-478f-bf2f-356b57122ec4",
4   "name": "qa",
5   "baseUrl": "https://api.example.com",
6   "defaultHeaders": {
7     "Accept": "application/json"
8   },
9   "auth": {},
10  "authConfig": {}
11 }
```

Execution

Swagger AI Agent > Execution > Plan run by tag

POST `{{baseUrl}}/execution/plan` Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

raw Text

```
1 {
2   "specId": "{{specId}}",
3   "envName": "qa",
4   "selection": {
5     "mode": "single",
6     "operationIds": ["getInventory"]
7   }
8 }
```

Body JSON Preview Visualize

201 Created • 4 ms • 419 B • Save Response

```
1 {
2   "runId": "f9c30a21-8988-498a-947b-495919f18101",
3   "specId": "cf8ce36c-c079-4ce7-8c64-2a0e808fc2f8",
4   "envName": "qa",
5   "operationCount": 1,
6   "testCount": 3
7 }
```

New Chat

Keep existing test assertions. The server returned a 500 which is a genuine API! leaving the assertion as the test is correctly identifying the request did not succeed.

Accept Decline

Think Harder

Add negative-case tests

Parameterize selection input

Align sibling requests to spec

Describe what you need context, / for Skills.

Auto

Testcase gen

Swagger AI Agent > Test Generation > Generate Axios + Jest tests

POST `{{baseUrl}}/testgen/generate-axios-tests` Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers 8 Test Results

200 OK • 4 ms • 576 B • Save Response

```
1 {
2   "specId": "cf8ce36c-c079-4ce7-8c64-2a0e808fc2f8",
3   "title": "Swagger Petstore - OpenAPI 3.0",
4   "testCases": [],
5   "code": "import axios from 'axios'\n\n// describe('Swagger Petstore - OpenAPI 3.0', () => {\n//   // Options: {\n//     'includeNegativeTests': true,\n//     'includeAuthTests': true,\n//     'includeBoundaryTests': true\n//   }\n// })",
6 }
```

Mcp agnet

knr chem's Workspace

Search

Invite Upgrade

Swagger AI Agent > MCP Agent Tools > List operations

Save Share

POST

{{baseUrl}}/mcp/swagger/list-operations

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body

200 OK • 3 ms • 2.58 KB

Save Response

JSON

Preview

Visualize

```
1 [
2   {
3     "operationId": "addPet",
4     "method": "POST",
5     "path": "/pet",
6     "tags": [
7       "pet"
8     ],
9     "summary": "Add a new pet to the store."
10  },
11  {
12    "operationId": "updatePet",
```