



Training Data / Converting HTML / DOM to JSONL – Framework selected – Java Playwright



Uploading the batch file from test leaf
E:\Supervised Fine Tuning



Html files uploaded and ready to download in jsonl format

The screenshot shows the 'JSONL Training Data Converter for Fine tuning LLM' web application. The interface is divided into two main sections: 'INPUT' and 'OUTPUT'.

INPUT Section:

- 1 SELECT FRAMEWORK & LANGUAGE:** This section allows users to select a framework and language. The 'PLAYWRIGHT' framework is selected for 'Java'.
- 2 PROMPT CONFIGURATION:** The 'DEFAULT' configuration is selected.
- 3 ADD TRAINING DATA:** This section includes a '+ Single Entry' button and a 'Batch Upload' button. A note states: 'Files need `===HTML===` at minimum. If the framework code marker/section is missing, code is auto-generated from the HTML using the currently selected framework's template. Turn on **Auto-download batch** in the **Downloads** tab if you also want the full JSONL saved automatically after processing.'

OUTPUT Section:


- Output:** Shows '10 entries in dataset' and a 'Reached 10 entries for fine-tuning' status.
- Downloads:** Shows '10' downloads.
- Format Ref:** Shows 'Playwright' as the framework and 'Java' as the language.
- Selected:** 'Playwright + Java - Marker: ===JAVA==='
- Live Preview (last 3 entries):** Displays a preview of the generated JSONL entries, showing the framework code marker and the HTML content.

Downloaded file opened in vs code


The screenshot shows the downloaded file 'training_data_playwright_java.jsonl' opened in VS Code. The file contains 10 entries, each representing a training example. The entries are structured as follows:

```
1 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
2 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
3 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
4 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
5 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
6 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
7 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
8 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
9 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
10 {"messages":[{"role":"system","content":"You are an expert in generating Playwright Java page object classes using provided DOM information. Use Playwright Java"}]}
11
```

Fine tuning the model and their settings



Daily Limits reached:



Too many request on API limitation so stopped here but understood the concept

