CoachingStudio Functional Specification + Developer PRD — Epic E0: Static Website + Deployment

Document Name: CoachingStudio_FS_PRD_E0
Version: 1.0
Date: March 30, 2026
Scope: EPIC E0 only
Prerequisite assumption: Epics T0, T1, T2, T3, and T4 are complete, including project setup, frontend architecture, Firebase/backend baseline, deployment pipeline, and security/access-control foundations.[1][2]

1. Purpose

Epic E0 defines the public-facing, single-page marketing website for CoachingStudio. This site is the product's public entry point and must communicate the platform value proposition, direct users to key sections, support responsive viewing on web and mobile, expose a persistent chatbot entry point, and be deployable on the agreed web architecture using Next.js App Router on Vercel with the broader CoachingStudio platform stack behind it.[1][2]

This page is a public marketing experience, not the authenticated application shell. The website must align with CoachingStudio's positioning as a multi-tenant coaching platform serving portal admins, coaching companies, independent coaches, and individual coachees, while introducing the LMS, assessment engine, events layer, and transformation/reporting benefits described in the product document.[3]

2. Product Positioning

CoachingStudio is positioned as a unified growth ecosystem for the coaching industry, combining programs, assessments, events, reports, and coach-led transformation workflows in one platform.[3]

The landing page must clearly communicate the following product ideas:

- CoachingStudio helps coaches move beyond fragmented tools and manual administration into a professional digital platform.[3]
- The platform combines learning programs, assessment tools, AI-supported reports, and events into one connected experience.[3]
- The product serves both coaches and individuals, and also supports coaching companies through a multi-tenant architecture.[3][2]
- Assessments generate structured insight and become the input to personalized transformation plans and growth journeys.[3]
- The public website is the discovery layer for later sign-in, registration, tool use, and conversion into the platform ecosystem.[1][3]

3. Epic Scope

The E0 epic in the backlog covers ten user stories: landing page, navigation, footer, responsiveness, SEO, hosting, domain, analytics, routing, and error handling.[1]

This specification translates those stories into a developer-ready implementation guide with concrete requirements for content hierarchy, layout, components, behavior, accessibility, SEO, telemetry, and technical implementation rules. The developer should treat this document as the source-of-truth build specification for E0.

4. Out of Scope

The following are explicitly out of scope for E0:

- Authentication flows and protected pages, which belong to later app skeleton and auth epics.[1]
- Dynamic dashboards, admin console, program detail pages, tool execution, event registration flows, or report generation flows.[1][3]
- Marketplace transactions and payment processing.[3]
- Full chatbot implementation intelligence beyond the launcher and opening behavior; E0 includes the persistent chatbot trigger and modal/panel entry point only.
- CMS or admin authoring tools for website content.

5. User Segments

The landing page must speak to four audience types already defined in the product material:

Audience	Landing page intent	Primary desired action
Independent coaches	Show operational efficiency, client management, assessments, programs, and branding benefits.[3]	Explore platform, sign in/register, interact with chatbot
Coaching companies	Show multi-coach scalability, analytics, and structured delivery.[3][2]	Explore enterprise value, use chatbot, sign in/register
Individual professionals/coaches	Show self-discovery, assessments, programs, events, and transformation benefits.[3]	Explore tools/programs/events, sign in/register
General visitors	Understand what CoachingStudio is and why it matters.	Scroll, engage, convert

6. Experience Principles

The E0 website must follow these principles:

- Single-page, section-based storytelling with anchored navigation.
- Fast-loading, modern SaaS visual language consistent with premium coaching and professional growth.
- Clear value proposition above the fold.
- Strong mobile-first responsiveness, while remaining polished on tablet and desktop.
- Persistent navigation and persistent chatbot trigger.
- Minimal friction to content discovery.
- Externalized styling and behavior code; no inline CSS blocks or inline JavaScript logic in page content files.
- Accessibility-first implementation, including semantic landmarks, keyboard support, focus states, and readable contrast.

7. Information Architecture

The public page must be a single route with anchored sections in this order:

1. Header / Navigation
2. Hero / Landing section
3. Platform overview
4. Benefits for coaches
5. Benefits for individuals
6. Assessment and transformation section
7. Programs section
8. Tools section
9. Events section
10. Impact counters / social proof
11. Sign-in / Register call-to-action section
12. Footer

The navigation links defined by the user story are About, Programs, Tools, Events, and Sign In / Register, while the Coaching Studio brand on the top-left returns the user to the top hero/home anchor.[1]

To reconcile single-page navigation with requested content, the following section-to-anchor mapping must be implemented:

Nav label	Anchor target	Section content
Coaching Studio	`#home`	Hero / top of page
About	#about	Platform overview + benefits + assessments summary
Programs	`#programs`	Programs section
Tools	#tools	Assessment tools section
Events	`#events`	Events section
Sign In / Register	#auth	CTA section with sign-in/register buttons

8. Content Strategy

The website copy must communicate the platform using language already aligned with the product vision. The product document defines CoachingStudio as a unified platform combining an LMS, an assessment engine, and a community/events layer.[3]

Recommended message hierarchy for copywriting:

- Primary message: One platform for coaching, assessments, programs, and growth transformation.
- Secondary message: Built for coaches, coaching companies, and individuals.
- Supporting message: Turn assessments into insight, insight into action, and action into measurable transformation.
- Proof message: Programs, tools, events, AI-supported reports, and growth tracking in one place.

Suggested draft headline options the developer/design team may use directly unless revised later:

- CoachingStudio — Where Coaching Becomes Measurable Growth

- One Platform for Coaches, Programs, Assessments, and Transformation
- Turn Insight into Action with CoachingStudio
- From Assessment to Transformation Plan — All in One Studio

Suggested supporting subtext:
“CoachingStudio brings together learning programs, assessment tools, events, and AI-supported growth insights so coaches and professionals can move from fragmented effort to structured transformation.” This copy is derived from the product’s integrated LMS, assessment, reporting, and event model.[3]

9. Functional Specification by User Story

9.1 US-E0-01 Landing Page

Objective

Create a single-page public landing page that explains what CoachingStudio is, what benefits it provides, and what action a visitor should take next.[1][3]

Mandatory content blocks

The landing page must include all of the following content blocks:

- Hero headline, subheadline, and primary CTA.
- Introductory description of CoachingStudio.
- At least one tagline set or rotating statement area.
- Counters for supported coaches, professionals benefited, programs, and events.
- Benefits for coaches.
- Benefits for individuals/professionals.
- Assessment and transformation-plan explanation.
- Programs section.
- Tools section.
- Events section.
- Persistent chatbot launcher.
- Sign In / Register CTA area.

Hero section requirements

The hero section must contain:

- Brand/product name: CoachingStudio.
- One primary headline, maximum 12 words.
- One supporting paragraph, 20 to 45 words.
- Two CTA buttons: “Explore Programs” and “Sign In / Register”.
- One visual zone on desktop (illustration, abstract product mockup, or feature cards).
- On mobile, hero content must stack vertically with text first and visual second.

Suggested hero copy structure

- Eyebrow: “Unified Growth Ecosystem” or “For Coaches and Professionals”.
- Headline: “From Assessment to Transformation, in One Studio.”
- Body: explain programs, tools, events, and AI-enabled guidance at a high level.[3]

Counter section requirements

The landing page must display four counters:

- Coaches Supported
- Professionals Benefited
- Programs Available
- Events Conducted

Because E0 is a static public site, counters must support two operating modes:

1. Static seed values from environment/content config for MVP launch.
2. Optional future dynamic values fetched from analytics or platform APIs.

The implementation in E0 must use static configuration values, exposed through a dedicated constants/config file. No direct database reads from the page UI are allowed, consistent with the engineering rule that UI should not call the database directly.[2]

The labels must be visible even if values fail to load. Counter animation is optional but, if implemented, must respect reduced-motion settings.

Recommended launch seed values

These values are placeholders and must be configurable without code edits to component markup:

- Coaches Supported: 100+
- Professionals Benefited: 1,000+
- Programs Available: 25+
- Events Conducted: 50+

These are launch display defaults for marketing use, not audited analytics figures. The developer must place them in a content config object for later replacement.

Benefits section requirements

The page must clearly separate benefits for two audiences.

Benefits for coaches should cover:

- Structured client journeys.
- Programs and tools in one place.
- Assessment-based insight.
- AI-supported reports and transformation planning.[3]
- Event-led engagement.
- Better professional credibility.

Benefits for individuals should cover:

- Guided self-discovery.
- Access to programs and assessments.
- Personalized growth insight.
- Trackable transformation journey.
- Event participation and continuous learning.[3]

Each audience benefits section should use 3 to 6 feature cards.

Assessment and transformation section requirements

This section must explain the following sequence:

1. The user completes an assessment.
2. The platform interprets results.
3. The output contributes to an actionable transformation plan.
4. Programs, tools, and events support the user's progress over time.

This is consistent with the product architecture where assessments generate structured results, AI-supported reporting, and longitudinal growth visibility.[3][2][4]

Chatbot launcher requirements

A chatbot icon must remain visible on the page at all times, including during scroll. The launcher must appear in the bottom-right safe area of the viewport on both desktop and mobile.

Launcher requirements:

- Circular button, 56 px by 56 px on desktop, 52 px by 52 px on mobile.
- Minimum 16 px offset from viewport edges on mobile, 24 px on desktop.
- Includes accessible label: "Open CoachingStudio assistant".
- Opens a modal or side panel overlay.
- Overlay must be dismissible by close icon, Escape key, backdrop click, and explicit close button.
- Overlay in E0 may show a placeholder assistant experience such as greeting text and a CTA to continue later integration.

Header scroll behavior

The user requested that the header does not move when the page scrolls and the chatbot remains on the page. Therefore:

- Header must be sticky/fixed to the top of the viewport throughout page scroll.
- Chatbot launcher must be fixed throughout page scroll.
- Scroll offset compensation must ensure anchored sections are not hidden behind the sticky header.

Layout requirements

Desktop container width:

- Max content width: 1200 px.
- Horizontal padding: 32 px.

Tablet container width:

- Horizontal padding: 24 px.

Mobile container width:

- Horizontal padding: 16 px.

Section vertical spacing:

- Desktop: 88 to 120 px.
- Tablet: 72 to 96 px.
- Mobile: 56 to 72 px.

Grid guidance:

- Desktop: 12-column grid.
- Tablet: 8-column behavior equivalent.
- Mobile: single-column stacked layout.

9.2 US-E0-02 Navigation

Objective

Provide a clear top navigation for the single-page marketing site with anchor-based movement.[1]

Navigation structure

Left side:

- Coaching Studio wordmark/logo, clickable, routes to `#home`.

Right side, in this exact order:

- About
- Programs
- Tools

- Events
- Sign In / Register

Navigation behavior

- Desktop: all nav items visible inline.
- Tablet: all nav items may remain inline if space allows; otherwise collapse to menu trigger at 992 px and below.
- Mobile: hamburger menu opens full-height drawer or modal sheet with the same anchor links.
- Clicking a nav item smoothly scrolls to the anchored section.
- Active section state should be visually indicated on desktop and in mobile menu.
- Sign In / Register nav item should be visually emphasized as a button-style CTA.

Header dimensions

- Desktop header height: 80 px.
- Tablet header height: 72 px.
- Mobile header height: 64 px.

Sticky behavior

- Header remains pinned to top.
- Background becomes solid or elevated on scroll to preserve readability.
- Z-index must remain above page content and below modal overlays.

9.3 US-E0-03 Footer

Objective

Provide a complete footer with legal, contact, and social presence elements.[1]

Footer contents

Must include:

- Copyright line.
- Privacy Policy link.

- Company address.
- Social/contact handles: Instagram, Phone, WhatsApp, LinkedIn.

Recommended additions permitted in footer:

- Email address.
- Small brand description.
- “All rights reserved”.

Footer layout

Desktop:

- 3 or 4 columns.

Mobile:

- Stacked sections with adequate spacing.

Footer data model

Footer content must be driven by a site config file, not hardcoded in multiple components.

Placeholder content handling

If final business address or social URLs are not yet finalized, the implementation must support placeholder values and hide links whose URL is intentionally empty.

9.4 US-E0-04 Responsive

Objective

Ensure the public site works cleanly across devices, with special mobile handling requirements from the user story.[1]

Supported breakpoints

- Mobile portrait: 360 px to 767 px.
- Tablet portrait/landscape: 768 px to 1023 px.
- Desktop: 1024 px and above.
- Large desktop: 1440 px and above.

Mobile portrait-only interpretation

The request states that on mobiles it only works in portrait orientation and does not change when the phone is held landscape, similar to Instagram. On the web, browser orientation cannot be fully locked across all mobile browsers. Therefore the developer must implement the following practical behavior:

- Design and optimize the site for portrait-first mobile use.
- When mobile landscape is detected, show a lightweight overlay message: “Please rotate back to portrait for the best experience.”
- The underlying layout may remain rendered, but the overlay should discourage use in landscape.
- For Capacitor/mobile-wrapper usage later, orientation lock can be enforced at app-shell level, but not assumed for the public browser site in E0.[2]

Popup/modal rules

All popups used on the page must be modal popups with:

- Backdrop overlay.
- Close icon on top-right.
- Keyboard Escape support.
- Focus trap while open.
- Background scroll lock.
- Max width 640 px for standard dialog content on desktop.
- Full-width minus 16 px margins on mobile.

9.5 US-E0-05 SEO

Objective

Ensure the static website is technically ready for search discovery and social sharing.[1]

Required SEO implementation

Using Next.js App Router metadata APIs, the developer must implement:

- Unique page title.
- Meta description.

- Keywords meta tag, if desired for completeness.
- Canonical URL.
- Open Graph title, description, URL, site name, locale, and image.
- Twitter/X card metadata.
- Robots directives.
- Favicon and app icons.
- Structured heading hierarchy (one H1 only).
- Semantic landmarks: header, main, section, footer, nav.
- Clean anchor IDs and internal links.

Content SEO targets

Core keyword themes should include:

- coaching platform
- coaching programs
- coaching assessments
- coaching tools
- transformation plan
- professional growth platform
- coaching events

Technical SEO rules

- No client-only rendering requirement for primary copy content; primary marketing copy should be server-renderable under Next.js for crawlability.[2]
- Images must include descriptive alt text.
- Use optimized images and compressed assets.
- Page should aim for high Lighthouse scores in performance, accessibility, best practices, and SEO.

9.6 US-E0-06 Hosting

Objective

Document and implement the hosting baseline for the public website.[1]

Hosting specification

The architecture document defines Vercel as the frontend host and Firebase as the backend platform for the broader system.[2]

For E0:

- The public landing page is deployed on Vercel.
- Production deploy is tied to the main branch.
- Preview deploys are enabled for pull requests.
- Environment separation must follow dev / staging / prod conventions already defined for the platform.[2]
- Static assets should be served via Next.js/Vercel optimization.

Deployment requirements

- Build command and output must follow the existing Next.js setup from prior epics.[1][2]
- Environment variables for public values must be prefixed appropriately for Next.js public exposure.
- No secrets may be exposed in frontend code or environment variables shipped to the browser.[2]

9.7 US-E0-07 Domain

Objective

Define the domain behavior for the public website.[1]

Domain specification

- The public site must support a primary production domain.
- HTTPS/SSL must be active via Vercel/domain configuration, aligning with deployment baseline already specified in T3.[1]
- `www` to apex redirect or apex to `www` redirect must be standardized; choose one canonical host and enforce it consistently.
- Canonical metadata must match the chosen production host.

Recommended routing policy

- Preferred public marketing host: `www.coachingstudio.io` or final chosen brand domain.
- Alternate host redirects permanently to canonical host.
- Trailing slash behavior should be consistent across all anchors and internal links.

9.8 US-E0-08 Analytics

Objective

Capture usage analytics for the public site.[1]

Minimum analytics events

Analytics must capture at least:

- Page view.
- Scroll depth milestones: 25%, 50%, 75%, 100%.
- Click on nav links.
- Click on hero CTA buttons.
- Click on Sign In / Register CTA.
- Click on chatbot launcher.
- Open/close chatbot modal.
- Click on social links in footer.

Recommended analytics implementation

Use one analytics provider only for MVP to reduce complexity. Plausible, Google Analytics 4, or Vercel Analytics are acceptable. The implementation must be abstracted through a small analytics helper so providers can be swapped later.

Event naming guidance

- `landing_page_view`
- `landing_nav_click`
- `landing_cta_click`
- `landing_scroll_depth`
- `chatbot_launcher_click`
- `chatbot_modal_open`
- `chatbot_modal_close`

- `footer_social_click`

Privacy rule

Analytics implementation must avoid collecting unnecessary PII on the public page. This aligns with the broader product's security and PII handling expectations defined in T4.[1][2]

9.9 US-E0-09 Routing

Objective

Define route behavior for the single-page website.[1]

Routing specification

- Primary page route: `/`
- Single-page anchored sections using URL fragments.
- Clicking nav items updates fragment identifier without full reload.
- Direct access to `/#programs`, `/#tools`, `/#events`, and `/#auth` must land correctly with sticky-header offset handled.
- Unknown public routes should resolve to global application 404 behavior.

Next.js implementation guidance

Because the platform uses Next.js App Router, the marketing page should be implemented as the root public route under the app directory structure already established in prior architecture work.[2]

Recommended implementation structure:

- `src/app/page.tsx` for the landing page shell.
- `src/modules/marketing/` for page sections and related components.
- `src/constants/site-content.ts` for counters, footer links, and copy blocks.
- `src/lib/analytics.ts` for analytics helpers.

9.10 US-E0-10 Errors

Objective

Define user-visible and developer-visible error behavior for the landing page.[1]

Public UI error requirements

Because E0 is largely static, the main error scenarios are:

- Section asset/image load failure.
- Chatbot modal content initialization failure.
- Analytics provider not available.
- Invalid or missing external social links.

Required behaviors:

- Page content must remain usable if analytics fails.
- Missing decorative image must not break layout.
- Chatbot failure must show a graceful fallback message such as “Assistant is temporarily unavailable.”
- Broken external links should be avoided through config validation at build time where possible.

Technical error requirements

- Use centralized frontend error utility from architecture conventions established in T2.[1][2]
- Log non-fatal UI exceptions through configured monitoring provider if available.
- Provide an `error.tsx` route boundary for app-level page fallback where appropriate under Next.js App Router conventions.

10. Detailed Page Layout Specification

10.1 Visual design system

The page should feel premium, calm, and growth-oriented. The visual language should support professional coaching, not generic corporate consulting.

Recommended design direction:

- Color family: deep teal / emerald / navy with soft neutrals.
- Background: primarily white or soft off-white.
- Accent: one strong brand accent and one subtle highlight accent.
- Typography: modern sans-serif with strong headline clarity.

Recommended baseline sizes:

- H1 desktop: 52 to 64 px, line-height 1.05 to 1.15.
- H1 mobile: 34 to 42 px.
- H2 desktop: 36 to 44 px.
- H2 mobile: 28 to 32 px.
- Body desktop: 18 px.
- Body mobile: 16 px.
- Small text: 14 px minimum.

Border radius guidance:

- Cards: 20 to 24 px.
- Buttons: 12 to 16 px.
- Chat launcher: fully circular.

Shadow guidance:

- Soft elevation only; avoid harsh enterprise-style shadows.

10.2 Section-by-section layout

A. Header

- Fixed top header.
- Left: logo/wordmark.
- Right: nav links + CTA.
- Mobile: logo left, hamburger right.
- Background transparent at top if hero allows, then solid on scroll.

B. Hero

- Two-column desktop layout.
- Left: copy, CTA buttons, micro-trust statement.
- Right: product illustration or stacked cards representing Programs, Tools, Events, Reports.

- Include subtle secondary proof statement under CTAs such as “Built for coaches, coaching firms, and professionals.”

C. About section

- Section ID: `about`.
- Introduce what CoachingStudio is.
- Include 3 short pillars: Programs, Assessments, Events.
- Use icon cards.

D. Coaches benefits section

- 3 to 6 cards.
- Example card titles: Save Time, Scale Your Practice, Deliver Better Insight, Run Cohorts with Confidence.

E. Individuals benefits section

- 3 to 6 cards.
- Example card titles: Know Yourself Better, Learn Through Programs, Track Real Progress, Stay Engaged Through Events.

F. Assessment and transformation section

- Use a 4-step process strip or timeline:
    1. Take Assessment
    2. Receive Insight
    3. Build Transformation Plan
    4. Track Growth Over Time
- Add a short paragraph that references AI-supported reporting and structured progress.[3][2]

G. Programs section

- Section ID: `programs`.
- Describe video, audio, PDF, and rich-text learning support, consistent with the product document.[3]
- Show 3 sample program cards.

H. Tools section

- Section ID: `tools`.
- Explain assessment tools and their strategic role in insight generation.[3]
- Optionally mention foundational assessments such as clarity, reflection, personality style, and systems assessment as examples from the product document.[3]

I. Events section

- Section ID: `events`.
- Explain webinars, workshops, private cohort events, and community engagement.[3]
- Include 2 or 3 event cards or a schedule preview.

J. Counters / impact section

- Use prominent numerical display.
- Must visually stand out from the rest of the page.

K. CTA section

- Section ID: `auth`.
- Headline focused on starting the journey.
- Two buttons: Sign In and Register.
- In E0 these may route to placeholder auth paths or future app routes, depending on what exists after T0-T4. If auth screens do not yet exist, point to stable placeholders and avoid broken links.

L. Footer

- Legal, contact, social.

11. Accessibility Specification

The developer must implement the following accessibility rules:

- Semantic HTML landmarks.
- Keyboard navigability for all interactive elements.
- Visible focus indicators.
- Minimum contrast ratio targeting WCAG AA.
- Buttons and links with accessible names.

- Chatbot launcher and modal fully keyboard operable.
- Mobile menu trap/focus management when open.
- Reduced motion support for smooth-scroll and counter animations.
- Decorative visuals marked appropriately with empty alt text; informative images must have descriptive alt text.

12. Technical Specification

12.1 Stack alignment

The architecture document already establishes the platform stack as Next.js App Router, TypeScript, Tailwind with shadcn/ui, Zustand for client state where needed, Firebase backend services, and Vercel hosting.[2]

For Epic E0, the implementation must follow this stack and these engineering rules:

- Use Next.js App Router.
- Use TypeScript for all page and component files.[2]
- Use Tailwind for styling, with optional scoped CSS modules only when necessary.[2]
- Externalize CSS and JS; no inline style attributes except unavoidable runtime cases, and no ad hoc script blocks in page markup.
- Do not add business logic into UI components.[2]
- Do not read Firestore directly from UI.[2]
- Keep content/config values centralized.

12.2 Recommended file structure

```
/src/app/
  layout.tsx
  page.tsx
  error.tsx
  not-found.tsx
/src/modules/marketing/
  components/
    header.tsx
```

```
    mobile-menu.tsx
    hero.tsx
    about.tsx
    benefits-coaches.tsx
    benefits-individuals.tsx
    transformation-flow.tsx
    programs.tsx
    tools.tsx
    events.tsx
    impact-counters.tsx
    cta-auth.tsx
    footer.tsx
    chatbot-launcher.tsx
    chatbot-modal.tsx
  hooks/
    use-active-section.ts
    use-scroll-depth.ts
    use-mobile-orientation.ts
  data/
    marketing-content.ts
/src/lib/
  analytics.ts
  seo.ts
/src/constants/
  routes.ts
  site.ts
```

12.3 State management

Zustand is available in the platform stack, but E0 should use minimal client state only.[2]

Use local component state or lightweight hooks for:

- Mobile menu open/close.
- Chatbot modal open/close.
- Active section highlight.
- Orientation overlay state.

Global store is not required unless the developer prefers consistency with broader app conventions.

12.4 Rendering strategy

- Server-render the main page shell and static marketing content where possible for SEO and performance.[2]
- Use client components only for interactive pieces such as mobile menu, active nav tracking, counters, chatbot modal, and analytics hooks.
- Avoid unnecessary hydration-heavy components.

12.5 Performance targets

Target outcomes:

- Initial page load under 3 seconds on standard mobile 4G conditions for the MVP asset footprint.
- Lighthouse performance score target 85+.
- Avoid large hero video backgrounds in E0.
- Use optimized SVG or lightweight PNG/WebP assets.

12.6 SEO metadata example

Required metadata fields should include values similar to:

- Title: `CoachingStudio | Programs, Assessments, Events and Growth Transformation`
- Description: `CoachingStudio is a unified platform for coaches and professionals with programs, assessments, events, and AI-supported transformation journeys.`
- Open Graph image: branded landing share image.

12.7 Analytics helper contract

Recommended helper interface:

```
trackEvent(name: string, props?: Record<string, string | number | boolean
trackPageView(name: string): void
trackScrollDepth(percent: number): void
```

Analytics calls must be no-op safe if provider setup is absent.

12.8 Chatbot placeholder contract

If actual bot integration is not yet available, use a presentational modal with:

- Greeting line.
- Short description: what the assistant can help with.
- CTA button for future flow.
- Optional email/contact fallback.

Example placeholder text:
“Hi, I’m the CoachingStudio assistant. I can help you explore programs, tools, events, and the right starting point for your growth journey.”

13. Content Configuration Model

The developer must centralize editable marketing data in a content config object. At minimum it should include:

- Brand name.
- Hero copy.
- Taglines array.
- Counter values and labels.
- Benefit cards.
- Program sample cards.
- Tool sample cards.
- Event sample cards.
- Footer contact data.
- SEO metadata.

This prevents content edits from being scattered across components and supports future content operations without structural rewrites.

14. Acceptance Criteria

US-E0-01 Landing Page

- Single public page exists at /.[1]
- Hero, benefits, assessments, programs, tools, events, counters, CTA, and chatbot trigger are all present.
- Header and chatbot remain visible during scroll.
- All content sections render correctly on desktop and mobile.

US-E0-02 Navigation

- Brand on top-left returns to `#home`.[1]
- Right-side nav contains About, Programs, Tools, Events, Sign In / Register in that order.
- Clicking each item scrolls to correct anchor.
- Mobile nav works from hamburger menu.

US-E0-03 Footer

- Footer includes copyright, privacy policy, address, and social/contact handles.[1]

US-E0-04 Responsive

- Layout is responsive across mobile, tablet, and desktop.[1]
- Portrait-first mobile behavior is implemented.
- All modals show close icon top-right and can be dismissed correctly.

US-E0-05 SEO

- Metadata, canonical, Open Graph, semantic headings, and crawlable content are implemented.[1]

US-E0-06 Hosting

- Site can deploy on Vercel using existing pipeline.[1][2]

US-E0-07 Domain

- Canonical domain strategy is defined and redirect policy is documented.[1]

US-E0-08 Analytics

- Usage analytics events are implemented for page views, nav clicks, CTA clicks, scroll depth, chatbot interactions, and footer social clicks.[1]

US-E0-09 Routing

- Anchor routing works correctly for all major sections.[1]
- Direct fragment loads land at the correct offset.

US-E0-10 Errors

- Page gracefully handles chatbot and analytics failure states without blocking core content.[1]

15. Non-Functional Requirements

- Responsive on modern Chrome, Safari, Edge, and Firefox.
- Mobile-first and touch-friendly targets.
- SEO-friendly SSR/metadata implementation under Next.js.[2]
- Accessible interactions and modal behavior.
- Clean, modular code under the project module structure.[2]
- No frontend exposure of secrets.[2]
- No direct database calls from UI.[2]
- Stable deployment through existing CI/CD baseline.[1][2]

16. Developer Notes and Open Inputs

The following values should be treated as configurable business inputs that may still need confirmation from product/brand owners:

- Final brand colors and typography choice.
- Final production domain.
- Final footer legal entity name and address.
- Actual social URLs and phone/WhatsApp numbers.

- Final static counter seed values.
- Whether chatbot opens modal or side panel in final brand UX.
- Final target paths for Sign In and Register when E1/E2 routes are available.

Until those values are finalized, the developer should implement placeholders through configuration rather than hardcoding them into layout components.

17. Delivery Guidance

Epic E0 should be delivered as a production-quality marketing site foundation that can remain in use even as later epics add authenticated app capabilities. It must therefore be coded as a maintainable public module, not as throwaway prototype code.

The implementation should preserve future extensibility for:

- live counter values,
- true chatbot integration,
- dynamic events/program previews,
- internationalization,
- A/B testing, and
- future split between marketing site and authenticated app shell.