

How do Organisms Reproduce? (Set A) — MCQ Worksheet

Science • Chapter 7 • 25 Questions, 1 mark each — Total: 25 marks

Instructions: Choose the correct option (A / B / C / D) for each question. Each question carries 1 mark. There is no negative marking. Suggested time: 30 minutes.

Q1. Variations are produced during:

- (A) Asexual reproduction only
- (B) Sexual reproduction only
- (C) Both, but more in sexual
- (D) Neither

Q2. Binary fission is commonly seen in:

- (A) Hydra
- (B) Amoeba
- (C) Yeast
- (D) Spirogyra

Q3. Multiple fission occurs in:

- (A) Plasmodium
- (B) Amoeba
- (C) Hydra
- (D) Bryophyllum

Q4. Budding is the mode of reproduction in:

- (A) Amoeba
- (B) Yeast
- (C) Planaria
- (D) Spirogyra

Q5. Reproduction by fragmentation is observed in:

- (A) Spirogyra
- (B) Hydra
- (C) Amoeba
- (D) Yeast

Q6. Reproduction by spores is seen in:

- (A) Amoeba
- (B) Rhizopus
- (C) Hydra
- (D) Yeast

Q7. Vegetative propagation in potato occurs through:

- (A) Roots
- (B) Leaves
- (C) Stem (eyes / tubers)
- (D) Seeds

Q8. Tissue culture is used commercially to:

- (A) Treat plant diseases
- (B) Produce many plants from few cells
- (C) Cross-pollinate plants
- (D) Kill weeds

Q9. The male reproductive part of a flower is the:

- (A) Stigma
- (B) Stamen
- (C) Pistil
- (D) Sepal

Q10. Pollen grains are produced in the:

- (A) Stigma
- (B) Style
- (C) Ovary
- (D) Anther

Q11. The female reproductive part of a flower includes:

- (A) Stamen, anther, filament
- (B) Stigma, style, ovary
- (C) Sepal and petal
- (D) All anthers

Q12. Transfer of pollen from anther to stigma is called:

- (A) Fertilisation
- (B) Pollination
- (C) Germination
- (D) Reproduction

Q13. After fertilisation in plants, the ovary develops into the:

- (A) Seed
- (B) Fruit
- (C) Embryo
- (D) Flower

Q14. Sperm production in human males takes place in the:

- (A) Prostate
- (B) Vas deferens
- (C) Testes
- (D) Penis

Q15. Eggs in human females are produced by the:

- (A) Uterus
- (C) Fallopian tubes

- (B) Ovaries
- (D) Vagina

Q16. Fertilisation in humans normally occurs in the:

- (A) Uterus
- (C) Fallopian tube

- (B) Vagina
- (D) Ovary

Q17. The placenta provides the embryo with:

- (A) Only oxygen
- (C) Oxygen, nutrients and removes wastes

- (B) Only nutrients
- (D) Only hormones

Q18. The duration of the menstrual cycle is approximately:

- (A) 7 days
- (C) 28 days

- (B) 14 days
- (D) 60 days

Q19. Menstruation occurs because:

- (A) The egg is fertilised
- (C) The ovary stops working

- (B) The egg is not fertilised and uterine lining is shed
- (D) The uterus is destroyed

Q20. Which of these is a barrier method of contraception?

- (A) Oral pills
- (C) IUCD

- (B) Condoms
- (D) Vasectomy

Q21. Copper-T is an example of:

- (A) Barrier method
- (C) Intrauterine contraceptive device

- (B) Hormonal pill
- (D) Surgical method

Q22. Vasectomy and tubectomy are:

- (A) Temporary methods
- (C) Permanent surgical methods

- (B) Hormonal methods
- (D) Barrier methods

Q23. AIDS is caused by:

- (A) Bacteria
- (C) HIV virus

- (B) Fungus
- (D) Protozoa

Q24. Female foeticide is illegal in India because:

- (A) It harms the mother
- (C) Doctors charge too much

- (B) It causes a skewed sex ratio
- (D) It is impossible to detect

Q25. Regeneration in animals such as Planaria differs from fragmentation because:

- (A) It involves specialised cells reorganising into a whole organism
- (C) Only humans regenerate

- (B) It is the same as fragmentation
- (D) It does not produce new individuals