



Support Vector Machines


Quiz, 5 questions

5/5 points (100.00%)

**Congratulations! You passed!**[Next Item](#)1 / 1
points

1.

Suppose you have trained an SVM classifier with a Gaussian kernel, and it learned the following decision boundary on the training set:



When you measure the SVM's performance on a cross validation set, it does poorly. Should you try increasing or decreasing C ? Increasing or decreasing σ^2 ?

1 / 1
points


2.

The formula for the Gaussian kernel is given by $\text{similarity}(x, l^{(1)}) = \exp\left(-\frac{\|x - l^{(1)}\|^2}{2\sigma^2}\right)$.

The figure below shows a plot of $f_1 = \text{similarity}(x, l^{(1)})$ when $\sigma^2 = 1$.

5/5 points (100.00%)

Quiz, 5 questions



Which of the following is a plot of f_1 when $\sigma^2 = 0.25$?





1 / 1
points

3.
The SVM solves

$$\min_{\theta} C \sum_{i=1}^m y^{(i)} \text{cost}_1(\theta^T x^{(i)}) + (1 - y^{(i)}) \text{cost}_0(\theta^T x^{(i)}) + \sum_{j=1}^n \theta_j^2$$

where the functions $\text{cost}_0(z)$ and $\text{cost}_1(z)$ look like this:



The first term in the objective is:

$$C \sum_{i=1}^m y^{(i)} \text{cost}_1(\theta^T x^{(i)}) + (1 - y^{(i)}) \text{cost}_0(\theta^T x^{(i)}).$$

This first term will be zero if two of the following four conditions hold true. Which are the two conditions that would guarantee that this term equals zero?



1 / 1
points

4.

Suppose you have a dataset with $n = 10$ features and $m = 5000$ examples.

After training your logistic regression classifier with gradient descent, you find that it has underfit the training set and does not achieve the desired performance on the training or cross validation sets.



Support Vector Machines

Quiz, 5 questions

975 points (100.00%)

Which of the following might be promising steps to take? Check all that apply.



1 / 1
points

5.

Which of the following statements are true? Check all that apply.

