



Dataset 189 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	svr	-0.1092	0.035	1.0000
0.80	0.15	0.05	svr	-0.1092	0.035	1.0000
0.70	0.20	0.10	svr	-0.1092	0.035	1.0000
0.90	0.05	0.05	svr	-0.1092	0.035	1.0000
0.33	0.33	0.33	svr	-0.1092	0.035	0.9900


Dataset 197 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	lgbm_reg	-2.5962	0.084	1.0000
0.80	0.15	0.05	lgbm_reg	-2.5962	0.084	0.9500
0.70	0.20	0.10	lgbm_reg	-2.5962	0.084	0.9000
0.90	0.05	0.05	lgbm_reg	-2.5962	0.084	0.9500
0.33	0.33	0.33	lgbm_reg	-2.5962	0.084	0.6600


Dataset 201 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	gb_reg	-34.9649	0.208	1.0000
0.80	0.15	0.05	gb_reg	-34.9649	0.208	0.9500
0.70	0.20	0.10	gb_reg	-34.9649	0.208	0.9000
0.90	0.05	0.05	gb_reg	-34.9649	0.208	0.9500
0.33	0.33	0.33	gb_reg	-34.9649	0.208	0.6600


Dataset 214 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	ridge	-0.0870	0.001	1.0000
0.80	0.15	0.05	ridge	-0.0870	0.001	0.8500
0.70	0.20	0.10	ridge	-0.0870	0.001	0.8000
0.90	0.05	0.05	ridge	-0.0870	0.001	0.9500
0.33	0.33	0.33	ridge	-0.0870	0.001	0.6600


Dataset 225 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	et_reg	-3.3323	0.341	1.0000
0.80	0.15	0.05	et_reg	-3.3323	0.341	1.0000
0.70	0.20	0.10	et_reg	-3.3323	0.341	1.0000
0.90	0.05	0.05	et_reg	-3.3323	0.341	1.0000
0.33	0.33	0.33	et_reg	-3.3323	0.341	0.9900


Dataset 227 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	lgbm_reg	-3.0944	0.062	1.0000
0.80	0.15	0.05	lgbm_reg	-3.0944	0.062	0.9500
0.70	0.20	0.10	lgbm_reg	-3.0944	0.062	0.9000
0.90	0.05	0.05	lgbm_reg	-3.0944	0.062	0.9500
0.33	0.33	0.33	et_reg	-3.1190	0.347	0.9364


Dataset 228 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	elastic	-21.5688	0.001	1.0000
0.80	0.15	0.05	elastic	-21.5688	0.001	1.0000
0.70	0.20	0.10	elastic	-21.5688	0.001	1.0000
0.90	0.05	0.05	elastic	-21.5688	0.001	1.0000
0.33	0.33	0.33	elastic	-21.5688	0.001	0.9900


Dataset 229 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	gb_reg	-1.6627	0.033	0.0000
0.80	0.15	0.05	gb_reg	-1.6627	0.033	0.2000
0.70	0.20	0.10	gb_reg	-1.6627	0.033	0.3000
0.90	0.05	0.05	gb_reg	-1.6627	0.033	0.1000
0.33	0.33	0.33	gb_reg	-1.6627	0.033	0.6600


Dataset 230 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	elastic	-126.0913	0.001	1.0000
0.80	0.15	0.05	elastic	-126.0913	0.001	1.0000
0.70	0.20	0.10	elastic	-126.0913	0.001	1.0000
0.90	0.05	0.05	elastic	-126.0913	0.001	1.0000
0.33	0.33	0.33	elastic	-126.0913	0.001	0.9900


Dataset 549 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	mlp_reg	-492.0212	0.750	1.0000
0.80	0.15	0.05	sgd_reg	-492.4505	0.002	0.9855
0.70	0.20	0.10	sgd_reg	-492.4505	0.002	0.9873
0.90	0.05	0.05	sgd_reg	-492.4505	0.002	0.9837
0.33	0.33	0.33	sgd_reg	-492.4505	0.002	0.9840


Dataset 564 (Regression) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	mlp_reg	-1.2830	2.441	0.0000
0.80	0.15	0.05	mlp_reg	-1.2830	2.441	0.2000
0.70	0.20	0.10	mlp_reg	-1.2830	2.441	0.3000
0.90	0.05	0.05	mlp_reg	-1.2830	2.441	0.1000
0.33	0.33	0.33	mlp_reg	-1.2830	2.441	0.6600


Dataset 1027 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	svc	0.2805	0.008	1.0000
0.60	0.30	0.10	svc	0.2805	0.008	0.9000
0.50	0.40	0.10	svc	0.2805	0.008	0.9000
0.70	0.20	0.10	svc	0.2805	0.008	0.9000
0.33	0.33	0.33	svc	0.2805	0.008	0.6600


Dataset 1028 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	et_clf	0.4186	0.080	1.0000
0.60	0.30	0.10	et_clf	0.4186	0.080	0.6000
0.50	0.40	0.10	dt_clf	0.4004	0.002	0.5000
0.70	0.20	0.10	et_clf	0.4186	0.080	0.7000
0.33	0.33	0.33	dt_clf	0.4004	0.002	0.6600


Dataset 1029 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	rf	0.3375	0.085	1.0000
0.60	0.30	0.10	rf	0.3375	0.085	0.9500
0.50	0.40	0.10	rf	0.3375	0.085	0.9500
0.70	0.20	0.10	rf	0.3375	0.085	0.9500
0.33	0.33	0.33	rf	0.3375	0.085	0.8250


Dataset 1030 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	rf	0.1752	0.092	0.0000
0.60	0.30	0.10	rf	0.1752	0.092	0.4000
0.50	0.40	0.10	rf	0.1752	0.092	0.5000
0.70	0.20	0.10	rf	0.1752	0.092	0.3000
0.33	0.33	0.33	rf	0.1752	0.092	0.6600


Dataset 23381 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	gb	0.5880	0.106	1.0000
0.60	0.30	0.10	logistic	0.5819	0.012	0.8608
0.50	0.40	0.10	logistic	0.5819	0.012	0.8840
0.70	0.20	0.10	logistic	0.5819	0.012	0.8375
0.33	0.33	0.33	logistic	0.5819	0.012	0.9134


Dataset 40691 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	xgb_clf	0.3936	0.210	1.0000
0.60	0.30	0.10	logistic	0.3915	0.024	0.9243
0.50	0.40	0.10	logistic	0.3915	0.024	0.9369
0.70	0.20	0.10	logistic	0.3915	0.024	0.9116
0.33	0.33	0.33	logistic	0.3915	0.024	0.9483


Dataset 1468 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	ada_clf	0.1909	0.531	0.0000
0.60	0.30	0.10	ada_clf	0.1909	0.531	0.4000
0.50	0.40	0.10	ada_clf	0.1909	0.531	0.5000
0.70	0.20	0.10	ada_clf	0.1909	0.531	0.3000
0.33	0.33	0.33	ada_clf	0.1909	0.531	0.6600


Dataset 1475 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	gb	0.2541	5.269	1.0000
0.60	0.30	0.10	mlp_clf	0.2499	0.170	0.7341
0.50	0.40	0.10	mlp_clf	0.2499	0.170	0.7673
0.70	0.20	0.10	mlp_clf	0.2499	0.170	0.7009
0.33	0.33	0.33	mlp_clf	0.2499	0.170	0.6604


Dataset 1478 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	lgbm_clf	0.9675	5.957	1.0000
0.60	0.30	0.10	lgbm_clf	0.9675	5.957	0.9000
0.50	0.40	0.10	lgbm_clf	0.9675	5.957	0.9000
0.70	0.20	0.10	lgbm_clf	0.9675	5.957	0.9000
0.33	0.33	0.33	logistic	0.9491	0.239	0.8598


Dataset 1480 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	gb	0.6094	0.096	1.0000
0.60	0.30	0.10	bag_clf	0.6087	0.048	0.9194
0.50	0.40	0.10	bag_clf	0.6087	0.048	0.9217
0.70	0.20	0.10	bag_clf	0.6087	0.048	0.9171
0.33	0.33	0.33	logistic	0.5977	0.008	0.8621


Dataset 1485 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	lgbm_clf	0.7708	0.582	1.0000
0.60	0.30	0.10	lgbm_clf	0.7708	0.582	0.9000
0.50	0.40	0.10	lgbm_clf	0.7708	0.582	0.9000
0.70	0.20	0.10	lgbm_clf	0.7708	0.582	0.9000
0.33	0.33	0.33	lgbm_clf	0.7708	0.582	0.6600


Dataset 1486 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	knn_clf	0.6172	0.003	1.0000
0.60	0.30	0.10	logistic	0.6166	0.103	0.9838
0.50	0.40	0.10	logistic	0.6166	0.103	0.9865
0.70	0.20	0.10	logistic	0.6166	0.103	0.9811
0.33	0.33	0.33	logistic	0.6166	0.103	0.9811


Dataset 1487 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	et_clf	0.9154	0.159	1.0000
0.60	0.30	0.10	et_clf	0.9154	0.159	0.9333
0.50	0.40	0.10	et_clf	0.9154	0.159	0.9333
0.70	0.20	0.10	et_clf	0.9154	0.159	0.9333
0.33	0.33	0.33	logistic	0.9101	0.018	0.9391


Dataset 1488 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	lgbm_clf	0.9272	0.017	1.0000
0.60	0.30	0.10	lgbm_clf	0.9272	0.017	0.9000
0.50	0.40	0.10	lgbm_clf	0.9272	0.017	0.9000
0.70	0.20	0.10	lgbm_clf	0.9272	0.017	0.9000
0.33	0.33	0.33	knn_clf	0.8927	0.001	0.7341


Dataset 4134 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	xgb_clf	0.7537	1.491	1.0000
0.60	0.30	0.10	rf	0.7525	0.635	0.9210
0.50	0.40	0.10	rf	0.7525	0.635	0.9258
0.70	0.20	0.10	rf	0.7525	0.635	0.9162
0.33	0.33	0.33	rf	0.7525	0.635	0.8091


Dataset 6332 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	lgbm_clf	0.8016	0.061	1.0000
0.60	0.30	0.10	et_clf	0.7995	0.217	0.9059
0.50	0.40	0.10	et_clf	0.7995	0.217	0.9216
0.70	0.20	0.10	lgbm_clf	0.8016	0.061	0.9000
0.33	0.33	0.33	et_clf	0.7995	0.217	0.9383


Dataset 23517 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	lgbm_clf	0.5196	0.150	1.0000
0.60	0.30	0.10	lgbm_clf	0.5196	0.150	0.9000
0.50	0.40	0.10	lgbm_clf	0.5196	0.150	0.9000
0.70	0.20	0.10	lgbm_clf	0.5196	0.150	0.9000
0.33	0.33	0.33	logistic	0.5095	0.022	0.8381


Dataset 40670 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	naive_bayes	0.4220	0.009	1.0000
0.60	0.30	0.10	naive_bayes	0.4220	0.009	1.0000
0.50	0.40	0.10	naive_bayes	0.4220	0.009	1.0000
0.70	0.20	0.10	naive_bayes	0.4220	0.009	1.0000
0.33	0.33	0.33	naive_bayes	0.4220	0.009	0.9900

Dataset 40701 (Classification) - Model Trade-offs



Best Models per Weight Configuration:

W1	W2	W3	Best Model	Score	Time(s)	Utility
1.00	0.00	0.00	bag_clf	0.9418	0.252	1.0000
0.60	0.30	0.10	bag_clf	0.9418	0.252	0.9500
0.50	0.40	0.10	bag_clf	0.9418	0.252	0.9500
0.70	0.20	0.10	bag_clf	0.9418	0.252	0.9500
0.33	0.33	0.33	bag_clf	0.9418	0.252	0.8250