



Dashboard

DEVOPS

PACKAGE\_DEPLOYMENT

#4

Status

&lt;/&gt; Changes

Console Output

View as plain text

Edit Build Information

Delete build '#4'

Parameters

Timings

Git Build Data

Restart from Stage

Replay

Pipeline Steps

Workspaces

## Console Output

Started by user [dinesh](#)Obtained Jenkinsfile from git <https://github.com/dineshnatarajan111/mediawiki.git>

[Pipeline] Start of Pipeline

[Pipeline] node

Running on [Jenkins](#) in /Users/dineshnatarajan/.jenkins/workspace/PACKAGE\_DEPLOYMENT

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

Selected Git installation does not exist. Using Default

The recommended git tool is: NONE

No credentials specified

Cloning the remote Git repository

Cloning repository <https://github.com/dineshnatarajan111/mediawiki.git>

&gt; git init /Users/dineshnatarajan/.jenkins/workspace/PACKAGE\_DEPLOYMENT # timeout=10

Fetching upstream changes from <https://github.com/dineshnatarajan111/mediawiki.git>

&gt; git --version # timeout=10

&gt; git --version # 'git version 2.39.3 (Apple Git-145)'

&gt; git fetch --tags --force --progress --

<https://github.com/dineshnatarajan111/mediawiki.git> +refs/heads/\*:refs/remotes/origin/\* # timeout=10> git config remote.origin.url <https://github.com/dineshnatarajan111/mediawiki.git> # timeout=10

[← Previous Build](#)

```

> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/helm^{commit} # timeout=10
Checking out Revision 045e94dfa6f9e4c025f9e446fc7784c9bdf58f95 (refs/remotes/origin/helm)
> git config core.sparsecheckout # timeout=10
> git checkout -f 045e94dfa6f9e4c025f9e446fc7784c9bdf58f95 # timeout=10
Commit message: "updated bug"
> git rev-list --no-walk e35b7319539adfc265a35cde72f5f1db814e39a # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker inspect -f . dinesh1705/jenkins-agent:1.1.0
.
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] withDockerContainer
Jenkins does not seem to be running inside a container
$ docker run -t -d -u 501:20 --user root --privileged -w
/Users/dineshnatarajan/.jenkins/workspace/PACKAGE_DEPLOYMENT -v
/Users/dineshnatarajan/.jenkins/workspace/PACKAGE_DEPLOYMENT:/Users/dineshnatarajan/.jenkins
/workspace/PACKAGE_DEPLOYMENT:rw,z -v
/Users/dineshnatarajan/.jenkins/workspace/PACKAGE_DEPLOYMENT@tmp:/Users/dineshnatarajan/.jenkins
/workspace/PACKAGE_DEPLOYMENT@tmp:rw,z -e ***** -e ***** -e ***** -e ***** -
e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
-e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****

```

```
dinesh1705/jenkins-agent:1.1.0 cat
$ docker top ab0798e2566e81ec0520f8161e26973551fd67aed7b53de0156940ad10a306c7 -eo pid,comm
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Get variables)
[Pipeline] sh
+ git clone https://github.com/dineshnatarajan111/ST-Mediawiki.git --branch helm
Cloning into 'ST-Mediawiki'...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Get credentials)
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $PASSWORD
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] sh
Warning: A secret was passed to "sh" using Groovy String interpolation, which is insecure.
    Affected argument(s) used the following variable(s): [PASSWORD, USERNAME]
    See https://jenkins.io/redirect/groovy-string-interpolation for details.
+ az login --service-principal --username **** --password **** --tenant 8b291cd0-45de-4938-
9a8c-5dd465d71ada
[
{
  "cloudName": "AzureCloud",
  "homeTenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
  "id": "712bd090-a32d-4751-8248-1d16ae47d011",
  "isDefault": true,
  "managedByTenants": [],
  "name": "Free Trial",
  "state": "Enabled",
```

```
"tenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
"user": {
  "name": "****",
  "type": "servicePrincipal"
}
}
]
+ az account list
[
  {
    "cloudName": "AzureCloud",
    "homeTenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
    "id": "712bd090-a32d-4751-8248-1d16ae47d011",
    "isDefault": true,
    "managedByTenants": [],
    "name": "Free Trial",
    "state": "Enabled",
    "tenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
    "user": {
      "name": "****",
      "type": "servicePrincipal"
    }
  }
]
+ az account set --subscription 712bd090-a32d-4751-8248-1d16ae47d011
+ az aks get-credentials --resource-group Az-dev --name aks-blue-dev --overwrite-existing
WARNING: Merged "aks-blue-dev" as current context in /root/.kube/config
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
```

```
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Resource Operation)
[Pipeline] script
[Pipeline] {
[Pipeline] sh
+ helm upgrade --install mediawiki-app -f ./ST-Mediawiki/dev/application/values.yaml
./application -n dev
Release "mediawiki-app" does not exist. Installing it now.
NAME: mediawiki-app
LAST DEPLOYED: Sun Feb  4 15:33:11 2024
NAMESPACE: dev
STATUS: deployed
REVISION: 1
TEST SUITE: None
NOTES:
1. Get the application URL by running these commands:
    NOTE: It may take a few minutes for the LoadBalancer IP to be available.
    You can watch the status of by running 'kubectl get --namespace dev svc -w
mediawiki-app'
    export SERVICE_IP=$(kubectl get svc --namespace dev mediawiki-app --template "{{ range
(index .status.loadBalancer.ingress 0) }}{{.}}{{ end }}")
    echo http://\$SERVICE\_IP:80
+ helm upgrade --install mediawiki-db -f ./ST-Mediawiki/dev/database/values.yaml ./database
-n dev
Release "mediawiki-db" does not exist. Installing it now.
NAME: mediawiki-db
LAST DEPLOYED: Sun Feb  4 15:33:12 2024
NAMESPACE: dev
STATUS: deployed
REVISION: 1
TEST SUITE: None
```

**NOTES:**

1. Get the application URL by running these commands:

```
[Pipeline] }  
[Pipeline] // script  
[Pipeline] }  
[Pipeline] // stage  
[Pipeline] stage  
[Pipeline] { (Declarative: Post Actions)  
[Pipeline] cleanWs  
[WS-CLEANUP] Deleting project workspace...  
[WS-CLEANUP] Deferred wipeout is used...  
[WS-CLEANUP] done  
[Pipeline] }  
[Pipeline] // stage  
[Pipeline] }  
$ docker stop --time=1 ab0798e2566e81ec0520f8161e26973551fd67aed7b53de0156940ad10a306c7  
$ docker rm -f --volumes ab0798e2566e81ec0520f8161e26973551fd67aed7b53de0156940ad10a306c7  
[Pipeline] // withDockerContainer  
[Pipeline] }  
[Pipeline] // withEnv  
[Pipeline] }  
[Pipeline] // node  
[Pipeline] End of Pipeline  
Finished: SUCCESS
```