



Status

Changes

Console Output

View as plain text

Edit Build Information

Parameters

Timings

Git Build Data

Thread Dump

Pause/resume

Replay

Pipeline Steps

Workspaces

Console Output

```
Started by user dinesh
Obtained Jenkinsfile from git https://github.com/dineshnatarajan111/mediawiki.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /Users/dineshnatarajan/.jenkins/workspace/PACKAGE_DEPLOYMENT
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/dineshnatarajan111/mediawiki.git
> git init /Users/dineshnatarajan/.jenkins/workspace/PACKAGE_DEPLOYMENT # timeout=10
Fetching upstream changes from https://github.com/dineshnatarajan111/mediawiki.git
> git --version # timeout=10
> git --version # 'git version 2.39.3 (Apple Git-145)'
> git fetch --tags --force --progress --
https://github.com/dineshnatarajan111/mediawiki.git +refs/heads/*:refs/remotes/origin/* #
timeout=10
> git config remote.origin.url https://github.com/dineshnatarajan111/mediawiki.git #
timeout=10
```

[← Previous Build](#)

```

> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/helm^{commit} # timeout=10
Checking out Revision 045e94dfa6f9e4c025f9e446fc7784c9bdf58f95 (refs/remotes/origin/helm)
> git config core.sparsecheckout # timeout=10
> git checkout -f 045e94dfa6f9e4c025f9e446fc7784c9bdf58f95 # timeout=10
Commit message: "updated bug"
> git rev-list --no-walk 045e94dfa6f9e4c025f9e446fc7784c9bdf58f95 # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker inspect -f . dinesh1705/jenkins-agent:1.1.0
.
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] withDockerContainer
Jenkins does not seem to be running inside a container
$ docker run -t -d -u 501:20 --user root --privileged -w
/Users/dineshnatarajan/.jenkins/workspace/PACKAGE_DEPLOYMENT -v
/Users/dineshnatarajan/.jenkins/workspace/PACKAGE_DEPLOYMENT:/Users/dineshnatarajan/.jenkins
/workspace/PACKAGE_DEPLOYMENT:rw,z -v
/Users/dineshnatarajan/.jenkins/workspace/PACKAGE_DEPLOYMENT@tmp:/Users/dineshnatarajan/.jenkins
/workspace/PACKAGE_DEPLOYMENT@tmp:rw,z -e ***** -e ***** -e ***** -e ***** -
e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
-e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****

```

```
-e ***** dinesh1705/jenkins-agent:1.1.0 cat
$ docker top 9a62bd86d867ff7b0cfe8bef2a2f83f56b5719c9c416d11401b73f7c001f0c47 -eo pid,comm
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Get variables)
[Pipeline] sh
+ git clone https://github.com/dineshnatarajan111/ST-Mediawiki.git --branch helm
Cloning into 'ST-Mediawiki'...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Get credentials)
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $PASSWORD
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] sh
Warning: A secret was passed to "sh" using Groovy String interpolation, which is insecure.
Affected argument(s) used the following variable(s): [PASSWORD, USERNAME]
See https://jenkins.io/redirect/groovy-string-interpolation for details.
+ az login --service-principal --username **** --password **** --tenant 8b291cd0-45de-4938-
9a8c-5dd465d71ada
[
{
  "id": "712bd0090-a32d-4751-8248-1d1b8e47d011",
  "isDefault": true,
  "managedByTenants": [],
  "name": "Free Trial",
  "state": "Enabled",
```

[Dashboard](#)[DEVOPS](#)[PACKAGE_DEPLOYMENT](#)

#5

```
"tenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
"user": {
  "name": "****",
  "type": "servicePrincipal"
}
}
]
+ az account list
[
  {
    "cloudName": "AzureCloud",
    "homeTenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
    "id": "712bd090-a32d-4751-8248-1d16ae47d011",
    "isDefault": true,
    "managedByTenants": [],
    "name": "Free Trial",
    "state": "Enabled",
    "tenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
    "user": {
      "name": "****",
      "type": "servicePrincipal"
    }
  }
]
+ az account set --subscription 712bd090-a32d-4751-8248-1d16ae47d011
+ az aks get-credentials --resource-group Az-dev --name aks-blue-dev --overwrite-existing
WARNING: Merged "aks-blue-dev" as current context in /root/.kube/config
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
```

```
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Resource Operation)
[Pipeline] script
[Pipeline] {
[Pipeline] sh
+ helm uninstall mediawiki-app -n dev
release "mediawiki-app" uninstalled
+ helm uninstall mediawiki-db -n dev
release "mediawiki-db" uninstalled
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] cleanWs
[WS-CLEANUP] Deleting project workspace...
[WS-CLEANUP] Deferred wipeout is used...
[WS-CLEANUP] done
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
$ docker stop --time=1 9a62bd86d867ff7b0cfe8bef2a2f83f56b5719c9c416d11401b73f7c001f0c47
$ docker rm -f --volumes 9a62bd86d867ff7b0cfe8bef2a2f83f56b5719c9c416d11401b73f7c001f0c47
[Pipeline] // withDockerContainer
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

REST API

Jenkins 2.443