

Q Search (₩+K)

?

1

1 dinesh

log out

Status	✓ Console Output
Changes	
	Started by user dinesh
Console Output	Obtained Jenkinsfile from git https://github.com/dineshnatarajan111/mediawiki.git
	[Pipeline] Start of Pipeline
View as plain text	[Pipeline] node
	Running on Jenkins in /Users/dineshnatarajan/.jenkins/workspace/ENVIRONMENT PROVISION
Edit Build Information	[Pipeline] {
	[Pipeline] stage
≕ Parameters	<pre>[Pipeline] { (Declarative: Checkout SCM)</pre>
	[Pipeline] checkout
Timings	Selected Git installation does not exist. Using Default
	The recommended git tool is: NONE
Git Build Data	No credentials specified
	Cloning the remote Git repository
Thread Dump	Cloning repository https://github.com/dineshnatarajan111/mediawiki.git
	<pre>> git init /Users/dineshnatarajan/.jenkins/workspace/ENVIRONMENT PROVISION # timeout=10</pre>
Pause/resume	Fetching upstream changes from https://github.com/dineshnatarajan111/mediawiki.git
	<pre>> gitversion # timeout=10</pre>
Replay	<pre>> gitversion # 'git version 2.39.3 (Apple Git-145)'</pre>
	> git fetchtagsforceprogress
Pipeline Steps	https://github.com/dineshnatarajan111/mediawiki.git +refs/heads/*:refs/remotes/origin/* #
	timeout=10
Workspaces	<pre>> git config remote.origin.url https://github.com/dineshnatarajan111/mediawiki.git #</pre>
	timeout=10

← Previous Build

```
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/terraform^{commit} # timeout=10
Checking out Revision 575772ef70fb7659e608c7065f892830911cabe0
(refs/remotes/origin/terraform)
> git config core.sparsecheckout # timeout=10
 > git checkout -f 575772ef70fb7659e608c7065f892830911cabe0 # timeout=10
Commit message: "updated jenkinsfile"
 > git rev-list --no-walk 575772ef70fb7659e608c7065f892830911cabe0 # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker inspect -f . dinesh1705/jenkins-agent:1.1.0
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] withDockerContainer
Jenkins does not seem to be running inside a container
$ docker run -t -d -u 501:20 --user root --privileged -w
"/Users/dineshnatarajan/.jenkins/workspace/ENVIRONMENT PROVISION" -v
"/Users/dineshnatarajan/.jenkins/workspace/ENVIRONMENT
PROVISION:/Users/dineshnatarajan/.jenkins/workspace/ENVIRONMENT PROVISION:rw,z" -v
"/Users/dineshnatarajan/.jenkins/workspace/ENVIRONMENT
PROVISION@tmp:/Users/dineshnatarajan/.jenkins/workspace/ENVIRONMENT PROVISION@tmp:rw,z" -e
-6 ****** -6 ****** -6 ****** -6 ******* -6 ******* -6 ******* -6 ******* -6
******* -0 ******* -0 ****** -0 ******* -0 *******
```

```
****** -e ****** -e ****** -e ****** -e ****** -e ******* dinesh1705/jenkins-agent:1.1.0 cat
$ docker top 2dfcd2e77932b0288f77e84a01914179a21701018410db2b46d1064601c9745f -eo pid.comm
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Get variables)
[Pipeline] sh
+ git clone https://github.com/dineshnatarajan111/ST-Mediawiki.git --branch terraform
Cloning into 'ST-Mediawiki'...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Resource Operation)
[Pipeline] withCredentials
Masking supported pattern matches of $USERNAME or $PASSWORD or $ARM CLIENT ID or
$ARM_CLIENT_SECRET or $ARM_ACCESS_KEY
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] sh
Warning: A secret was passed to "sh" using Groovy String interpolation, which is insecure.
               Affected argument(s) used the following variable(s): [PASSWORD, USERNAME]
                See https://jenkins.io/redirect/groovy-string-interpolation for details.
+ ls -lrt
total 24
-rw-r--r 1 root root 2613 Feb 4 15:35 Jenkinsfile
-rw-r--r 1 root root 1282 Feb 4 15:35 README.md
-rw-r--r-- 1 root root 370 Feb 4 15:35 aks.tf
drwxr-xr-x 3 root root 96 Feb 4 15:35 inputs
-rw-r--r 1 root root 317 Feb 4 15:35 providers.tf
```

```
-rw-r--r 1 root root 162 Feb 4 15:35 resourcegroup.tf
-rw-r--r 1 root root 1320 Feb 4 15:35 variable.tf
drwxr-xr-x 5 root root 160 Feb 4 15:36 ST-Mediawiki
+ az login --service-principal --username **** --password **** --tenant 8b291cd0-45de-4938-
9a8c-5dd465d71ada
    "cloudName": "AzureCloud",
    "homeTenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
    "id": "712bd090-a32d-4751-8248-1d16ae47d011",
    "isDefault": true,
    "managedByTenants": [],
    "name": "Free Trial",
    "state": "Enabled",
    "tenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
    "user": {
      "name": "****",
      "type": "servicePrincipal"
+ az account list
    "cloudName": "AzureCloud",
    "homeTenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
    "id": "712bd090-a32d-4751-8248-1d16ae47d011",
    "isDefault": true,
    "managedByTenants": [],
    "name": "Free Trial",
    "state": "Enabled",
    "tenantId": "8b291cd0-45de-4938-9a8c-5dd465d71ada",
```

```
"user": {
      "name": "****",
      "type": "servicePrincipal"
+ az account set --subscription 712bd090-a32d-4751-8248-1d16ae47d011
+ sed -i 's/key = ""/key = "dev.tfstate"/' ./providers.tf
+ terraform init -reconfigure
[Om [1mInitializing the backend... [Om
[0m [32m
Successfully configured the backend "azurerm"! Terraform will automatically
use this backend unless the backend configuration changes. [Om
[Om [1mInitializing provider plugins... [Om
- Finding hashicorp/azurerm versions matching "~> 3.0.2"...
- Installing hashicorp/azurerm v3.0.2...

    Installed hashicorp/azurerm v3.0.2 (signed by HashiCorp)

Terraform has created a lock file [1m.terraform.lock.hcl [0m to record the provider
selections it made above. Include this file in your version control repository
so that Terraform can guarantee to make the same selections by default when
you run "terraform init" in the future. [Om
[Om [1m [32mTerraform has been successfully initialized! [Om [32m [Om
[0m [32m
You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.
```

If you ever set or change modules or backend configuration for Terraform,

```
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary. [Om
+ terraform workspace select dev
[0m [32mSwitched to workspace "dev". [0m
+ '[' NO == YES ']'
+ '[' DESTROY '!=' DESTROY ']'
+ '[' DESTROY == DESTROY ']'
+ terraform destroy -var-file ./ST-Mediawiki/dev/dev.tfvars -auto-approve
[0m [1mazurerm resource group.rg: Refreshing state... [id=/subscriptions/712bd090-a32d-4751-
8248-1d16ae47d011/resourceGroups/Az-dev] [0m
[0m [1mazurerm_kubernetes_cluster.aks: Refreshing state... [id=/subscriptions/712bd090-a32d-
4751-8248-1d16ae47d011/resourceGroups/Az-
dev/providers/Microsoft.ContainerService/managedClusters/aks-blue-dev] [0m
Terraform used the selected providers to generate the following execution
plan. Resource actions are indicated with the following symbols:
  [31m- [0m destroy [0m
Terraform will perform the following actions:
[1m # azurerm_kubernetes_cluster.aks [0m will be [1m [31mdestroyed [0m
 [0m [31m-[0m [0m resource "azurerm_kubernetes_cluster" "aks" {
      [31m- [0m [0m api_server_authorized_ip_ranges
                                                        = [] [90m-> null [0m] [0m]
      [31m- [0m [0m azure_policy_enabled
                                                        = false [90m-> null [0m [0m
      [31m- [0m [0m dns_prefix
                                                        = "aks-dev" [90m-> null [0m [0m
      [31m- [0m [0m enable_pod_security_policy
                                                        = false [90m-> null [0m [0m
      [31m- [0m [0m fqdn
                                                        = "aks-dev-
6zclmngd.hcp.centralindia.azmk8s.io" [90m-> null [0m [0m
      [31m- [0m [0m http_application_routing_enabled
                                                        = false [90m-> null [0m [0m
                                                        = "/subscriptions/712bd090-a32d-
      [31m - [0m [0m id]]
4751-8248-1d16ae47d011/resourceGroups/Az-
dev/providers/Microsoft.ContainerService/managedClusters/aks-blue-dev" [90m-> null [0m [0m
```

```
= (sensitive value) [90m->
      [31m- [0m [0m kube admin config
null [0m [0m
      [31m- [0m [0m kube config
                                                         = (sensitive value) [90m->
null [0m [0m
      [31m- [0m [0m kube config raw
                                                         = (sensitive value) [90m->
null [0m [0m
      [31m- [0m [0m kubernetes_version
                                                         = "1.27.7" [90m-> null [0m [0m
                                                         = false [90m-> null [0m [0m
      [31m- [0m [0m local account disabled
                                                         = "centralindia" [90m-> null [0m [0m
      [31m- [0m [0m location
                                                         = "aks-blue-dev" [90m-> null [0m [0m
      [31m- [0m [0m name
      [31m- [0m [0m node resource group
                                                         = "MC Az-dev aks-blue-
dev_centralindia" [90m-> null [0m [0m
      [31m- [0m [0m open service mesh enabled
                                                         = false [90m-> null [0m [0m
      [31m- [0m [0m portal fqdn
                                                         = "aks-dev-
6zclmngd.portal.hcp.centralindia.azmk8s.io" [90m-> null [0m [0m
      [31m- [0m [0m private_cluster_enabled
                                                         = false [90m-> null [0m [0m
      [31m- [0m [0m private cluster public fqdn enabled = false [90m-> null [0m [0m
      [31m- [0m [0m public network access enabled
                                                         = true [90m-> null [0m [0m
      [31m- [0m [0m resource_group_name
                                                         = "Az-dev" [90m-> null [0m [0m
      [31m- [0m [0m role_based_access_control_enabled
                                                         = true [90m-> null [0m [0m
      [31m- [0m [0m sku tier
                                                         = "Free" [90m-> null [0m [0m
      [31m- [0m [0m tags
                                                         = {
           [31m- [0m [0m "Environment" = "dev"
        } [90m-> null [0m [0m
      [31m- [0m [0m default_node_pool {
           [31m- [0m [0m enable auto scaling
                                                      = false [90m-> null [0m [0m
           [31m- [0m [0m enable_host_encryption
                                                      = false [90m-> null [0m [0m
           [31m- [0m [0m enable_node_public_ip
                                                      = false [90m-> null [0m [0m
           [31m- [0m [0m fips_enabled
                                                      = false [90m-> null [0m [0m
           [31m- [0m [0m kubelet_disk_type
                                                      = "OS" [90m-> null [0m [0m
           [31m- [0m [0m max_count
                                                      = 0 [90m-> null [0m [0m]]
```

```
[31m- [0m [0m max pods
                                                      = 110 [90m-> null [0m [0m
           [31m- [0m [0m min_count
                                                      = 0 [90m\rightarrow null [0m [0m
           [31m- [0m [0m name
                                                      = "aksblue" [90m-> null [0m [0m
           [31m- [0m [0m node count
                                                      = 2 [90m-> null [0m] [0m]
           [31m- [0m [0m node_labels
                                                      = \{\} [90m-> null [0m] [0m]
           [31m- [0m [0m node taints
                                                      = [] [90m-> null [0m [0m]]
           [31m- [0m [0m only_critical_addons_enabled = false [90m-> null [0m [0m
                                                      = "1.27.7" [90m-> null [0m [0m
           [31m- [0m [0m orchestrator version
           [31m- [0m [0m os disk size qb
                                                      = 128 [90m-> null [0m [0m
                                                      = "Managed" [90m-> null [0m [0m
           [31m-[0m [0m os disk type]]
                                                      = "Ubuntu" [90m-> null [0m [0m
           [31m- [0m [0m os_sku
           [31m- [0m [0m tags
                                                      = {} [90m-> null [0m [0m
           [31m- [0m [0m type
                                                      = "VirtualMachineScaleSets" [90m->
null [0m [0m
           [31m- [0m [0m ultra_ssd_enabled
                                                      = false [90m-> null [0m [0m
                                                      = "Standard_DS2_v2" [90m-> null [0m [0m
           [31m- [0m [0m vm_size
           [31m- [0m [0m zones
                                                      = [] [90m-> null [0m [0m
        }
      [31m- [0m [0m identity {
           [31m- [0m [0m identity ids = [] [90m-> null [0m [0m
           [31m-[0m [0m principal id = "fd838971-865c-4999-a469-8c3703608c62" [90m->
null [0m [0m
           [31m- [0m [0m tenant_id
                                      = "8b291cd0-45de-4938-9a8c-5dd465d71ada" [90m->
null [0m [0m
           [31m- [0m [0m type
                                      = "SystemAssigned" [90m-> null [0m [0m
       [31m- [0m [0m kubelet_identity {
           [31m- [0m [0m client_id
                                                   = "9a87920f-0250-46de-9dad-b8e796332103"
[90m-> null [0m [0m
           [31m- [0m [0m object_id
                                                    = "bbdcfdb1-9d6f-4bcc-9ce1-1d521be3cfa1"
```

```
[90m-> null [0m [0m
                                          [31m-[0m [0m user assigned identity id = "/subscriptions/712bd090-a32d-4751-8248-
                               1d16ae47d011/resourceGroups/MC Az-dev aks-blue-
                               dev centralindia/providers/Microsoft.ManagedIdentity/userAssignedIdentities/aks-blue-dev-
                               agentpool" [90m-> null [0m [0m
                                       }
                                     [31m- [0m [0m network profile {
                                         [31m- [0m [0m dns service ip
                                                                          = "10.0.0.10" [90m-> null [0m [0m
                                         [31m- [0m [0m docker_bridge_cidr = "172.17.0.1/16" [90m-> null [0m [0m
                                         [31m-[0m [0m load_balancer_sku = "standard" [90m-> null [0m [0m
                                         [31m- [0m [0m network_plugin
                                                                          = "kubenet" [90m-> null [0m [0m
                                         [31m- [0m [0m outbound type
                                                                          = "loadBalancer" [90m-> null [0m [0m
                                         [31m-[0m[0mpodcidr]
                                                                          = "10.244.0.0/16" [90m-> null [0m [0m
                                         [31m- [0m [0m service_cidr
                                                                          = "10.0.0.0/16" [90m-> null [0m [0m
Dashboard
             DEVOPS
                        ENVIRONMENT PROVISION
                                                   #2
                                                  L31M- L0M L0M "/SUDSCr1pt1ons//12bd090-a32d-4/51-8248-
                               1d16ae47d011/resourceGroups/MC_Az-dev_aks-blue-
                               dev_centralindia/providers/Microsoft.Network/publicIPAddresses/bcc219eb-fe19-49de-b0e2-
                               19ee4f0e13ee",
                                               ] [90m-> null [0m [0m
                                              [31m- [0m [0m idle_timeout_in_minutes = 0 [90m-> null [0m [0m
                                              [31m- [0m [0m managed outbound ip count = 1 [90m-> null [0m [0m
                                              [31m- [0m [0m outbound_ip_address_ids = [] [90m-> null [0m [0m
                                             [31m- [0m [0m outbound_ip_prefix_ids
                                                                                     = [] [90m-> null [0m [0m
                                             [31m- [0m [0m outbound_ports_allocated = 0 [90m-> null [0m [0m
```

```
[1m # azurerm resource group.rg [0m will be [1m [31mdestroyed [0m
      [31m- [0m [0m resource "azurerm resource group" "rg" {
      [31m- [0m [0m id
                             = "/subscriptions/712bd090-a32d-4751-8248-
1d16ae47d011/resourceGroups/Az-dev" [90m-> null [0m [0m
      [31m-[0m [0m location = "centralindia" [90m-> null [0m [0m
                            = "Az-dev" [90m-> null [0m [0m
      [31m- [0m [0m name
      [31m-[0m[0m tags]]
                            = {
           [31m- [0m [0m "Environment" = "dev"
        } [90m-> null [0m [0m
   }
[1mPlan: [0m 0 to add, 0 to change, 2 to destroy.
[0m [0m [1mazurerm kubernetes cluster.aks: Destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-1d16ae47d011/resourceGroups/Az-
dev/providers/Microsoft.ContainerService/managedClusters/aks-blue-dev] [0m [0m
[0m [1mazurerm_kubernetes_cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 10s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 20s elapsed] [0m [0m
[0m [1mazurerm kubernetes_cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 30s elapsed] [0m [0m
[0m [1mazurerm_kubernetes_cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 40s elapsed] [0m [0m
[Om [1mazurerm_kubernetes_cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 50s elapsed] [0m [0m
[0m [1mazurerm_kubernetes_cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 1m0s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 1m10s elapsed] [0m [0m
[Om [1mazurerm_kubernetes_cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 15m52s elapsed] [0m [0m
```

```
[Om [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 16m2s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 16m12s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 16m22s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 16m32s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 16m42s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 16m52s elapsed] [0m [0m
 [Om [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 17m2s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 17m12s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 17m22s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 17m32s elapsed] [0m [0m
[0m [1mazurerm kubernetes cluster.aks: Still destroying... [id=/subscriptions/712bd090-a32d-
4751-8248-...erService/managedClusters/aks-blue-dev, 17m42s elapsed] [0m [0m
[Om [1mazurerm_kubernetes_cluster.aks: Destruction complete after 17m43s [Om
[0m [1mazurerm_resource_group.rg: Destroying... [id=/subscriptions/712bd090-a32d-4751-8248-
1d16ae47d011/resourceGroups/Az-dev] [0m [0m
[0m [1mazurerm_resource_group.rg: Still destroying... [id=/subscriptions/712bd090-a32d-4751-
8248-1d16ae47d011/resourceGroups/Az-dev, 10s elapsed] [0m [0m
[Om [1mazurerm_resource_group.rg: Destruction complete after 16s [Om
[0m [1m [32m
Destroy complete! Resources: 2 destroyed.
[0m
```

```
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] cleanWs
[WS-CLEANUP] Deleting project workspace...
[WS-CLEANUP] Deferred wipeout is used...
[WS-CLEANUP] done
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
$ docker stop --time=1 2dfcd2e77932b0288f77e84a01914179a21701018410db2b46d1064601c9745f
$ docker rm -f --volumes 2dfcd2e77932b0288f77e84a01914179a21701018410db2b46d1064601c9745f
[Pipeline] // withDockerContainer
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

REST API Jenkins 2.443