

Trackify - Sales Tracking & Analytics Platform

Documentation & Setup Guide

Trackify - Sales Tracking & Analytics Platform

A full-stack **CRM & Sales Tracking Platform** built with React, Vite, Express, and PostgreSQL, deployed on Vercel.

Live Demo

<https://trackify.vercel.app>

Tech Stack

Frontend

| Technology | Purpose | |-----|-----| | **React 19** | UI Library | | **Vite 8** | Build Tool & Dev Server | | **React Router 7** | Client-side Routing | | **Chart.js** | Data Visualization | | **Axios** | HTTP Client | | **Socket.io Client** | Real-time Updates | | **React Icons** | Icons Library |

Backend

| Technology | Purpose | |-----|-----| | **Express.js** | REST API Server | | **Prisma ORM** | Database ORM | | **PostgreSQL (Neon)** | Database | | **JWT** | Authentication | | **Socket.io** | WebSocket | | **OpenAI API** | AI Chat Feature | | **bcrypt** | Password Hashing |

Features

-  **Role-based Access** - Admin, User, Distributor -  **Real-time Dashboard** - Live analytics via Socket.io -  **Lead Management** - Track and manage leads -  **AI Agent** - AI-powered chat assistant -  **Distributor Portal** - Product & order management -  **Analytics & Reports** - Interactive charts -  **Order Processing** - Full order lifecycle -  **Payment Tracking** - Payment status management -  **Mobile Responsive** - Works on all devices

Local Development

Prerequisites

- Node.js v18+ - npm or yarn

1. Clone & Install

Clone the repo

```
git clone https://github.com/dineshpattanayak2004/Trackify.git
cd Trackify
```

Install frontend dependencies

```
npm install
```

Install backend dependencies

```
cd server
npm install
cd ..
```

2. Environment Variables

Create `server/.env` :

```
DATABASE_URL="postgresql://user:password@host/db"
JWT_SECRET=your_jwt_secret_here
PORT=4000
OPENAI_API_KEY=your_openai_api_key_here
```

3. Database Setup

```
cd server
npx prisma generate
npx prisma db push
node prisma/seed.js
cd ..
```

4. Run Locally

Terminal 1 - Backend:

```
cd server
npm run dev
```

Terminal 2 - Frontend:

```
npm run dev
```

Open **http://localhost:5173** in your browser.

Deploy to Vercel

1. Push to GitHub

```
git add .
git commit -m "Ready for deploy"
git push
```

2. Connect to Vercel

1. Go to vercel.com 2. Import GitHub repo 3. Framework: **Vite** 4. Root directory: `./`

3. Add Environment Variables

In Vercel Dashboard → Settings → Environment Variables:

Name	Value
<code>DATABASE_URL</code>	Your PostgreSQL URL
<code>JWT_SECRET</code>	Your JWT secret
<code>OPENAI_API_KEY</code>	Your OpenAI key

4. Deploy

```
vercel --prod
```

Project Structure

```
Trackify/
├── api/                                # Vercel serverless function
│   └── index.js                       # Express app (Vercel entry)
├── public/                            # Static assets
├── server/                            # Backend
│   ├── prisma/
│   │   ├── schema.prisma             # Database schema
│   │   └── seed.js                   # Seed data
│   └── src/
│       ├── index.js                  # Express server
│       ├── middleware/
│       │   └── auth.js                # JWT auth middleware
│       └── routes/
│           ├── auth.js                # Login/Register
│           ├── distributor.js         # Distributor API
│           ├── orders.js              # Orders API
│           ├── products.js            # Products API
│           ├── contacts.js            # Contacts API
│           ├── analytics.js           # Analytics API
│           ├── ai.js                  # OpenAI AI agent
│           └── distributors-public.js
└── src/                               # Frontend
```

```

├── assets/           # Images
├── components/       # Reusable components
├── config/           # API config
├── pages/            # Page components
├── store/            # Context API store
├── utils/            # Utilities
├── vercel.json        # Vercel config
└── vite.config.js    # Vite config

```

Default Credentials (Seed Data)

Role	Email	Password	Admin	User
	admin@trackify.test	adminpass		
	user@trackify.test	userpass		

Register via `/distributor/signup`

API Endpoints

Auth

```

POST /api/auth/register - Register new user
POST /api/auth/login    - Login

```

Distributors

```

GET    /api/public/distributors - List distributors
GET    /api/public/distributors/:id/products - Distributor products
POST   /api/distributor        - Create distributor
POST   /api/distributor/login   - Distributor login

```

Orders

```

GET    /api/orders - Get orders
POST   /api/orders - Create order
PUT    /api/orders/:id - Update order
DELETE /api/orders/:id - Delete order

```

Other

```

GET    /api/analytics/snapshot - Analytics data
POST   /api/ai/chat            - AI chat completion
GET    /api/contacts           - Get contacts

```

Available Scripts

Frontend

```

npm run dev    # Start dev server
npm run build  # Build for production

```

```
npm run preview    # Preview production build
npm run lint       # Run ESLint
```

Backend

```
npm run dev        # Dev with nodemon
npm start          # Production server
npx prisma generate # Generate Prisma client
npx prisma db push  # Push schema to DB
npm run seed       # Seed database
```



Cleanup & Maintenance

Remove old build files

```
rm -rf dist
npm run build
```

Reset database

```
cd server
npx prisma migrate reset --force
npm run seed
```



Contributing

1. Fork the repo
2. Create a feature branch: `git checkout -b feature-name`
3. Commit changes: `git commit -m "Add feature"`
4. Push: `git push origin feature-name`
5. Open a Pull Request



License

MIT License - feel free to use and modify.

Built with ❤️ by Trackify Team