


Day-1

Activity 1:


1. manifest.json (changed to logo-small.png)
2. appConfig.js (changed to qeagle-small.png)



Activity2:

Add "openai/gpt-oss-120b" to the existing list

Note: update popup.js



Home Assignment:

Implement Playwright with TypeScript

 **AI Code Generator**

Code Generator

Settings

Supported Language
TypeScript

Browser Engine
Playwright

Select LLM Provider
Groq

Select Model
openai/gpt-oss-120b

ChatGPT

New chat

Images

Library

Plugins

Projects

Codex

More

Recents

Wireshark B1 Measurement Report

Prescription breakdown

Test Engineer Resume

Samsung S22 Ultra RAT Priority

Dinesh Kumar

Free

Claim offer

Free offer

Ready when you are.

Ask anything

Think

Image icon

Microphone icon

Speech icon

Create an image

Write or edit

Search the web

AI Code Generator

Code Generator

Settings

☒ Feature File

☒ Page Class

Reset Chat

Copy

As a QA engineer,
I want to validate that users from
and see the highlighted ChatGPT bra

Scenario Outline: Successful login
Given I open the ChatGPT login pa
When I type "username" into the

Day-2

Activity:

localhost:5173

ulatorCU WebEMbescom.co.inperplexity AITestleafTestleafChatGPT - Prateek's...

AI-Powered Test Generation

User Story to Tests

Turn user stories into comprehensive, structured test cases in seconds.

Story Title *

Enter the user story title...

Description

Additional description (optional)...

Acceptance Criteria *

Enter the acceptance criteria...

Additional Info

Any additional information (optional)...

Generate Test Cases

Your test cases will appear here

Fill in the story details on the left and hit Generate. We'll craft positive, negative, edge, and more test cases for you.

Positive

Negative

Edge

Authorization

User Story to Tests

Turn user stories into comprehensive, structured test cases in seconds.

Story Title *

Need to add "Connect Jira" button to establish the connection

Description

Additional description (optional)...

Acceptance Criteria *

After implementing the UI changes, ensure that the "Connect Jira" button is functional and triggers the connection process. Upon successful connection, fetch the user stories from Jira and display them in a structured format within the UI.

Additional info

Any additional information (optional)...

Generate Test Cases

Generated Test Cases

12 test case(s)

Model: openai/gpt-oss-120b

Tokens: 2329

TEST CASE ID	TITLE	CATEGORY	EXPECTED RESULT
TC-001	Successful Jira connection with valid credentials	Positive	Connection succeeds, a loading indicator appears, and the list of Jira user stories is displayed in the UI within 5 seconds
TC-002	Connection fails with invalid Base URL format	Negative	An inline validation error is shown stating "Invalid URL format" and the connection request is not sent
TC-003	Connection fails when Email ID field is empty	Negative	A validation message "Email is required" is displayed and the button remains disabled
TC-004	Connection fails with incorrect Jira API key	Negative	Connection attempt returns an error response and the UI shows "Authentication failed. Please verify your API key."
TC-005	Connect Jira button remains disabled until all fields are populated	Edge	Button state changes from disabled to enabled only after all three inputs contain values

TC-006

Handle extremely long Base URL input

Edge

Connection proceeds without truncation errors and user stories are displayed if the URL is otherwise valid

TC-007

Accept Base URL with or without trailing slash

Positive

Both variations successfully connect and display the same list of user stories

TC-008

Unauthorized user attempts to connect Jira

Authorization

The UI displays an error message "You do not have permission to integrate with Jira" and no connection is attempted

TC-009

Unauthenticated user is redirected to login when accessing Connect Jira screen

Authorization

User is redirected to the login page before seeing the Connect Jira UI

TC-010

Connection process completes within acceptable performance threshold

Non-Functional

The total time is less than or equal to 5 seconds under normal network conditions

TC-011

Loading indicator appears during Jira data fetch

Non-Functional

A spinner or progress bar is displayed until the user stories are rendered

TC-012

User cancels connection request before completion

Negative

No user stories are displayed and the UI returns to the initial state without error

TC-001

Successful Jira connection with valid credentials

Positive

Connection succeeds, a loading indicator appears, and the list of Jira user stories is displayed in the UI within 5 seconds

Test Steps for TC-001

STEP ID	STEP DESCRIPTION	TEST DATA	EXPECTED RESULT
S01	Navigate to the Connect Jira screen	Base URL: https://example.atlassian.net, Email: user@example.com, API Key: abcdef1234567890	Step completed successfully
S02	Enter a valid Base URL (e.g., https://yourdomain.atlassian.net)	Base URL: https://example.atlassian.net, Email: user@example.com, API Key: abcdef1234567890	Step completed successfully
S03	Enter a valid Email ID	Base URL: https://example.atlassian.net, Email: user@example.com, API Key: abcdef1234567890	Step completed successfully
S04	Enter a valid Jira API key	Base URL: https://example.atlassian.net, Email: user@example.com, API Key: abcdef1234567890	Step completed successfully
S05	Click the "Connect Jira" button	Base URL: https://example.atlassian.net, Email: user@example.com, API Key: abcdef1234567890	Connection succeeds, a loading indicator appears, and the list of Jira user stories is displayed in the UI within 5 seconds