Status	Finished
Started	Friday, 9 October 2026, 11:20 PM
Completed	Friday, 9 October 2026, 11:24 PM
Duration	3 mins 35 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Appends to an existing file

b. Creates a new file for writing ✓

c. Opens a file in binary mode

d. Opens an existing file in read mode

The correct answer is: Creates a new file for writing

Question **2**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To automatically close the file after its suite finishes ✓

b. To write data to a file

c. To read data from a file

d. To delete a file

The correct answer is: To automatically close the file after its suite finishes

Question **3**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Writes data to the file
b. Reads the file line by line
c. Deletes the file
d. Moves the file cursor to the specified position ✓

The correct answer is: Moves the file cursor to the specified position

Question **4**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of single characters
b. a list of integers
c. str
d. a list of lines ✓

The correct answer is:
a list of lines

Question **5**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. sets the file's previous position at the offset
b. sets the file's current position at the offset ✓
c. none of the mentioned
d. sets the file's current position within the file

The correct answer is:
sets the file's current position at the offset

Question **6**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. null

b. 1

c. 0 ✓

d. garbage

e. 2

The correct answer is:
0

Question **7**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The mode of the file

b. The encoding format of the file ✓

c. The buffer size

d. The size of the file

The correct answer is: The encoding format of the file

Question **8**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters behind ahead from the end of a file.

b. • Move file pointer five characters behind from the current position.

c. • Move file pointer five characters ahead from the current position. ✓

d. Move file pointer five characters ahead from the beginning

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **9**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It raises an error

b. It clears the old data and starts fresh ✓

c. It appends data to the file

d. It does nothing

The correct answer is: It clears the old data and starts fresh

Question **10**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

a. The name of the file
b. The size of the file
c. The current position of the file cursor
d. The access mode in which the file was opened ✓

The correct answer is: The access mode in which the file was opened

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. none of the given choices
b. Both text and binary file ✓
c. Binary file
d. Text file

The correct answer is: Both text and binary file

Question **12**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open("a.txt", "r") ✓
b. infile = open(file, "a.txt", "r")
c. infile = open(file = "a.txt", "r")
d. infile = open(file = "a.txt", "r")

The correct answer is:
infile = open("a.txt", "r")

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. append()
b. write() ✓
c. read()
d. insert()

The correct answer is: write()

Question **14**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlist()
b. read()
c. readlines() ✓
d. readline()

The correct answer is: readlines()

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. read()
b. readline() ✓
c. readline(size)
d. readlines()

The correct answer is: readline()