

QC Portfolio Weekly Management Report

Corporate Chemistry | Data validity: 06 Aug 2026 to 12 Aug 2026 | Latest weekly uploads from 7 laboratories | Generated 20 Aug 2026, 07:16 PM

SAMPLE LOAD	OPEN WORKLOAD	QUALITY OUTCOME	AVERAGE TURNAROUND
122 latest samples	40 open; 36 aged >9 days	53 pass / 12 fail	8.1 days for completed reports

Week-on-Week Comparison

No prior weekly upload is available for a like-for-like comparison. This section will populate automatically after a laboratory's next weekly workbook is imported.

Laboratory Performance

Laboratory	Period	Samples	Open	Aged >9	Pass	Fail	Average TAT
RGL Panvel	06 Aug - 12 Aug 2026	22	12	11	6	4	6.3 days
RGL Vadodara	06 Aug - 12 Aug 2026	20	1	1	4	0	5.0 days
RGL Jorhat	06 Aug - 12 Aug 2026	5	1	1	4	0	4.8 days
RGL Rajahmundry	06 Aug - 12 Aug 2026	12	7	7	2	3	11.4 days
RGL Chennai	06 Aug - 12 Aug 2026	45	9	7	36	0	6.8 days
IDWE Cementing Laboratory	06 Aug - 12 Aug 2026	1	0	0	1	0	15.0 days
IDWE DF–CF Laboratory	06 Aug - 12 Aug 2026	17	10	9	0	5	24.4 days

Completed Testing: Actual vs Standard

Laboratory	Chemical	Outcome	Actual	Standard	Variance
RGL Vadodara	Sodium chloride SG	Report_Issued	2 days	Not defined	-
RGL Vadodara	Xylene	Report_Issued	0 days	Not defined	-
RGL Vadodara	Toluene	Pass	1 days	Not defined	-
RGL Vadodara	Sodium chloride SG	Report_Issued	1 days	Not defined	-
RGL Vadodara	Sodium chloride SG	Report_Issued	1 days	Not defined	-
RGL Vadodara	Sodium chloride SG	Report_Issued	1 days	Not defined	-
RGL Vadodara	Sodium chloride SG	Report_Issued	1 days	Not defined	-
RGL Vadodara	Sodium chloride SG	Report_Issued	0 days	Not defined	-
RGL Vadodara	Sodium chloride SG	Report_Issued	0 days	Not defined	-
RGL Vadodara	Sodium Hydroxide	Pass	2 days	1 days	+1 days
RGL Vadodara	Soda Ash	Pass	1 days	1 days	0 days
RGL Vadodara	Soda Ash	Pass	1 days	1 days	0 days
RGL Chennai	Xylene (Industrial)	Pass	1 days	Not defined	-
RGL Vadodara	Xylene	Report_Issued	0 days	Not defined	-
RGL Vadodara	Water foaming agent	Report_Issued	0 days	Not defined	-
IDWE DF–CF Laboratory	PLA Granules	Report_Issued	24 days	Not defined	-
IDWE DF–CF Laboratory	PLA Fibre	Report_Issued	24 days	Not defined	-
RGL Panvel	LTD for MH Asset	Fail	2 days	Not defined	-
RGL Panvel	LTD for MH Asset	Fail	2 days	Not defined	-
RGL Vadodara	Gelling Agent Tem 80	Report_Issued	0 days	Not defined	-
RGL Panvel	Drilling Detergent	Pass	2 days	4 days	-2 days
RGL Rajahmundry	Corrosion Inhibitor for Water injection in Mumbai High Asset	Fail	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-

Laboratory	Chemical	Outcome	Actual	Standard	Variance
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Chennai	BARYTE	Pass	9 days	Not defined	-
RGL Rajahmundry	PPD L27 SLB	Fail	7 days	Not defined	-
IDWE Cementing Laboratory	Cement AdditivePackage Category-XV	Pass	15 days	Not defined	-
RGL Jorhat	Causticised Lignite	Pass	6 days	6 days	0 days
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Chennai	BARYTE	Pass	8 days	Not defined	-
RGL Panvel	Soda Ash	Pass	3 days	1 days	+2 days
RGL Panvel	SPAN-80	Pass	14 days	Not defined	-
RGL Panvel	Low Strength Proppant	Pass	12 days	Not defined	-
RGL Panvel	Intermediate Strength Proppant	Pass	14 days	Not defined	-
RGL Chennai	Xylene (Industrial)	Pass	3 days	Not defined	-
IDWE DF–CF Laboratory	PAC-RG	Fail	27 days	Not defined	-
IDWE DF–CF Laboratory	PAC-RG	Fail	27 days	Not defined	-
IDWE DF–CF Laboratory	PAC-LVG	Fail	25 days	Not defined	-
IDWE DF–CF Laboratory	PAC-LVG	Fail	24 days	Not defined	-
IDWE DF–CF Laboratory	PAC-LVG	Fail	20 days	Not defined	-
RGL Jorhat	Hydrochloric Acid for Well Stimulation	Pass	1 days	1 days	0 days

Laboratory	Chemical	Outcome	Actual	Standard	Variance
RGL Chennai	BARYTE	Pass	4 days	Not defined	-
RGL Chennai	BARYTE	Pass	4 days	Not defined	-
RGL Chennai	BARYTE	Pass	4 days	Not defined	-
RGL Chennai	BARYTE	Pass	4 days	Not defined	-
RGL Chennai	BARYTE	Pass	4 days	Not defined	-
RGL Chennai	BARYTE	Pass	4 days	Not defined	-
RGL Chennai	BARYTE	Pass	4 days	Not defined	-
RGL Chennai	BARYTE	Pass	4 days	Not defined	-
RGL Chennai	BARYTE	Pass	4 days	Not defined	-
RGL Chennai	Xylene (Industrial)	Pass	16 days	Not defined	-
RGL Jorhat	Sodium hydroxide	Pass	2 days	1 days	+1 days
RGL Panvel	Sodium Hydroxide	Pass	3 days	1 days	+2 days
RGL Panvel	Sodium Chlorite	Fail	3 days	Not defined	-
RGL Jorhat	Soda ash	Pass	10 days	1 days	+9 days
RGL Panvel	Potassium Lignite	Fail	8 days	5 days	+3 days
RGL Rajahmundry	PPD FOR GOPAVARAM(009A)	Pass	21 days	Not defined	-
RGL Rajahmundry	PPD FOR GOPAVARAM (009)	Fail	21 days	Not defined	-
RGL Rajahmundry	METHANOL	Pass	0 days	Not defined	-
RGL Chennai	BARYTE	Pass	1 days	Not defined	-
RGL Chennai	BARYTE	Pass	1 days	Not defined	-
RGL Vadodara	Sulphonated Asphalt	Report_Issued	24 days	5 days	+19 days
RGL Vadodara	Spotting Fluid (NW)	Report_Issued	24 days	Not defined	-
RGL Vadodara	Biocide	Report_Issued	18 days	Not defined	-
RGL Vadodara	FHGG	Report_Issued	18 days	Not defined	-

Weekly Chemical Performance Analytics

Chemical	Laboratories	Samples	Pass	Fail	Open	Avg Actual	Standard	Variance
BARYTE	RGL Chennai	33	33	0	0	6.8 days	Not defined	-
Sodium chloride SG	RGL Vadodara	7	0	0	0	0.9 days	Not defined	-
EOR Polymer	RGL Rajahmundry, RGL Vadodara	5	0	0	5	-	Not defined	-
PAC-LVG	IDWE DF-CF Laboratory	5	0	3	2	23.0 days	Not defined	-
Soda Ash	RGL Jorhat, RGL Panvel, RGL Vadodara	5	4	0	1	3.8 days	1 days	+2.8 days
PAC-RG	IDWE DF-CF Laboratory	4	0	2	2	27.0 days	Not defined	-
SPAN-80	RGL Chennai, RGL Panvel	4	1	0	3	14.0 days	Not defined	-
Polyamine	IDWE DF-CF Laboratory, RGL Chennai	3	0	0	3	-	Not defined	-
Sodium Hydroxide	RGL Jorhat, RGL Panvel, RGL Vadodara	3	3	0	0	2.3 days	1 days	+1.3 days
Xylene (Industrial)	RGL Chennai	3	3	0	0	6.7 days	Not defined	-
Drilling Detergent	RGL Chennai, RGL Panvel	2	1	0	1	2.0 days	4 days	-2.0 days
LTD for MH Asset	RGL Panvel	2	0	2	0	2.0 days	Not defined	-
Polyelectrolyte	RGL Panvel	2	0	0	2	-	1 days	-
Tetra kis (Hydroxymethyl) Phosphonium Sulphate (THPS)	RGL Chennai	2	0	0	2	-	1 days	-
Tetrakis Phosphonium sulphate (THPS)	RGL Panvel	2	0	0	2	-	Not defined	-
XC Polymer	IDWE DF-CF Laboratory	2	0	0	2	-	Not defined	-
Xylene	RGL Vadodara	2	0	0	0	0.0 days	Not defined	-
Baryte (Random Sample)	RGL Chennai	1	0	0	1	-	Not defined	-
Biocide	RGL Vadodara	1	0	0	0	18.0 days	Not defined	-
Causticised Lignite	RGL Jorhat	1	1	0	0	6.0 days	6 days	0.0 days
Cement AdditivePackage Category-XV	IDWE Cementing Laboratory	1	1	0	0	15.0 days	Not defined	-
Corrosion Inhibitor for O&G; lines in presence of H2S	RGL Rajahmundry	1	0	0	1	-	Not defined	-
Corrosion Inhibitor for Water injection in Mumbai High Asset	RGL Rajahmundry	1	0	1	0	8.0 days	Not defined	-
FHGG	RGL Vadodara	1	0	0	0	18.0 days	Not defined	-
Gelling Agent Tem 80	RGL Vadodara	1	0	0	0	0.0 days	Not defined	-
HPHT WBM	IDWE DF-CF Laboratory	1	0	0	1	-	Not defined	-
Hydrochloric Acid for Well Stimulation	RGL Jorhat	1	1	0	0	1.0 days	1 days	0.0 days

Chemical	Laboratories	Samples	Pass	Fail	Open	Avg Actual	Standard	Variance
Intermediate Strength Proppant	RGL Panvel	1	1	0	0	14.0 days	Not defined	-
Keroclay	RGL Panvel	1	0	0	1	-	Not defined	-
Low Strength Proppant	RGL Panvel	1	1	0	0	12.0 days	Not defined	-
METHANOL	RGL Rajahmundry	1	1	0	0	0.0 days	Not defined	-
MMO	IDWE DF-CF Laboratory	1	0	0	1	-	Not defined	-
PLA Fibre	IDWE DF-CF Laboratory	1	0	0	0	24.0 days	Not defined	-
PLA Granules	IDWE DF-CF Laboratory	1	0	0	0	24.0 days	Not defined	-
PLA Powder	IDWE DF-CF Laboratory	1	0	0	1	-	Not defined	-
Polylactic Acid Granules	RGL Panvel	1	0	0	1	-	Not defined	-
Polylactic Acid Powder	RGL Panvel	1	0	0	1	-	Not defined	-
Potassium Lignite	RGL Panvel	1	0	1	0	8.0 days	5 days	+3.0 days
PPD (DS-73063) for EOA	RGL Rajahmundry	1	0	0	1	-	Not defined	-
PPD Ankleshwar	RGL Panvel	1	0	0	1	-	Not defined	-
PPD FOR GOPAVARAM (009)	RGL Rajahmundry	1	0	1	0	21.0 days	Not defined	-
PPD FOR GOPAVARAM(009A)	RGL Rajahmundry	1	1	0	0	21.0 days	Not defined	-
PPD L27 SLB	RGL Rajahmundry	1	0	1	0	7.0 days	Not defined	-
Sodium Chloride	RGL Panvel	1	0	0	1	-	Not defined	-
Sodium Chlorite	RGL Panvel	1	0	1	0	3.0 days	Not defined	-
Spotting Fluid (NW)	RGL Vadodara	1	0	0	0	24.0 days	Not defined	-
Sulphonated Asphalt	RGL Vadodara	1	0	0	0	24.0 days	5 days	+19.0 days
THERMINOL 55	RGL Rajahmundry	1	0	0	1	-	Not defined	-
Toluene	RGL Vadodara	1	1	0	0	1.0 days	Not defined	-
Toluole	RGL Jorhat	1	0	0	1	-	Not defined	-
TWEEN-80	RGL Panvel	1	0	0	1	-	Not defined	-
Tween-80 (Re-sampling)	RGL Chennai	1	0	0	1	-	Not defined	-
Water foaming agent	RGL Vadodara	1	0	0	0	0.0 days	Not defined	-

Aged-Open Sample Register

Laboratory	Chemical	Receipt date	Age	Follow-up remark
RGL Vadodara	EOR Polymer	25 May 2026	87 days	No delay remark recorded

Laboratory	Chemical	Receipt date	Age	Follow-up remark
IDWE DF–CF Laboratory	MMO	13 Jul 2026	38 days	Sample sent to RGL Panvel for Ca estimation (ICP-OES/AAS/Flame Photometer).
RGL Panvel	Polylactic Acid Granules	16 Jul 2026	35 days	One parameter tested in CIPET Bengaluru. Results are awaited
RGL Panvel	Polylactic Acid Powder	16 Jul 2026	35 days	One parameter tested in CIPET Bengaluru and one at IDWE Dehradun. Results are awaited
IDWE DF–CF Laboratory	PAC-LVG	17 Jul 2026	34 days	Bentonite samples arranged by the HCC office did not confirm to ONGC specification. Results expected by 14.08.2026.
IDWE DF–CF Laboratory	PAC-RG	17 Jul 2026	34 days	Bentonite samples arranged by the HCC office did not confirm to ONGC specification. Results expected by 13.08.2026.
IDWE DF–CF Laboratory	PLA Powder	17 Jul 2026	34 days	Sample sent to CIPET Bengaluru for FTIR/DSC/TGA.
RGL Panvel	Tetrakis Phosphonium sulphate (THPS)	20 Jul 2026	31 days	Clarifications and Chemicals awaited from Asset. Emailed Asset on 21.07.2026. Reminders sent on 05.08.2026, 12.08.2026
RGL Panvel	Tetrakis Phosphonium sulphate (THPS)	20 Jul 2026	31 days	Clarifications and Chemicals awaited from Asset. Emailed Asset on 21.07.2026. Reminders sent on 05.08.2026, 12.08.2026
RGL Rajahmundry	THERMINOL 55	20 Jul 2026	31 days	SAMPLE HAS BEEN SENT TO HAZIRA FOR FLASH POINT DETERMINATION
IDWE DF–CF Laboratory	PAC-RG	21 Jul 2026	30 days	Bentonite samples arranged by the HCC office did not confirm to ONGC specification. Results expected by 13.08.2026.
RGL Chennai	Tetra kis (Hydroxymethyl) Phosphonium Sulphate (THPS)	23 Jul 2026	28 days	Mail was sent to DFS-Ahmedabad on 23.07.2026, followed by a reminder on 28.07.2026, requesting injection water, chemicals, and dosage/concentration details for compatibility testing. All other testing parameters have been completed. Chemicals were dispatched as confirmed on 04.08.2026 and received at RGL Chennai on 11.08.2026; however, dosage details are still awaited. A reminder was sent on 12.08.2026.
RGL Chennai	Tetra kis (Hydroxymethyl) Phosphonium Sulphate (THPS)	27 Jul 2026	24 days	Mail was sent to DFS-Ahmedabad on 23.07.2026, followed by a reminder on 28.07.2026, requesting injection water, chemicals, and dosage/concentration details for compatibility testing. All other testing parameters have been completed. Chemicals were dispatched as confirmed on 04.08.2026 and received at RGL Chennai on 11.08.2026; however, dosage details are still awaited. A reminder was sent on 12.08.2026.
IDWE DF–CF Laboratory	PAC-LVG	27 Jul 2026	24 days	Bentonite samples arranged by the HCC office did not confirm to ONGC specification. Results expected by 14.08.2026.
RGL Rajahmundry	EOR POLYMER	28 Jul 2026	23 days	SAMPLE HAS BEEN SENT TO RGL BARODA AND IRS FOR SOME PARAMETERS.RESULTS HAVE BEEN RECEIVED FROM IRS.
RGL Rajahmundry	EOR POLYMER	28 Jul 2026	23 days	SAMPLE HAS BEEN SENT TO RGL BARODA AND IRS FOR SOME PARAMETERS.RESULTS HAVE BEEN RECEIVED FROM IRS.
RGL Chennai	Span-80	28 Jul 2026	23 days	RGL Chennai received the sample for the first time. As the facility for Hydroxyl Value (Pyridine–Acetic Anhydride) testing is not available, the sample was sent to Cotecna,Mumbai for analysis. Results are not yet recieved and follow-up is in progress. Other test parameters are completed
RGL Jorhat	Toluole	30 Jul 2026	21 days	No delay remark recorded
RGL Rajahmundry	EOR POLYMER	31 Jul 2026	20 days	SAMPLE HAS BEEN SENT TO RGL BARODA AND IRS FOR SOME PARAMETERS.RESULTS HAVE BEEN RECEIVED FROM IRS.

Laboratory	Chemical	Receipt date	Age	Follow-up remark
RGL Rajahmundry	EOR POLYMER	31 Jul 2026	20 days	SAMPLE HAS BEEN SENT TO RGL BARODA AND IRS FOR SOME PARAMETERS.RESULTS HAVE BEEN RECEIVED FROM IRS.
RGL Panvel	Polyelectrolyte	03 Aug 2026	17 days	Sample sent to offshore platform for testing of one parameter (Filtration efficiency), results awaited.
RGL Panvel	SPAN-80	03 Aug 2026	17 days	Sample sent to Cotechna Lab, Mumbai for testing of one parameter (Hydroxyl value), results awaited.
RGL Panvel	TWEEN-80	03 Aug 2026	17 days	Sample sent to RGL Chennai for testing of one parameter (Hydroxyl value), results awaited.
RGL Rajahmundry	PPD (DS-73063) for EOA	04 Aug 2026	16 days	No delay remark recorded
RGL Chennai	Span-80	04 Aug 2026	16 days	RGL Chennai received the sample for the first time. As the facility for Hydroxyl Value (Pyridine–Acetic Anhydride) testing is not available, the sample was sent to Cotecna,Mumbai for analysis. Results are not yet recieved and follow-up is in progress. Other test parameters are completed
IDWE DF–CF Laboratory	HPHT WBM	04 Aug 2026	16 days	No delay remark recorded
RGL Panvel	Polyelectrolyte	06 Aug 2026	14 days	Sample sent to offshore platform for testing of one parameter (Filtration efficiency), results awaited.
RGL Chennai	Baryte (Random Sample)	06 Aug 2026	14 days	Mail sent to DFS-Mumbai regarding the seal and packing of the received bottle. Confirmation received on 10.08.2026. Preference given to the previously received Nhava baryte samples.
RGL Panvel	Keroclay	07 Aug 2026	13 days	No delay remark recorded
RGL Rajahmundry	Corrosion Inhibitor for O&G; lines in presence of H2S	07 Aug 2026	13 days	No delay remark recorded
RGL Chennai	Polyamine	07 Aug 2026	13 days	No delay remark recorded
RGL Chennai	Tween-80 (Re-sampling)	07 Aug 2026	13 days	No delay remark recorded
IDWE DF–CF Laboratory	Polyamine	07 Aug 2026	13 days	No delay remark recorded
RGL Panvel	PPD Ankleshwar	10 Aug 2026	10 days	Crude oil is yet to be received from Ankleshwar Asset
RGL Panvel	Soda Ash	10 Aug 2026	10 days	Results awaited from Offshore platform for Filtration Efficiency
IDWE DF–CF Laboratory	XC Polymer	10 Aug 2026	10 days	No delay remark recorded