



Program No: 1

Problem statement:

A program that creates a simple web server and static HTML page.

Aim:

To solve this problem statement.

Problem Description:

Develop a Python program using Flask to creat simple web server serving a static HTML page. The objective is to use command (flask --app <YourAppName> run) instead of running the scredirectly. Ensure proper project organization, write a basic HTML file, a confirm functionality by accessing http://127.0.0.1:5000/ in a web brown

Algorithm:

Step 1: start

Step 2: Install Flask

Step 3: create a Project Structure

Step 4: Write a HTML file and save as a index.html file

Step 5: Write a Flask file and save as a app.py file

Step 6: Run that Flask file.

Step 7: Stop

HTML FILE:

Index.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=</pre>





</body>

FLASK FILE:

app.py

from flask import Flask,
render_template app = Flask(_____name
______)

Define a route for the root URL "/"

@app.route("/")

def home():

Render the static HTML page located in the "templates" folder
return render_template("index.html")

Run the app if this script is the main
program if__name_== "___main__":
app.run(debug=True)


Output:



Hello World!



Here We have successfully creates a simple web server and





Program No: 2

Problem statement:

A program that creates a web application that a users to register and login.

Aim:

To solve this problem statement.

Problem Description:

The web application will be built using a combifront-end and back-end technologies. The front-end will be responsible creating the user interface, while the back-end will handle user registrate login authentication, and data storage.

Algorithm:

Step 1: start

Step 2: create a Project Structure

Step 3: Write a HTML file and save as a index.html ,login.html & regis file

Step 4: Write a Flask file and save as a app.py file

Step 5: Run that Flask file.

Step 6: Stop

HTML FILE:

Index.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<meta http-equiv="X-UA-Compatible" content="IE=edge" />





```
@import url("https://fonts.googleapis.com/css2?
family=Poppins:wght@500&display=sw ap");
   margin: 0;
   padding: 0;
   box-sizing: border-box;
  body {
   height: 100vh;
   width: 100%;
   display: flex;
   justify-content: center;
   align-items: center;
   flex-direction:
   column; background:
   #ff5a5f;
  h1 {
   font-family: "Poppins", sans-serif;
   color: #fff;
   margin: 30px
   50px; font-size:
   3rem;
  input {
   padding: 10px 20px;
   border: 3px solid
   #fff; border-radius:
   10px;
   background: rgb(16, 208,
   16); font-size: 1.5rem;
   color: white;
   font-family: "Poppins", sans-
   serif; font-weight: 300;
   transition: .3s;
    & hover & backer
```

}





```
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=</pre>
  <title>User Login</title>
  <style>
    margin: 0;
    padding: 0;
    box-sizing: border-box;
   body {
    height: 100vh;
    width: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
    flex-direction:
    column;
    background: rgb(9, 9, 121);
```

background: linear-gradient(


raba(0 0 121 1) 0%

30deg,





```
.container {
 display: flex;
 align-items: center;
justify-content: space-
 evenly; flex-direction:
 column; width: 600px;
 border-radius: 20px;
 height: 500px;
 background: #ffffff5a;
 backdrop-filter:
 blur(20px); & h1 {
  font-family: Arial, Helvetica, sans-serif;
  color: #fff;
  margin: 30px 0;
 & li {
  list-style: none;
 & form {
  & label {
   color: white;
   font-family: Arial, Helvetica, sans-
   serif; font-size: 1.4rem;
   margin: 10px 20px;
  & .log button {
   color: #fff;
   background: red;
   border: none;
   outline: none;
   padding: 5px 10px;
   border-radius:
    10px; font-size:
    1.2rem; transition:
   0.3s;
   transform: translate V(130nv).
```





```
& .password{ paddin
      g: 10px 20px;
      border-radius:
      20px; outline: none;
      border: none;
   & .username{ paddin
      g: 10px 20px;
      border-radius:
      20px; outline: none;
      border: none;
   & input {
    margin: 10px 20px;
  .error {
   color: red;
  .success {
   color: green;
  .default {
   color: black;
 </style>
</head>
<body>
 <div class="container">
  <h1>User Login</h1>
  {% with messages = get flashed messages() %} {% if messages %
  <ul>
```

10% for message in messages 0%)





```
{{ message }}
    </1i>
     {% endfor %}
   </111>
   {% endif %} {% endwith %}
   <form method="post" action="{{ url for('login') }}">
    <label for="username" class="username label">Username:</label</pre>
    <input type="text" name="username" class="username" required //</pre>
    <br/>>
    <label for="password" class="password label">Password:</label>
    <input type="password" name="password" class="password" requ</pre>
    <br >
    <input type="submit" class="log button" value="Log in" />
   </form>
   >
    Don't have an account?
    <a href="{{ url_for('register') }}">Register here</a>.
   </div>
 </body>
</html>
register.html
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
```


<meta http-equiv="X-UA-Compatible" content="IE=edge" />

<meta name="viewport" content="width=device-width, initial-scale=</pre>

* {
margin: 0;
nadding: 0:

<style>

<title>User Registration</title>






```
height: 100vh;
 width: 100%;
 display: flex;
 align-items: center;
justify-content: center;
 flex-direction:
 column;
 background: rgb(9, 9, 121);
 background: linear-gradient(
 30deg,
  rgba(9, 9, 121, 1) 0%,
  rgba(2, 0, 36, 1) 29%,
  rgba(0, 212, 255, 1) 100%
 );
.container {
 display: flex;
 align-items: center;
justify-content: space-
 evenly; flex-direction:
 column; width: 600px;
 border-radius: 20px;
 height: 500px;
 background: #ffffff5a;
 backdrop-filter:
 blur(20px); & h1 {
  font-family: Arial, Helvetica, sans-serif;
  color: #fff;
  margin: 30px 0;
 & li {
  list-style: none;
 & form {
  & label {
   color white.
```





```
& .register button {
 color: #fff;
 background: red;
 border: none;
 outline: none;
 padding: 5px 10px;
 border-radius:
 10px; font-size:
 1.2rem; transition:
 0.3s;
 transform: translateX(130px);
 &:hover {
  background: #fff;
  color: #000;
  cursor: pointer;
& .password {
 padding: 10px
 20px; border-
 radius: 20px;
 outline: none;
 border: none;
& .username {
 padding: 10px
 20px; border-
 radius: 20px;
 outline: none;
 border: none;
& input {
 margin: 10px 20px;
```

color: green;





</html>

```
.default {
    color: black;
  </style>
 </head>
 <body>
  <div class="container">
   <h1>User Registration</h1>
   {% with messages = get flashed messages() %} {% if messages %
   <u1>
     {% for message in messages %}
    li
      class="{% if 'error' in message %}error{% elif 'success' in messa
%}success{% else %}default{% endif %}"
      {{ message }}
    </1i>
     {% endfor %}
   {% endif %} {% endwith %}
   <form method="post" action="{{ url for('register') }}">
    <label for="username" class="username label">Username:</label</pre>
    <input type="text" name="username" class="username" required //</pre>
    <br/>br />
    <label for="password" class="password label">Password:</label>
    <input type="password" name="password" class="password" requ</pre>
    <br/>>
    <input type="submit" class="register button" value="Register" />
   </form>
   >
    Already have an account?
    <a href="\{\{ url for('login') \}\}">Log in here</a>.
   </div>
 </body>
```




FLASK FILE:

```
app.py
from flask import Flask, render template, request, redirect, url for, sess
flash
from flask sqlalchemy import SQLAlchemy
from werkzeug.security import generate password hash, check password
import secrets
# print(secrets.token hex(16))
app = Flask(\underline{\quad name}\underline{\quad})
app.secret key = secrets.token hex(16)
app.config['SQLALCHEMY DATABASE URI'] = 'sqlite:///users.db';
database, change for other databases
db = SQLAlchemy(app)
# Define the User model
class User(db.Model):
  id = db.Column(db.Integer, primary key=True)
  username = db.Column(db.String(50), unique=True, nullable=False)
  password = db.Column(db.String(256), nullable=False)
# Ensure the creation of all tables inside the application context
with app.app context():
  db.create all()
@app.route("/")
def home():
  # Render the static HTML page located in the "templates" folder
  return render template("index.html")
```

Define a route for the registration page


@ann route('/register' methods-['CFT' 'POST'])





```
password = request.form['password']
    # Check if the username is already taken
    if User.query.filter by(username=username).first():
       flash('Username already taken. Please choose another.', 'error')
     else:
       # Hash the password before storing it
       hashed password = generate password hash(password,
method='pbkdf2:sha256')
       # Create a new user instance
       new user = User(username=username, password=hashed passw
       # Add the user to the database
       db.session.add(new user)
       db.session.commit()
       flash('Registration successful. You can now log in.', 'success')
       return redirect(url for('login'))
  return render template('register.html')
# Define a route for the login page
@app.route('/login', methods=['GET', 'POST'])
def login():
  if request.method == 'POST':
    username = request.form['username']
    password = request.form['password']
    # Query the user from the database
    user = User.query.filter by(username=username).first()
    # Check if the username exists and the password is correct
    if user and check password hash(user.password, password):
       session['username'] = username
```


flach('I ogin successfull' 'success')





← → C (3) 127.0.0.1:5000


return render template('login.html') # Define a route for the dashboard (a protected route accessible only after (a)app.route('/dashboard') def dashboard(): if 'username' in session: return f'Welcome to the dashboard, {session["username"]}!" else: flash('Please log in to access the dashboard.', 'info') return redirect(url for('login')) # Logout route @app.route('/logout') def logout(): session.pop('username', None) flash('You have been logged out.', 'info') return redirect(url for('login')) if__name__== '__main __': app.run(debug=True) **Output:** #static html page: × | localhost / 127.0.0.1 / testing | × +








#Registation page



#Login page





#Dashboard





Conclusion:

Here We have successfully creates a web application allows users to register and login.



Program No:3

Problem statement:

A program that creates a web application that a users to upload and download files.

Aim:

To solve this problem statement.

Problem Description:

Develop a Flask-based web application featuring:

1. File Upload:

- Users can upload files through a web form.
- Prevent form submission without selecting a file.
- Save uploaded files to a server directory (e.g., uploads).

2. File Display:

- Display a dynamic list of uploaded files on the main page.
- Each file entry includes a "Download" button.

3. File Download:

• Enable users to download files by clicking the corresponding "Download" button.

4. User Interface:

- Design a clean and user-friendly interface using HTML templates.
- Separate application code (app.py) and HTML templates.


Algorithm:

Step 1: start

Step 2: create a Project Structure

Step 3: Write a HTML file and save as a

index.htmlfile **Step 4:** Write a Flask file and save as a app.py file **Step 5:** Run that Flask file.





HTML FILE

```
index.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=</pre>
  <title>File Upload and Download</title>
</head>
<body>
  <h1>File Upload and Download</h1>
  <form action="/upload" method="post" enctype="multipart/form-date</pre>
    <label for="file">Choose a file:</label>
    <input type="file" name="file" id="file" required>
    <br>
    <input type="submit" value="Upload">
  </form>
  <h2>Uploaded Files</h2>
  {% for filename in filenames %}
    <div>
       <span>{{ filename }}</span>
       <a href="{{ url for('download file', filename=filename) }}" do
         <button>Download</button>
       </a>
    </div>
  {% endfor %}
</body>
</html>
```


FLSK FILE

app.py

from flask import Flask, render_template, request, send_from_directory



```
UPLOAD FOLDER = 'uploads'
app.config['UPLOAD FOLDER'] = UPLOAD FOLDER
os.makedirs(UPLOAD FOLDER, exist ok=True)
(a)app.route('/')
def index():
  filenames = os.listdir(app.config['UPLOAD FOLDER'])
  return render template('index.html', filenames=filenames)
@app.route('/upload', methods=['POST'])
def upload file():
  if 'file' not in request.files:
     return "No file part"
file = request.files['file']
  if file.filename == ":
     return "No selected file"
  file.save(os.path.join(app.config['UPLOAD FOLDER'], file.filename
  return redirect(url for('index'))
(a)app.route('/download/<filename>')
def download file(filename):
  return send from directory(app.config['UPLOAD FOLDER'], filena
if__name__== '__main
  ': app.run(debug=True)
Output:
File Upload and Download
Choose a file: Choose File No file choser
Uploaded Files
Book1.xlsx | Download | CC.pdf | Download |
```





Program No:4

Problem statement:

A program that creates a web application that display from a database in a tabular format.

Aim:

To solve this problem statement.

Problem Description:

The program utilizes Flask, SQLAlchemy, and to create a web application. It defines a simple SQLAlchemy model (Peto represent data with attributes like name and age. Sample data is inseran SQLite database. The main route (/) queries the database, converts the database and Pandas DataFrame, and renders it as an HTML table using a Flask template (index.html).

Algorithm:

Step 1: start

Step 2: create a Project Structure

Step 3: Write a HTML file and save as a

index.htmlfile Step 4: Write a Flask file and save as a

app.py file **Step 5:** Run that Flask file.

Step 6: Stop

HTML FILE

index.html

<!DOCTYPE html>

<html lang="en">


<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=</pre>

<title>Data Display</title>

link rel="stylesheet"





```
<h1>Data Display</h1>
<!-- Render the HTML table -->
{{ table_html | safe }}
</div>
</body>
</html>
```

FLSK FILE

app.py

from flask import Flask, render template import pandas as pd

def display_data():

table_html = df.to_html(classes='table table-striped', index=False) return render template('index.html', table html=table html)

if__name__== '__main __': app.run(debug=True)


Output:



Data Display

name	age
Rohan	25
Tushar	30
Mohit	22

Conclusion.





Program No:5

Problem statement:

A program that creates a web application that a user input and sends it to a server-side script for processing.

Aim:

To solve this problem statement.

Problem Description:

You are tasked with creating a web application Flask that enables users to input data on the main page through a form. entered data should be sent to the server, processed by a server-side scritche result displayed on the same page. The provided code includes a bastructure for achieving this, where user input is obtained from a form, a simple processing logic is applied.

Algorithm:

Step 1: start

Step 2: create a Project Structure

Step 3: Write a HTML file and save as a

index.htmlfile Step 4: Write a Flask file and save as a

app.py file **Step 5:** Run that Flask file.

Step 6: Stop

HTML FILE

index.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<meta name="viewport" content="width=device-width, initial-scale=</pre>

<title>User Input</title>





```
padding: 0;
 box-sizing: border-box;
body {
 height: 100vh;
 width: 100%;
 background: #a2d2ff;
 display: flex;
 align-items: center;
 justify-content: center;
 flex-direction:
 column;
.container {
 display: flex;
 align-items: center;
 justify-content: space-
 evenly; flex-direction:
 column; width: 500px;
 height: 600px;
 border-radius:
 20px;
 background: #ffffff5a;
 backdrop-filter:
 blur(20px); & h1 {
  font-family: Arial, Helvetica, sans-serif;
  color: #3a86ff;
  font-size: 2rem;
 & label {
  color: #3a86ff;
  font-family: Arial, Helvetica, sans-
  serif; font-size: 1.2rem;
  padding: 10px;
  margin: 10px 20px;
```

COMPUTER SCIENCE AND EN	G
FACULTY OF ENGINEERING &	ż
TECHNOLOGY PFSD (30310525	8
SEM ENROLLMENT NO. 220304	₹

border-radius: 20px;





```
& .submit{
    padding: 10px 20px;
    color: #fff;
    background: #2a9d8f;
    outline: none;
    border: none:
    border-radius:
     10px; transition:
    .3s;
    transform: translateX(150px);
    margin: 30px;
    &:hover{ colo
       r: #000;
       cursor: pointer;
       background: #fff;
   & h2 {
    font-family: Arial, Helvetica, sans-serif;
    color: #3a86ff:
    font-size: 2rem;
 </style>
 <body>
  <div class="container">
   <h1>User Input Form</h1>
   <form method="post" action="/">
    <label for="user input">Enter something:</label>
    <input type="text" class="enter" name="user input" id="user inp</pre>
required />
     <br >
    <input class="submit" type="submit" value="Submit" />
   </form>
```





```
</div>
   {% endif %}
  </div>
 </body>
</html>
FLSK FILE
app.py
from flask import Flask, render template, request
app = Flask( name )
@app.route('/', methods=['GET', 'POST'])
def index():
  result = None
  if request.method == 'POST':
    # Get user input from the form
    user input = request.form.get('user input')
    result = f"You entered: {user input}"
  return render template('index.html', result=result)
if__name__== '__main
  __': app.run(debug=True)
Output:
```





