CS 61B Spring 2020

Small Group Tutoring
Section 3: OOP and Polymorphism

Worksheet 5 Solutions

1 Confusing Constructors

What is the output of the following program after we execute the main method?

```
public class Confusing {
    private Confusing(Object o) {
        System.out.println("Data Structures");
    }
    private Confusing(double[] dArray) {
        System.out.println("Algorithms");
    }
    public static void main(String[] args) {
        int[] array = new int[4];
        IntList list = IntList.list(array);
        Confusing Antares = new Confusing(array);
        Confusing Christine = new Confusing(list);
        Confusing Nicolas = new Confusing(null);
    }
}
```

Data Structures

Data Structures

Data Structures

2 The ABCs of OOP

Indicate what each line the main program in class **D** would print, if the line prints anything. If any lines error out, identify the errors as compile-time or runtime errors and cross out the corresponding lines.

```
public class A {
    public void x() { System.out.println("Ax"); }
    public void y(A z) { System.out.println("Ay"); }
}

public class B extends A {
    public void y() { System.out.println("By"); }
    public void y(B z) { System.out.println("Byz"); }
}

public class C extends A {
    public void x() { System.out.println("Cx"); }
}

public class D {
    public static void main(String[] args) {
        A e = new B();
        A f = new C();
        ~~B g = new A();~~ Compile-Time Error. A is not a subclass of B
        ~~B h = new C();~~ Compile-Time Error. Although B and C are are both children classes of A, B and C are not related to each other.
        ~~C i = (C) new A();~~ Runtime Error. Casting would trick the compiler to think of the new object as type C and then assign it to i. While running the program, casting will crash because the new object is type A in dynamic binding, which cannot be assigned to class C (as A is not a subclass of C).
        ~~B j = (A) new C();~~ Compile-Time Error. Casting will trick the compiler to think of the new object as type A. However in run-time when looking at the dynamic types, we cannot assign it to type B since A is not a subclass of B.
        B k = (B) e; e is type B in dynamic type, so the assignment works out fine in run-time.

        f.x(); Cx
```

```
        e.x(); Ax
        e.y(); Compile-Time Error.  e is treated as an object under class
A when compiling.  Class A doesn't have the y method whose input is empty.
        (B) e.y(); Compile-Time Error.  This attempts to cast the value
returned by e.y() to B, rather than actually casting e to type B. There-
fore this does nothing to fix the issue described in the above part.
        ((B) e).y(); By
        e.y(e); Ay
        e.y(f); Ay
    }
```

3 Fix this Waffle Code

Given the following interface and classes, fill in the blanks below so that the code compiles.

```
public interface Edible {
    void eat();
}

public abstract class Food implements Edible{
    public abstract void cook();
}

public class Pancake extends Food {
    public void eat() {
        System.out.println("Pancake");
    }
    public void cook() {
        System.out.println("Made Pancake!");
    }
}

public class Waffle implements Edible {

    public void eat() {
```

```
        System.out.println("Waffle");
    }

    public static void main(String[] args) {
        Edible arr = new Edible[2];

        arr[0] = new Pancake();
        arr[1] = new Waffle();
    }
}
```