Package 'shinydashboard'

September 9, 2015

Title Create Dashboards with 'Shiny'

Version 0.5.1

Description Create dashboards with 'Shiny'. This package provides
a theme on top of 'Shiny', making it easy to create attractive dashboards.

URL http://rstudio.github.io/shinydashboard/

Depends R (>= 3.0)

License GPL-2 | file LICENSE

Imports utils, shiny (>= 0.11.1), htmltools (>= 0.2.6)

NeedsCompilation no

Author Winston Chang [aut, cre],
RStudio [cph],
Almasaeed Studio [ctb, cph] (AdminLTE theme for Bootstrap),
Adobe Systems Incorporated [ctb, cph] (Source Sans Pro font)

Maintainer Winston Chang <winston@rstudio.com>

Repository CRAN

Date/Publication 2015-09-09 09:17:22

R topics documented:

---

box *Create a box for the main body of a dashboard*

Description

Boxes can be used to hold content in the main body of a dashboard.

Usage

```
box(..., title = NULL, footer = NULL, status = NULL,
  solidHeader = FALSE, background = NULL, width = 6, height = NULL,
  collapsible = FALSE, collapsed = FALSE)
```

Arguments

...	Contents of the box.
title	Optional title.
footer	Optional footer text.
status	The status of the item This determines the item's background color. Valid statuses are listed in [validStatuses](#).
solidHeader	Should the header be shown with a solid color background?
background	If NULL (the default), the background of the box will be white. Otherwise, a color string. Valid colors are listed in [validColors](#).
width	The width of the box, using the Bootstrap grid system. This is used for row-based layouts. The overall width of a region is 12, so the default valueBox width of 4 occupies 1/3 of that width. For column-based layouts, use NULL for the width; the width is set by the column that contains the box.
height	The height of a box, in pixels or other CSS unit. By default the height scales automatically with the content.

box 3

collapsible	If TRUE, display a button in the upper right that allows the user to collapse the box.
collapsed	If TRUE, start collapsed. This must be used with collapsible=TRUE.

See Also

Other boxes: infoBox; tabBox; valueBox

Examples

```
## Only run this example in interactive R sessions
if (interactive()) {
library(shiny)

# A dashboard body with a row of infoBoxes and valueBoxes, and two rows of boxes
body <- dashboardBody(

  # infoBoxes
  fluidRow(
    infoBox(
      "Orders", uiOutput("orderNum2"), "Subtitle", icon = icon("credit-card")
    ),
    infoBox(
      "Approval Rating", "60%", icon = icon("line-chart"), color = "green",
      fill = TRUE
    ),
    infoBox(
      "Progress", uiOutput("progress2"), icon = icon("users"), color = "purple"
    )
  ),

  # valueBoxes
  fluidRow(
    valueBox(
      uiOutput("orderNum"), "New Orders", icon = icon("credit-card"),
      href = "http://google.com"
    ),
    valueBox(
      tagList("60", tags$sup(style="font-size: 20px", "%")),
       "Approval Rating", icon = icon("line-chart"), color = "green"
    ),
    valueBox(
      htmlOutput("progress"), "Progress", icon = icon("users"), color = "purple"
    )
  ),

  # Boxes
  fluidRow(
    box(status = "primary",
      sliderInput("orders", "Orders", min = 1, max = 2000, value = 650),
      selectInput("progress", "Progress",
        choices = c("0%" = 0, "20%" = 20, "40%" = 40, "60%" = 60, "80%" = 80,
```

```
                          "100%" = 100)
        )
      ),
      box(title = "Histogram box title",
        status = "warning", solidHeader = TRUE, collapsible = TRUE,
        plotOutput("plot", height = 250)
      )
    ),

    # Boxes with solid color, using `background`
    fluidRow(
      # Box with textOutput
      box(
        title = "Status summary",
        background = "green",
        width = 4,
        textOutput("status")
      ),

      # Box with HTML output, when finer control over appearance is needed
      box(
        title = "Status summary 2",
        width = 4,
        background = "red",
        uiOutput("status2")
      ),

      box(
        width = 4,
        background = "light-blue",
        p("This is content. The background color is set to light-blue")
      )
    )
  )
)

server <- function(input, output) {
  output$orderNum <- renderText({
    prettyNum(input$orders, big.mark=",")
  })

  output$orderNum2 <- renderText({
    prettyNum(input$orders, big.mark=",")
  })

  output$progress <- renderUI({
    tagList(input$progress, tags$sup(style="font-size: 20px", "%"))
  })

  output$progress2 <- renderUI({
    paste0(input$progress, "%")
  })

  output$status <- renderText({
```

```
      paste0("There are ", input$orders,
        " orders, and so the current progress is ", input$progress, "%.")
  })

  output$status2 <- renderUI({
    iconName <- switch(input$progress,
      "100" = "ok",
      "0" = "remove",
      "road"
    )
    p("Current status is: ", icon(iconName, lib = "glyphicon"))
  })


  output$plot <- renderPlot({
    hist(rnorm(input$orders))
  })
}

shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    body
  ),
  server = server
)
}
```

---

dashboardBody   *The main body of a dashboard page.*

Description

The main body typically contains [box](#)es. Another common use pattern is for the main body to contain [tabItems](#).

Usage

```
dashboardBody(...)
```

Arguments

...   Items to put in the dashboard body.

See Also

[tabItems](#), [box](#), [valueBox](#).

---

dashboardHeader   *Create a header for a dashboard page*

Description

A dashboard header can be left blank, or it can include dropdown menu items on the right side.

Usage

```
dashboardHeader(..., title = NULL, titleWidth = NULL, disable = FALSE,
  .list = NULL)
```

Arguments

`...`	Items to put in the header. Should be [dropdownMenu](#)s.
`title`	An optional title to show in the header bar.. By default, this will also be used as the title shown in the browser's title bar. If you want that to be different from the text in the dashboard header bar, set the `title` in [dashboardPage](#).
`titleWidth`	The width of the title area. This must either be a number which specifies the width in pixels, or a string that specifies the width in CSS units.
`disable`	If TRUE, don't display the header bar.
`.list`	An optional list containing items to put in the header. Same as the `...` arguments, but in list format. This can be useful when working with programmatically generated items.

See Also

[dropdownMenu](#)

Examples

```
## Only run this example in interactive R sessions
if (interactive()) {
library(shiny)

# A dashboard header with 3 dropdown menus
header <- dashboardHeader(
  title = "Dashboard Demo",

  # Dropdown menu for messages
  dropdownMenu(type = "messages", badgeStatus = "success",
    messageItem("Support Team",
      "This is the content of a message.",
      time = "5 mins"
    ),
    messageItem("Support Team",
      "This is the content of another message.",
```

```
      time = "2 hours"
    ),
    messageItem("New User",
      "Can I get some help?",
      time = "Today"
    )
  ),

  # Dropdown menu for notifications
  dropdownMenu(type = "notifications", badgeStatus = "warning",
    notificationItem(icon = icon("users"), status = "info",
      "5 new members joined today"
    ),
    notificationItem(icon = icon("warning"), status = "danger",
      "Resource usage near limit."
    ),
    notificationItem(icon = icon("shopping-cart", lib = "glyphicon"),
      status = "success", "25 sales made"
    ),
    notificationItem(icon = icon("user", lib = "glyphicon"),
      status = "danger", "You changed your username"
    )
  ),

  # Dropdown menu for tasks, with progress bar
  dropdownMenu(type = "tasks", badgeStatus = "danger",
    taskItem(value = 20, color = "aqua",
      "Refactor code"
    ),
    taskItem(value = 40, color = "green",
      "Design new layout"
    ),
    taskItem(value = 60, color = "yellow",
      "Another task"
    ),
    taskItem(value = 80, color = "red",
      "Write documentation"
    )
  )
)

shinyApp(
  ui = dashboardPage(
    header,
    dashboardSidebar(),
    dashboardBody()
  ),
  server = function(input, output) { }
)
}
```

dashboardPage   *Dashboard page*

Description

This creates a dashboard page for use in a Shiny app.

Usage

```
dashboardPage(header, sidebar, body, title = NULL, skin = c("blue", "black",
  "purple", "green", "red", "yellow"))
```

Arguments

header	A header created by dashboardHeader.
sidebar	A sidebar created by dashboardSidebar.
body	A body created by dashboardBody.
title	A title to display in the browser's title bar. If no value is provided, it will try to extract the title from the dashboardHeader.
skin	A color theme. One of "blue", "black", "purple", "green", "red", or "yellow".

See Also

dashboardHeader, dashboardSidebar, dashboardBody.

Examples

```
## Only run this example in interactive R sessions
if (interactive()) {
# Basic dashboard page template
library(shiny)
shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(),
    title = "Dashboard example"
  ),
  server = function(input, output) { }
)
}
```

---

dashboardSidebar *Create a dashboard sidebar.*

Description

A dashboard sidebar typically contains a [sidebarMenu](), although it may also contain a [sidebarSearchForm](), or other Shiny inputs.

Usage

```
dashboardSidebar(..., disable = FALSE, width = NULL)
```

Arguments

...	Items to put in the sidebar.
disable	If TRUE, the sidebar will be disabled.
width	The width of the sidebar. This must either be a number which specifies the width in pixels, or a string that specifies the width in CSS units.

See Also

[sidebarMenu]()

Examples

```
## Only run this example in interactive R sessions
if (interactive()) {
header <- dashboardHeader()

sidebar <- dashboardSidebar(
  sidebarUserPanel("User Name",
    subtitle = a(href = "#", icon("circle", class = "text-success"), "Online"),
    # Image file should be in www/ subdir
    image = "userimage.png"
  ),
  sidebarSearchForm(label = "Enter a number", "searchText", "searchButton"),
  sidebarMenu(
    # Setting id makes input$tabs give the tabName of currently-selected tab
    id = "tabs",
    menuItem("Dashboard", tabName = "dashboard", icon = icon("dashboard")),
    menuItem("Widgets", icon = icon("th"), tabName = "widgets", badgeLabel = "new",
             badgeColor = "green"),
    menuItem("Charts", icon = icon("bar-chart-o"),
      menuSubItem("Sub-item 1", tabName = "subitem1"),
      menuSubItem("Sub-item 2", tabName = "subitem2")
    )
  )
)
```

```
body <- dashboardBody(
  tabItems(
    tabItem("dashboard",
      div(p("Dashboard tab content"))
    ),
    tabItem("widgets",
      "Widgets tab content"
    ),
    tabItem("subitem1",
      "Sub-item 1 tab content"
    ),
    tabItem("subitem2",
      "Sub-item 2 tab content"
    )
  )
)

shinyApp(
  ui = dashboardPage(header, sidebar, body),
  server = function(input, output) { }
)
}
```

dropdownMenu	*Create a dropdown menu to place in a dashboard header*

Description

Create a dropdown menu to place in a dashboard header

Usage

```
dropdownMenu(..., type = c("messages", "notifications", "tasks"),
  badgeStatus = "primary", icon = NULL, .list = NULL)
```

Arguments

...	Items to put in the menu. Typically, message menus should contain messageItems, notification menus should contain notificationItems, and task menus should contain taskItems.
type	The type of menu. Should be one of "messages", "notifications", "tasks".
badgeStatus	The status of the badge which displays the number of items in the menu. This determines the badge's color. Valid statuses are listed in validStatuses. A value of NULL means to not display a badge.
icon	An icon to display in the header. By default, the icon is automatically selected depending on type, but it can be overriden with this argument.
.list	An optional list containing items to put in the menu Same as the ... arguments, but in list format. This can be useful when working with programmatically generated items.

See Also

[dashboardHeader](#) for example usage.

---

dropdownMenuOutput *Create a dropdown menu output (client side)*

Description

This is the UI-side function for creating a dynamic dropdown menu.

Usage

```
dropdownMenuOutput(outputId)
```

Arguments

outputId   Output variable name.

See Also

[renderMenu](#) for the corresponding server-side function and examples, and [dropdownMenu](#) for the corresponding function for generating static menus.

Other menu outputs: [menuItemOutput](#); [menuOutput](#); [renderMenu](#); [sidebarMenuOutput](#)

---

infoBox *Create an info box for the main body of a dashboard.*

Description

An info box displays a large icon on the left side, and a title, value (usually a number), and an optional smaller subtitle on the right side. Info boxes are meant to be placed in the main body of a dashboard.

Usage

```
infoBox(title, value = NULL, subtitle = NULL,
  icon = shiny::icon("bar-chart"), color = "aqua", width = 4,
  href = NULL, fill = FALSE)
```

Arguments

title	Title text.
value	The value to display in the box. Usually a number or short text.
subtitle	Subtitle text (optional).
icon	An icon tag, created by [icon](#).
color	A color for the box. Valid colors are listed in [validColors](#).
width	The width of the box, using the Bootstrap grid system. This is used for row-based layouts. The overall width of a region is 12, so the default valueBox width of 4 occupies 1/3 of that width. For column-based layouts, use NULL for the width; the width is set by the column that contains the box.
href	An optional URL to link to.
fill	If FALSE (the default), use a white background for the content, and the color argument for the background of the icon. If TRUE, use the color argument for the background of the content; the icon will use the same color with a slightly darkened background.

See Also

[box](#) for usage examples.

Other boxes: [box](#); [tabBox](#); [valueBox](#)

---

menuItemOutput	*Create a sidebar menu item output (client side)*

Description

This is the UI-side function for creating a dynamic sidebar menu item.

Usage

```
menuItemOutput(outputId)
```

Arguments

outputId	Output variable name.

See Also

[renderMenu](#) for the corresponding server-side function and examples, and [menuItem](#) for the corresponding function for generating static sidebar menus.

Other menu outputs: [dropdownMenuOutput](#); [menuOutput](#); [renderMenu](#); [sidebarMenuOutput](#)

---

menuOutput   *Create a dynamic menu output for shinydashboard (client side)*

Description

This can be used as a placeholder for dynamically-generated [dropdownMenu](#), [notificationItem](#), [messageItem](#), [taskItem sidebarMenu](#), or [menuItem](#). If called directly, you must make sure to supply the correct type of tag. It is simpler to use the wrapper functions if present; for example, [dropdownMenuOutput](#) and [sidebarMenuOutput](#).

Usage

```
menuOutput(outputId, tag = tags$li)
```

Arguments

outputId	Output variable name.
tag	A tag function, like `tags$li` or `tags$ul`.

See Also

[renderMenu](#) for the corresponding server side function and examples.

Other menu outputs: [dropdownMenuOutput](#); [menuItemOutput](#); [renderMenu](#); [sidebarMenuOutput](#)

---

messageItem   *Create a message item to place in a dropdown message menu*

Description

Create a message item to place in a dropdown message menu

Usage

```
messageItem(from, message, icon = shiny::icon("user"), time = NULL,
  href = NULL)
```

Arguments

from	Who the message is from.
message	Text of the message.
icon	An icon tag, created by [icon](#).
time	String representing the time the message was sent. Any string may be used. For example, it could be a relative date/time like "5 minutes", "today", or "12:30pm yesterday", or an absolute time, like "2014-12-01 13:45". If NULL, no time will be displayed.
href	An optional URL to link to.

See Also

[dashboardHeader](#) for example usage.

Other menu items: [notificationItem](#); [taskItem](#)

| notificationItem | *Create a notification item to place in a dropdown notification menu* |

Description

Create a notification item to place in a dropdown notification menu

Usage

```
notificationItem(text, icon = shiny::icon("warning"), status = "success",
  href = NULL)
```

Arguments

text	The notification text.
icon	An icon tag, created by [icon](#).
status	The status of the item This determines the item's background color. Valid statuses are listed in [validStatuses](#).
href	An optional URL to link to.

See Also

[dashboardHeader](#) for example usage.

Other menu items: [messageItem](#); [taskItem](#)

| renderDropdownMenu | *Create a dropdown menu output (server side; deprecated)* |

Description

This is the server-side function for creating a dynamic dropdown menu.

Usage

```
renderDropdownMenu(expr, env = parent.frame(), quoted = FALSE)
```

Arguments

expr	An expression that returns a Shiny tag object, [HTML](#), or a list of such objects.
env	The environment in which to evaluate expr.
quoted	Is expr a quoted expression (with quote())? This is useful if you want to save an expression in a variable.

renderMenu — *Create dynamic menu output (server side)*

Description

Create dynamic menu output (server side)

Usage

```
renderMenu(expr, env = parent.frame(), quoted = FALSE, func = NULL)
```

Arguments

expr	An expression that returns a Shiny tag object, HTML, or a list of such objects.
env	The environment in which to evaluate expr.
quoted	Is expr a quoted expression (with quote())? This is useful if you want to save an expression in a variable.
func	A function that returns a Shiny tag object, HTML, or a list of such objects (deprecated; use expr instead).

See Also

menuOutput for the corresponding client side function and examples.

Other menu outputs: dropdownMenuOutput; menuItemOutput; menuOutput; sidebarMenuOutput

Examples

```
## Only run these examples in interactive R sessions

if (interactive()) {
library(shiny)
# ========== Dynamic sidebarMenu ==========
ui <- dashboardPage(
  dashboardHeader(title = "Dynamic sidebar"),
  dashboardSidebar(
    sidebarMenuOutput("menu")
  ),
  dashboardBody()
)

server <- function(input, output) {
  output$menu <- renderMenu({
    sidebarMenu(
      menuItem("Menu item", icon = icon("calendar"))
    )
  })
}
```

```
shinyApp(ui, server)

# ========== Dynamic dropdownMenu ==========
# Example message data in a data frame
messageData <- data.frame(
  from = c("Admininstrator", "New User", "Support"),
  message = c(
    "Sales are steady this month.",
    "How do I register?",
    "The new server is ready."
  ),
  stringsAsFactors = FALSE
)

ui <- dashboardPage(
  dashboardHeader(
    title = "Dynamic menus",
    dropdownMenuOutput("messageMenu")
  ),
  dashboardSidebar(),
  dashboardBody(
    fluidRow(
      box(
        title = "Controls",
        sliderInput("slider", "Number of observations:", 1, 100, 50)
      )
    )
  )
)

server <- function(input, output) {
  output$messageMenu <- renderMenu({
    # Code to generate each of the messageItems here, in a list. messageData
    # is a data frame with two columns, 'from' and 'message'.
    # Also add on slider value to the message content, so that messages update.
    msgs <- apply(messageData, 1, function(row) {
      messageItem(
        from = row[["from"]],
        message = paste(row[["message"]], input$slider)
      )
    })

    dropdownMenu(type = "messages", .list = msgs)
  })
}

shinyApp(ui, server)
}
```

---

renderValueBox   *Create an info or value box output (server side)*

Description

This is the server-side function for creating a dynamic [valueBox](#) or [infoBox](#).

Usage

```
renderValueBox(expr, env = parent.frame(), quoted = FALSE)

renderInfoBox(expr, env = parent.frame(), quoted = FALSE)
```

Arguments

expr	An expression that returns a Shiny tag object, [HTML](#), or a list of such objects.
env	The environment in which to evaluate expr.
quoted	Is expr a quoted expression (with quote())? This is useful if you want to save an expression in a variable.

See Also

[valueBoxOutput](#) for the corresponding UI-side function.

Examples

```
## Only run this example in interactive R sessions
if (interactive()) {
library(shiny)

ui <- dashboardPage(
  dashboardHeader(title = "Dynamic boxes"),
  dashboardSidebar(),
  dashboardBody(
    fluidRow(
      box(width = 2, actionButton("count", "Count")),
      infoBoxOutput("ibox"),
      valueBoxOutput("vbox")
    )
  )
)

server <- function(input, output) {
  output$ibox <- renderInfoBox({
    infoBox(
      "Title",
      input$count,
      icon = icon("credit-card")
    )
  })
  output$vbox <- renderValueBox({
    valueBox(
      "Title",
      input$count,
      icon = icon("credit-card")
```

```
      )
    })
  }

  shinyApp(ui, server)
  }
```

---

shinydashboard   *shinydashboard*

Description

shinydashboard

---

sidebarMenu   *Create a dashboard sidebar menu and menu items.*

Description

A dashboardSidebar can contain a sidebarMenu. A sidebarMenu contains menuItems, and they can in turn contain menuSubItems.

Usage

```
sidebarMenu(..., id = NULL, .list = NULL)

menuItem(text, ..., icon = NULL, badgeLabel = NULL, badgeColor = "green",
  tabName = NULL, href = NULL, newtab = TRUE, selected = NULL)

menuSubItem(text, tabName = NULL, href = NULL, newtab = TRUE,
  icon = shiny::icon("angle-double-right"), selected = NULL)
```

Arguments

...	For menu items, this may consist of menuSubItems.
id	For sidebarMenu, if id is present, this id will be used for a Shiny input value, and it will report which tab is selected. For example, if id="tabs", then input$tabs will be the tabName of the currently-selected tab.
.list	An optional list containing items to put in the menu Same as the ... arguments, but in list format. This can be useful when working with programmatically generated items.
text	Text to show for the menu item.
icon	An icon tag, created by icon. If NULL, don't display an icon.
badgeLabel	A label for an optional badge. Usually a number or a short word like "new".

badgeColor	A color for the badge. Valid colors are listed in validColors.
tabName	The name of a tab that this menu item will activate. Not compatible with href.
href	An link address. Not compatible with tabName.
newtab	If href is supplied, should the link open in a new browser tab?
selected	If TRUE, this menuItem or menuSubItem will start selected. If no item have selected=TRUE, then the first menuItem will start selected.

Details

Menu items (and similarly, sub-items) should have a value for either href or tabName; otherwise the item would do nothing. If it has a value for href, then the item will simply be a link to that value.

If a menuItem has a non-NULL tabName, then the menuItem will behave like a tab – in other words, clicking on the menuItem will bring a corresponding tabItem to the front, similar to a tabPanel. One important difference between a menuItem and a tabPanel is that, for a menuItem, you must also supply a corresponding tabItem with the same value for tabName, whereas for a tabPanel, no tabName is needed. (This is because the structure of a tabPanel is such that the tab name can be automatically generated.) Sub-items are also able to activate tabItems.

Menu items (but not sub-items) also may have an optional badge. A badge is a colored oval containing text.

See Also

dashboardSidebar for example usage. For dynamically-generated sidebar menus, see renderMenu and sidebarMenuOutput.

Other sidebar items: sidebarSearchForm; sidebarUserPanel

---

  sidebarMenuOutput   *Create a sidebar menu output (client side)*

Description

This is the UI-side function for creating a dynamic sidebar menu.

Usage

```
sidebarMenuOutput(outputId)
```

Arguments

| outputId | Output variable name. |

See Also

renderMenu for the corresponding server-side function and examples, and sidebarMenu for the corresponding function for generating static sidebar menus.

Other menu outputs: dropdownMenuOutput; menuItemOutput; menuOutput; renderMenu

---

sidebarSearchForm   *Create a search form to place in a sidebar*

Description

A search form consists of a text input field and a search button.

Usage

```
sidebarSearchForm(textId, buttonId, label = "Search...",
  icon = shiny::icon("search"))
```

Arguments

textId	Shiny input ID for the text input box.
buttonId	Shiny input ID for the search button (which functions like an [actionButton](#)).
label	Text label to display inside the search box.
icon	An icon tag, created by [icon](#).

See Also

[dashboardSidebar](#) for example usage.

Other sidebar items: [menuItem](#), [menuSubItem](#), [sidebarMenu](#); [sidebarUserPanel](#)

---

sidebarUserPanel   *A panel displaying user information in a sidebar*

Description

A panel displaying user information in a sidebar

Usage

```
sidebarUserPanel(name, subtitle = NULL, image = NULL)
```

Arguments

name	Name of the user.
subtitle	Text or HTML to be shown below the name.
image	A filename or URL to use for an image of the person. If it is a local file, the image should be contained under the www/ subdirectory of the application.

See Also

[dashboardSidebar](#) for example usage.

Other sidebar items: [menuItem](#), [menuSubItem](#), [sidebarMenu](#); [sidebarSearchForm](#)

---

tabBox *Create a tabbed box*

Description

Create a tabbed box

Usage

```
tabBox(..., id = NULL, selected = NULL, title = NULL, width = 6,
  height = NULL, side = c("left", "right"))
```

Arguments

...	[tabPanel](#) elements to include in the tabset
id	If provided, you can use input$id in your server logic to determine which of the current tabs is active. The value will correspond to the value argument that is passed to [tabPanel](#).
selected	The value (or, if none was supplied, the title) of the tab that should be selected by default. If NULL, the first tab will be selected.
title	Title for the tabBox.
width	The width of the box, using the Bootstrap grid system. This is used for row-based layouts. The overall width of a region is 12, so the default valueBox width of 4 occupies 1/3 of that width. For column-based layouts, use NULL for the width; the width is set by the column that contains the box.
height	The height of a box, in pixels or other CSS unit. By default the height scales automatically with the content.
side	Which side of the box the tabs should be on ("left" or "right"). When side="right", the order of tabs will be reversed.

See Also

Other boxes: [box](#); [infoBox](#); [valueBox](#)

Examples

```
## Only run this example in interactive R sessions
if (interactive()) {
library(shiny)

body <- dashboardBody(
  fluidRow(
    tabBox(
      title = "First tabBox",
      # The id lets us use input$tabset1 on the server to find the current tab
      id = "tabset1", height = "250px",
```

```
        tabPanel("Tab1", "First tab content"),
        tabPanel("Tab2", "Tab content 2")
      ),
      tabBox(
        side = "right", height = "250px",
        selected = "Tab3",
        tabPanel("Tab1", "Tab content 1"),
        tabPanel("Tab2", "Tab content 2"),
        tabPanel("Tab3", "Note that when side=right, the tab order is reversed.")
      )
    ),
    fluidRow(
      tabBox(
        # Title can include an icon
        title = tagList(shiny::icon("gear"), "tabBox status"),
        tabPanel("Tab1",
          "Currently selected tab from first box:",
          verbatimTextOutput("tabset1Selected")
        ),
        tabPanel("Tab2", "Tab content 2")
      )
    )
  )
)

shinyApp(
  ui = dashboardPage(dashboardHeader(title = "tabBoxes"), dashboardSidebar(), body),
  server = function(input, output) {
    # The currently selected tab from the first box
    output$tabset1Selected <- renderText({
      input$tabset1
    })
  }
)
}
```

---

tabItem   *One tab to put inside a tab items container*

Description

One tab to put inside a tab items container

Usage

```
tabItem(tabName = NULL, ...)
```

Arguments

tabName	The name of a tab. This must correspond to the tabName of a [menuItem](#) or [menuSubItem](#).
...	Contents of the tab.

See Also

menuItem, menuSubItem, tabItems. See sidebarMenu for a usage example.

---

tabItems	*A container for tab items*

Description

A container for tab items

Usage

```
tabItems(...)
```

Arguments

...	Items to put in the container. Each item should be a tabItem.

See Also

menuItem, menuSubItem, tabItem. See sidebarMenu for a usage example.

---

taskItem	*Create a task item to place in a dropdown task menu*

Description

Create a task item to place in a dropdown task menu

Usage

```
taskItem(text, value = 0, color = "aqua", href = NULL)
```

Arguments

text	The task text.
value	A percent value to use for the bar.
color	A color for the bar. Valid colors are listed in validColors.
href	An optional URL to link to.

See Also

dashboardHeader for example usage.

Other menu items: messageItem; notificationItem

---

updateTabItems *Change the selected tab on the client*

Description

This function controls the active tab of tabItems from the server. It behaves just like updateTabsetPanel.

Usage

```
updateTabItems(session, inputId, selected = NULL)
```

Arguments

session	The session object passed to function given to shinyServer.
inputId	The id of the tabsetPanel, navlistPanel, or navbarPage object.
selected	The name of the tab to make active.

Examples

```
## Only run this example in interactive R sessions
if (interactive()) {

ui <- dashboardPage(
  dashboardHeader(title = "Simple tabs"),
  dashboardSidebar(
    sidebarMenu(
      id = "tabs",
      menuItem("Dashboard", tabName = "dashboard", icon = icon("dashboard")),
      menuItem("Widgets", tabName = "widgets", icon = icon("th"))
    ),
    actionButton('switchtab', 'Switch tab')
  ),
  dashboardBody(
    tabItems(
      tabItem(tabName = "dashboard",
        h2("Dashboard tab content")
      ),
      tabItem(tabName = "widgets",
        h2("Widgets tab content")
      )
    )
  )
)

server <- function(input, output, session) {
  observeEvent(input$switchtab, {
    newtab <- switch(input$tabs,
      "dashboard" = "widgets",
      "widgets" = "dashboard"
```

```
    )
    updateTabItems(session, "tabs", newtab)
  })
}

shinyApp(ui, server)
}
```

---

valueBox   *Create a value box for the main body of a dashboard.*

Description

A value box displays a value (usually a number) in large text, with a smaller subtitle beneath, and a large icon on the right side. Value boxes are meant to be placed in the main body of a dashboard.

Usage

```
valueBox(value, subtitle, icon = NULL, color = "aqua", width = 4,
  href = NULL)
```

Arguments

value
:   The value to display in the box. Usually a number or short text.

subtitle
:   Subtitle text.

icon
:   An icon tag, created by [icon](#).

color
:   A color for the box. Valid colors are listed in [validColors](#).

width
:   The width of the box, using the Bootstrap grid system. This is used for row-based layouts. The overall width of a region is 12, so the default valueBox width of 4 occupies 1/3 of that width. For column-based layouts, use NULL for the width; the width is set by the column that contains the box.

href
:   An optional URL to link to.

See Also

[box](#) for usage examples.

Other boxes: [box](#); [infoBox](#); [tabBox](#)

---

valueBoxOutput   *Create an info or value box output (client side)*

Description

This is the UI-side function for creating a dynamic valueBox or infoBox.

Usage

```
valueBoxOutput(outputId, width = 4)

infoBoxOutput(outputId, width = 4)
```

Arguments

outputId   Output variable name.

width   The width of the box, using the Bootstrap grid system. This is used for row-
               based layouts. The overall width of a region is 12, so the default valueBox
               width of 4 occupies 1/3 of that width. For column-based layouts, use NULL for
               the width; the width is set by the column that contains the box.

See Also

renderValueBox for the corresponding server-side function and examples.

Index