

a
Intrinsic detectability differs among species
Species random intercepts; diamond is the group median
Species hazard multiplier
2.70
2.00
1.50
1.00
0.75
Resident
Partial
Long-distance
Unknown
b
Regional baselines, net of effort and climate
Province random intercepts. Base map GS(2019)1822
Province multiplier
2.00
1.50
1.00
0.75
Grey: outside the analysis scope
(Taiwan, Hong Kong and Macao have no effort coverage)
c
Where and when the observation process moved
Province-by-year random intercepts: the largest variance component (SD 0.804, a 7-fold range)
Hunan
Guizhou
Heilongjiang
Inner Mongolia
Gansu
Tibet
Shaanxi
Ningxia
Anhui
Guangxi
Jilin
Hainan
Qinghai
Jiangxi
Liaoning
Henan
Jiangsu
Shandong
Tianjin
Hubei
Beijing
Zhejiang
Shanghai
Yunnan
Chongqing
Sichuan
Xinjiang
Guangdong
Hebei
Shanxi
Fujian
2002
2006
2010
2014
2018
2022
Multiplier
7.0
4.0
2.0
1.0
0.6
d
The return on survey effort is falling
Effort x time interaction P = 7.7e-4;
easily detectable gaps are being used up
Hazard ratio per 1 SD of effort
3.0
2.5
2.0
1.5
1.0
2005
2010
2015
2020
2025