
a Baseline: events vs effort vs area
New records concentrate in reserves; birding effort does not
Share falling inside nature reserves (%)
30
20
10
0
26.2%
10.8%
10.1%
10.4%
New records
Birding checklists (effort-weighted)
Birding locations (equal weight)
Land area
b Conditional logistic: 1:200 matched controls
Controls: locations birders visited in that province-year
A0 exposure only
A1 + siting geometry
L national-level
1.0
1.5
2.0
2.5
3.0
Conditional odds ratio (95% CI)
Effort-weighted controls
Location-equal controls
c Robustness
Dropping the two largest hosts brings the CI over unity; none in 2002-2012
Main specification (effort-weighted, K=200)
Excluding Tibet
Excluding the two largest host reserves
2013-2023 only (reserve network frozen)
2002-2012 only
Birdwatching-type discoveries only
Professional-survey discoveries only
n=643
n=595
n=596
n=439
n=204
n=197
n=37
0.5
1.0
2.0
4.0
7.0
Conditional odds ratio (95% CI)
d Inside-reserve events are concentrated
172 events in only 68 reserves (6.6% of 1,028)
Cumulative share (%)
100
75
50
25
0
The top 9 reserves
hold half the inside events
0
20
40
60
Host reserves (ranked by inside-reserve events)