

STANDARDI KODIRANJA U WORDPRESSU

by Denis Žoljom




ŠTO SU STANDARDI KODIRANJA?

Smjernice, preporuka pisanja koda za određeni programski jezik.

Struktura datoteka i direktorija.

Indentacija, komentari, prakse.

Globalna i lokalna (npr. unutar firme, unutar libraryja etc.)




ČEMU SLUŽE?

Jednostavnije održavanje

Bolja preglednost

Uniformnost velikih projekata
(poput WordPressa)

Lakši *code review*



PRIMJER KAKO NE KODIRATI



Ministry Of GameDev
@UdellGames

Follow

Use whatever brace style you prefer.

But not this.

Don't do this.

Seek help instead of this.

```
public class Permuter
{
    private static void permute(int n, char[] a)
    {
        if (n == 0)
        {
            System.out.println(String.valueOf(a));
        }
        else
        {
            for (int i = 0; i <= n; i++)
            {
                permute(n-1, a);
                swap(a, n % 2 == 0 ? i : 0, n);
            }
        }
    }
    private static void swap(char[] a, int i, int j)
    {
        char saved = a[i];
        a[i] = a[j];
        a[j] = saved;
    }
}
```

RETWEETS

13,422

LIKES

14,915



12:35 PM - 19 Oct 2016



934



13K



15K

“

***Real programmers don't comment
their code. If it was hard to write, it
should be hard to understand.***

”



Tom Van Vleck

WP STANDARDI KODIRANJA


WordPress je golem sustav

PHP standardi

JavaScript standardi

HTML i CSS standardi

[WordPress Handbook](#)



Visually seeing the history of WordPress by Jose Castaneda
<https://www.youtube.com/watch?v=DbmW3aGVdVE>

PRIMJERI - PHP

```
if(conditionName == true){  
    action1();  
}else if(condition2 && !condition3){  
    action2();  
}else{  
    echo $var;  
}  
  
<? ... ?>
```

Nema razmaka, korištenje *else if* umjesto *elseif*, nije sanitizirano, 'kratki' php tagovi, korištenje camelCase-a, korištenje slabe jednakosti...

```
if ( true === condition_name ) {  
    action1();  
} elseif ( condition2 && ! condition3 ) {  
    action2();  
} else {  
    echo esc_html( $var );  
}  
  
<?php ... ?>
```

Slični [Pear standardima](#)

JAVASCRIPT

```
var map = { car:9,  
  "you are":15, my_key:2  
};
```

```
var k;  
var m;  
var length;  
var value = "WordPress";
```

```
var my_array = new Array();
```

Dvostruki navodnici, loša indentacija,
deklaracije varijabli na zasebnim linijama, za
razliku od php-a koristi se camelCase

```
var map = {  
  car: 9,  
  'you are': 15,  
  myKey: 2  
};
```

```
var k, m, length,  
  value = 'WordPress';
```

```
var myArray = [];
```

Adaptirani prema [jQuery JavaScript Style Guideu](#)

HTML & CSS

Tabovi se koriste za indentaciju

Svaki selektor je u svom redu

Izbjegavati prekvalifikaciju selektora

(`div#my-container`)

Koristiti lintere, autoprefixer i slične alate

HTML treba biti validan i pravilno indentiran



AUTOMATIZACIJA

Kako provjeriti da li kodirate po standardima?

Ručno? Ain't no body got time for that

Theme Check

PHP CodeSniffer (phpcs)

Implementacija u editorima i IDE
(Sublime Text, Atom, PhpStorm, Visual Studio)



NOT GOOD :(

F:\BUSINESS\Clients\ULA KRONE\ula_krone\functions.php - Sublime Text

File Edit Selection Find View Goto Tools Project Preferences Help

OPEN FILES

functions.php — Client\ULA KRONE\ula_krone x functions.php — WordPress...tutter x

```
1 <?php
2 define('THEME_NAME', 'Krone');
3 define('THEME_VERSION', '1.0.0');
4 define('TEMPPATH', get_template_directory_uri());
5 define('IMAGES', TEMPPATH . '/images');
6
7
8 /***** Theme Customizer Options *****/
9 require_once 'inc/customizer/customizer.php';
10
11 if (in_array('woocommerce/woocommerce.php', get_option('active_plugins')) &&
12     include 'inc/woocommerce_custom.php';
13 )
14
15 /***** Creator Support *****/
16
17 function tcvpb_support() {
18     add_theme_support( 'the-creator-vpb' );
19 }
20
21 add_action( 'after_setup_theme', 'tcvpb_support' );
22
23 function tcvpb_elements() {
24     global $tcvpb_elements;
25     $files = scandir( get_stylesheet_directory() . '/elements' );
26     foreach( $files as $file ) {
27         if( is_file( get_stylesheet_directory() . '/elements/' . $file ) ) {
28             include_once( get_stylesheet_directory() . '/elements/' . $file );
29         }
30     }
31 }
32
33 if ( in_array( 'the-creator-vpb/the-creator-vpb.php', get_option( 'active_plugins' ) ) &&
34     add_action( 'init', 'tcvpb_elements' );
35 )
36
37
38 /***** After Setup Theme *****/
39 add_action( 'after_setup_theme', 'Theme_krone_theme_setup' );
40
41 if ( ! function_exists( 'Theme_krone_theme_setup' ) ) {
42     function Theme_krone_theme_setup() {
43
44
45         add_theme_support( 'post-thumbnails' );
46         add_theme_support( 'automatic-feed-links' );
47         add_theme_support( 'title-tag' );
48
49         require_once 'inc/activate_plugins.php';
50
51         if ( !isset( $content_width ) ) {
52             $content_width = 1170;
53         }
54
55         load_theme_textdomain( 'Theme_krone', get_template_directory() . '/languages' );
56
57         /***** Register sidebars *****/
58         require_once 'inc/sidebars.php';
59     }
60 }
```

22 of 257 errors. Tabs must be used to indent lines; spaces are not allowed. Line 10, Column 44

Tab Size: 4 PHP

GOOD :)

```
F:\BUSINESS\WordPress\utter\wp-content\themes\utter\functions.php - Sublime Text
File Edit Selection Find View Go Tools Project Preferences Help

OPEN FILES
functions.php - WordPress - Utter x
functions.php - WordPress - Utter

1 <?php
2 /*
3  * Utter functions and definitions
4  *
5  * Set up the theme and provides some helper functions, which are used in the
6  * theme as custom template tags. Others are attached to action and filter
7  * hooks in WordPress to change core functionality.
8  *
9  * @package WordPress
10  * @subpackage Utter
11  * @version 1.0.0
12  * @author utterup <info@utterup.com>
13  * @license https://www.utterup.com/license
14  * @link https://utterup.com/
15  * @since 1.0.0
16  */
17
18 define( 'UTTER_THEME_VERSION', '1.0.0' );
19 define( 'UTTER_TEMPLPATH', get_template_directory_uri() );
20 define( 'UTTER_IMAGES', UTTER_TEMPLPATH . '/images' );
21 define( 'UTTER_TEMPDIR', get_template_directory() );
22
23 add_action( 'after_setup_theme', 'utter_theme_setup' );
24 if ( ! function_exists( 'utter_theme_setup' ) ) {
25     /**
26      * Sets up theme defaults and registers support for various WordPress features.
27      *
28      * Note that this function is hooked into the after_setup_theme hook, which
29      * runs before the init hook. The init hook is too late for some features, such
30      * as an indicating support for post thumbnails.
31      *
32      * @since 1.0.0
33      */
34     function utter_theme_setup() {
35         load_theme_textdomain( 'utter', UTTER_TEMPDIR . '/languages' );
36         $grid_width = get_theme_mod( 'grid_width', '1170' );
37         if ( ! isset( $content_width ) ) {
38             $content_width = $grid_width;
39         }
40
41         add_theme_support( 'automatic-feed-links' );
42         add_theme_support( 'title-tag' );
43         add_theme_support( 'post-thumbnails' );
44         add_theme_support( 'post-formats', array( 'aside', 'gallery', 'link', 'image', 'quote', 'status', 'video', 'audio', 'chat' ) );
45         add_theme_support( 'html5', array( 'comment-list', 'comment-form', 'search-form', 'gallery', 'caption' ) );
46         add_theme_support( 'customize-selective-refresh-widgets' );
47         add_theme_support( 'custom-background' );
48         add_post_type_support( 'page', 'excerpt' );
49         add_filter( 'the_content_more_link', 'utter_remove_more_link_scroll_wrap' );
50         add_filter( 'body_class', 'utter_body_classes' );
51     }
52
53     /** Add specific CSS class by filter
54      *
55      * @param array $classes Existing classes array.
56      * @return array Updated classes array.
57      * @since 1.0.0
58      */
59     function utter_body_classes( $classes ) {
60
61     }
62 }
```

PHP CODESNIFFER

Squizlabs - code sniffer za PEAR, PSR1, Zend etc.

WordPress Coding Standards - dodatni standardi za phpcs

Originalno CLI, ali postoji način za implementaciju sa editorima i plugin koji je u izradi

Problem? Da bi sve radilo treba vremena (node.js, npm, microsoft web platform, composer)

Da li se isplati? **Definitivno!**

OPEN FILES

< > review.txt x

review.txt

```
1
2 FILE: ...al\wordpress-default\wp-content\themes\twenty sixteen\404.php
3 -----
4 FOUND 2 ERRORS AFFECTING 2 LINES
5 -----
6 17 | ERROR | Expected next thing to be an escaping function (like
7     |       | esc_html_e() or esc_attr_e()), not '_e'
8 21 | ERROR | Expected next thing to be an escaping function (like
9     |       | esc_html_e() or esc_attr_e()), not '_e'
10 -----
11
12
13 FILE: ...ww\wordpress-default\wp-content\themes\twenty sixteen\archive.php
14 -----
15 FOUND 2 ERRORS AFFECTING 2 LINES
16 -----
17 44 | ERROR | [x] Line indented incorrectly; expected at least 4
18     |       | tabs, found 3
19 54 | ERROR | [x] Line indented incorrectly; expected at least 3
20     |       | tabs, found 2
21 -----
22 PHPCBF CAN FIX THE 2 MARKED SNIFF VIOLATIONS AUTOMATICALLY
23 -----
24
25
26 FILE: ...w\wordpress-default\wp-content\themes\twenty sixteen\comments.php
27 -----
28 FOUND 8 ERRORS AFFECTING 8 LINES
29 -----
30 29 | ERROR | [x] Line indented incorrectly; expected 3 tabs, found 4
31 31 | ERROR | [ ] Expected next thing to be an escaping function (see
32     |       | Codex for 'Data Validation'), not '_x'
33 32 | ERROR | [x] Line indented incorrectly; expected 3 tabs, found 4
34 35 | ERROR | [ ] Expected next thing to be an escaping function (see
35     |       | Codex for 'Data Validation'), not '_nx'
36 42 | ERROR | [ ] Expected next thing to be an escaping function (see
37     |       | Codex for 'Data Validation'), not
38     |       | 'number_format_i18n'
39 45 | ERROR | [x] Line indented incorrectly; expected 3 tabs, found 4
40 67 | ERROR | [x] Line indented incorrectly; expected 1 tabs, found 2
41 69 | ERROR | [ ] Expected next thing to be an escaping function
42     |       | (like esc_html_e() or esc_attr_e()), not '_e'
43 -----
44 PHPCBF CAN FIX THE 4 MARKED SNIFF VIOLATIONS AUTOMATICALLY
45 -----
46
47
48 FILE: ...www\wordpress-default\wp-content\themes\twenty sixteen\footer.php
49 -----
50 FOUND 3 ERRORS AFFECTING 3 LINES
51 -----
52 10 | ERROR | [ ] There must be exactly one blank line after the file
53     |       | comment
54 22 | ERROR | [x] Multi-line function call not indented correctly;
55     |       | expected 24 spaces but found 25
56 51 | ERROR | [ ] Expected next thing to be an escaping function (see
57     |       | Codex for 'Data Validation'), not '___'
58 -----
```

LINTERI

Alati za provjeru pogrešaka u sintaksi koda - nedeklarirana varijabla, pridruživanje vs jednakost (= vs == vs ===) itd.

JavaScript - JSLint, JSHint, JSCS i ESLint

CSS - CssLint

Automatizacija? CLI ili integracija u text editor (Sublime <3)

PHPCS KAO THEME REVIEW TOOL

Improving the automation of the theme review

2.2.2017 - 330 novih tema čeka na review, 70 je u procesu reviewa

Prosječno vrijeme čekanja approva - cca. 5 mj.

Brza provjera → brži review → više approvanih tema → manji queue \o/

Automatizacijom do kvalitetnijeg koda

KORISNI LINKOVI

[WordPress development environment setup for Windows](#)

[Varying Vagrant Vagrants](#)

[WordPress Handbook](#)

[Become a Reviewer](#)

[WordPress Best Practices](#)

HVALA :)

twitter @made_by_denis

github dingo-d

web stranica madebydenis.com

stackoverflow dingo_d