C++ Operator Precedence

The following table lists the precedence and associativity of C++ operators. Operators are listed top to bottom, in descending precedence.

Precedence	Operator	Description	Associativity
1	`::`	Scope resolution	Left-to-right
2	`a++` `a--`	Suffix/postfix increment and decrement	
	type`()` *type*`{}`	Functional cast	
	`a()`	Function call	
	`a[]`	Subscript	
	`.` `->`	Member access	
3	`++a` `--a`	Prefix increment and decrement	Right-to-left
	`+a` `-a`	Unary plus and minus	
	`!` `~`	Logical NOT and bitwise NOT	
	(*type*)	C-style cast	
	`*a`	Indirection (dereference)	
	`&a`	Address-of	
	`sizeof`	Size-of[note 1]	
	`new` `new[]`	Dynamic memory allocation	
	`delete` `delete[]`	Dynamic memory deallocation	
4	`.*` `->*`	Pointer-to-member	Left-to-right
5	`a*b` `a/b` `a%b`	Multiplication, division, and remainder	
6	`a+b` `a-b`	Addition and subtraction	
7	`<<` `>>`	Bitwise left shift and right shift	
8	`<=>`	Three-way comparison operator (since C++20)	
9	`<` `<=`	For relational operators < and ≤ respectively	
	`>` `>=`	For relational operators > and ≥ respectively	
10	`==` `!=`	For relational operators = and ≠ respectively	
11	`&`	Bitwise AND	
12	`^`	Bitwise XOR (exclusive or)	
13	`|`	Bitwise OR (inclusive or)	
14	`&&`	Logical AND	
15	`||`	Logical OR	
16	`a?b:c`	Ternary conditional[note 2]	Right-to-left
	`throw`	throw operator	
	`=`	Direct assignment (provided by default for C++ classes)	
	`+=` `-=`	Compound assignment by sum and difference	
	`*=` `/=` `%=`	Compound assignment by product, quotient, and remainder	
	`<<=` `>>=`	Compound assignment by bitwise left shift and right shift	
	`&=` `^=` `|=`	Compound assignment by bitwise AND, XOR, and OR	
17	`,`	Comma	Left-to-right

1. ↑ The operand of `sizeof` can't be a C-style type cast: the expression `sizeof (int) * p` is unambiguously interpreted as `(sizeof(int)) * p`, but not `sizeof((int)*p)`.
2. ↑ The expression in the middle of the conditional operator (between **?** and **:**) is parsed as if parenthesized: its precedence relative to `?:` is ignored.

When parsing an expression, an operator which is listed on some row of the table above with a precedence will be bound tighter (as if by parentheses) to its arguments than any operator that is listed on a row further below it with a lower precedence. For example, the expressions `std::cout << a & b` and `*p++` are parsed as `(std::cout << a) & b` and `*(p++)`, and not as `std::cout << (a & b)` or `(*p)++`.

Operators that have the same precedence are bound to their arguments in the direction of their associativity. For example, the expression `a = b = c` is parsed as `a = (b = c)`, and not as `(a = b) = c` because of right-to-left associativity of assignment, but `a + b - c` is parsed `(a + b) - c` and not `a + (b - c)` because of left-to-right associativity of addition and subtraction.

Associativity specification is redundant for unary operators and is only shown for completeness: unary prefix operators always associate right-to-left (`delete ++*p` is `delete(++(*p))`) and unary postfix operators always associate left-to-right (`a[1][2]++` is `((a[1])[2])++`). Note that the associativity is meaningful for member access operators, even though they are grouped with unary postfix operators: `a.b++` is parsed `(a.b)++` and not `a.(b++)`.

Operator precedence is unaffected by operator overloading. For example, `std::cout << a ? b : c;` parses as `(std::cout << a) ? b : c;` because the precedence of arithmetic left shift is higher than the conditional operator.

Notes

Precedence and associativity are compile-time concepts and are independent from order of evaluation, which is a runtime concept.

The standard itself doesn't specify precedence levels. They are derived from the grammar.

`const_cast`, `static_cast`, `dynamic_cast`, `reinterpret_cast`, `typeid`, `sizeof...`, `noexcept` and `alignof` are not included since they are never ambiguous.

Some of the operators have alternate spellings (e.g., `and` for &&, `or` for ||, `not` for !, etc.).

Relative precedence of the ternary conditional and assignment operators differs between C and C++: in C, assignment is not allowed on the right-hand side of a ternary conditional operator, so `e = a < d ? a++ : a = d` cannot be parsed. Many C compilers use a modified grammar where `?:` has higher precedence than =, which parses that as `e = ( ((a < d) ? (a++) : a) = d )` (which then fails to compile because `?:` is never lvalue in C and = requires lvalue on the left). In C++, `?:` and = have equal precedence and group right-to-left, so that `e = a < d ? a++ : a = d` parses as `e = ((a < d) ? (a++) : (a = d))`.

See also

Common operators						
assignment	increment decrement	arithmetic	logical	comparison	member access	other

`a = b`
`a += b`
`a -= b`
`a *= b`
`a /= b`
`a %= b`
`a &= b`
`a |= b`
`a ^= b`
`a <<= b`
`a >>= b`
	`++a`
	`--a`
	`a++`
	`a--`
		`+a`
		`-a`
		`a + b`
		`a - b`
		`a * b`
		`a / b`
		`a % b`
		`~a`
		`a & b`
		`a | b`
		`a ^ b`
		`a << b`
		`a >> b`
			`!a`
			`a && b`
			`a || b`
				`a == b`
				`a != b`
				`a < b`
				`a > b`
				`a <= b`
				`a >= b`
				`a <=> b`
					`a[b]`
					`*a`
					`&a`
					`a->b`
					`a.b`
					`a->*b`
					`a.*b`
						`a(...)`
						`a, b`
						`? :`

Special operators						
`static_cast` converts one type to another related type `dynamic_cast` converts within inheritance hierarchies `const_cast` adds or removes cv qualifiers `reinterpret_cast` converts type to unrelated type C-style cast converts one type to another by a mix of `static_cast`, `const_cast`, and `reinterpret_cast` `new` creates objects with dynamic storage duration `delete` destructs objects previously created by the new expression and releases obtained memory area `sizeof` queries the size of a type `sizeof...` queries the size of a parameter pack (since C++11) `typeid` queries the type information of a type `noexcept` checks if an expression can throw an exception (since C++11) `alignof` queries alignment requirements of a type (since C++11)						

C documentation for `C operator precedence`

Retrieved from "https://en.cppreference.com/mwiki/index.php?title=cpp/language/operator_precedence&oldid=99056"