

2)

```
interface Shape {  
    double area();  
    double perimeter();  
    void draw();  
}
```

```
public class Rectangle implements Shape {  
    private double width;  
    private double height;  
    public Rectangle Rectangle (double width,  
                                double height) {  
        this.width = width;  
        this.height = height;  
    }  
}
```

a)

@override

```
public double area() {  
    return width * height;  
}
```

b)

@override

```
public double perimeter() {  
    return 2 * (width + height);  
}
```

@ override

~~pub~~

public void draw()

System.out.println("Vẽ hình chunhat")

↓

↓

public class Circle implements Shape {

private double radius;

public Circle(double radius) {

this.radius = radius;

↓

@ Override

public double area()

return Math.PI * radius * radius;

↓

@ Override

public double perimeter()

return 2 * Math.PI * radius;

↓

@ Override

public void draw()

System.out.println("Vẽ hình tron")

★ STARBOOK

```
public class Nhan {  
    public static void main(String[] args) {  
        Shape r = new Rectangle(4, 5);  
        Shape c = new Circle(3);  
        r.draw();  
        System.out.println("Diện tích: " + r.getArea());  
        System.out.println("Chu vi: " + r.getPerimeter());  
        c.draw();  
        System.out.println("Diện tích: " + c.getArea());  
        System.out.println("Chu vi: " + c.getPerimeter());  
    }  
}
```