

Exercise 1:

Remove **ALL** documents in your Service Collection

Exercise 2:

Re-design your Service collection, **ADD** these fields: image, description, measurements (should be a list)

```
Ex: description: "ngoan hiền, dễ thương, lễ phép với gia đình, ...",

measurements: [90, 60, 90]
```

Populate new data with **real** image link

Exercise 3:

In Services Page (or /search route), in each service item add a link named "Chi tiết" or "Tìm hiểu thêm".

300 x 200

Tú Linh

1994

163


Chi tiết

which brings user to a new route - /detail.

The /detail route renders a template showing ALL information of a Service

The route should look like this:

http://127.0.0.1:5000/detail/5a36299e9f10831aaae091ea



Tú Linh

Năm sinh:1994

Cao: 163 cm

Số điện thoại: 01696969696

Địa chỉ: Hà Nội

Mô tả: ngoạn hiện, dễ thương, lễ phép với gia đình.

Số đo 3 vòng: 90 - 60 - 90

Exercise 4:

Learn how to create this HTML input tag named "gender"

- Male
- Female

When Admin click "Thêm" button, besides extracting name, yob, phone... also extract the gender field from form

Then, create new service document in database from these extracted information

Exercise 5:

Learn how to set the default value of a input tag

default, in this case, means even before user entering anything, input tags already filled, as shown below

Tên: Tú Linh	Năm sinh:	1994	Cập nhật

Note: you don't need a server, just write some html code, open it using browser and make sure your HTML code works

Exercise 6:

Create new /update-service route linked from "Sửa" action in /admin route.

The route should look like this:

http://127.0.0.1:5000/update-service/5a36299e9f10831aaae091ea

This route renders a form showing the current infomation of a service, in which when admin clicks "Cập nhật", will update the entered Service information into the respective document in database.

These below exercises are OPTIONAL

Exercise 7 (Optional):

Below is the image of a database with URI:

mongodb://admin:admin@ds021182.mlab.com:21182/c4e



There is a collection named 'river', which comprises of 139 river information: name, continent and length in *km*

```
"$oid": "5a3cafff9f1083087aca434a"
"name": "Amazon[note 1]",
"continent": "S. America",
"length": 6992
"_10": {
  "$oid": "5a3cafff9f1083087aca434b"
},
"name": "Congo",
"continent": "Africa",
"length": 4371
"_id": {
  "$oid": "5a3cafff9f1083087aca434c"
"name": "Ganges \u2013 Brahmaputra \u2013 Meghna",
"continent": "Eurasia",
"length": 2525
"_Ia": {
  "$oid": "5a3cb0009f1083087aca434d"
"name": "Orinoco",
"continent": "S. America",
"length": 2140
```

Use mlab.py to connect to this database, this connection will be used in Exercise 8 and 9

Exercise 8 (Optional):

Of Exercise 7's river collection, list ALL rivers in 'Africa' continent

Exercise 9 (Optional):

Of Exercise 7's river collection, list ALL rivers in 'S. America' continent with length less than 1000 *km*