Build in Public: Mission and 12-Week Plan

Nov 2, 2026 · @dinky

Summary

For 12 weeks, you build one small piece of financial plumbing for AI agents each week, write one LinkedIn post about it, and give readers one challenge they can prove they did. Each piece becomes a module of Ambition, an open-source toolkit for giving AI agents money safely, and Ambition is also your capstone. 50T Funds argues that blockchains will become the financial infrastructure for billions of AI agents, which is why this plumbing is worth learning in public.

The ladder runs from an agent with its own wallet in November, to an agent that pays for services within a hard spending limit by early January, to Ambition version 1, with money-back escrow and spending alerts, at the January 26, 2027 demo. Your first smart contract goes live by November 30. Readers who complete challenges leave public records on the blockchain, so demand shows up as actions you can count, and at week 12 that evidence decides where Ambition goes next.

Mission statement

> **Help AI builders give their agents money safely, one small win at a time.**


Your class's rule says a good mission names the behavior you want and leaves out features, and this one does. "Give their agents money safely" is the behavior, and it covers everything Ambition builds, from wallets and limits to refunds and alerts. "One small win at a time" keeps the least-to-most method, and "safely" keeps the play-money promise.

The mission names no product, protocol or blockchain, so the build can change without changing it. Its audience is AI builders learning to give agents money, which is exactly who you are: an AI engineer learning blockchain.

The ladder

You climb from toy programs to a product in five rungs, and each gate is a fact anyone can check.

Each rung passes its gate before the next begins



least-to-most ladder · 5 rungs, 4 gates

The 12 weeks cover the first two rungs and the start of the third. A missed gate moves the date rather than lowering the bar, the same rule as your earlier plans.

The verified-owner rung comes after the demo. Your agent pays only agents and vendors whose owner has proved a verified identity with a zero-knowledge proof, which is math that proves a fact without revealing the data behind it, like an "over 21" card with no name on it. Ambition reuses existing tools rather than building identity itself: passport-chip proof apps such as Self and ZKPassport for the owner, and an on-chain agent ID such as the draft ERC-8004 standard for the agent. The proof shows that a real, verified person stands behind an agent, but not who, and the spending limit and escrow still do the safety work.

The 12 weeks

Each week fits about 8 hours: roughly 5 building, 1 turning your build notes into the post, 1 answering readers and counting completions, and 1 having an AI quiz you until you can teach it. Posts go out on Saturdays, and most challenges leave proof on the blockchain that anyone can check.

Week	What you build	Saturday post	Reader challenge
1 (Nov 2–7)	An AI agent with its own wallet on Base Sepolia, Coinbase's free practice blockchain, funded from a faucet, plus a Python script that reads its transactions	I gave an AI agent its own wallet	Make a practice wallet, send yourself test ETH and reply with the block-explorer link
2 (Nov 9–14)	A Python notebook that turns the agent's activity into a readable statement and explains what a block holds	How to read an agent's bank statement on the blockchain	Find the block that holds your transaction and reply with its number
3 (Nov 16–21)	Your first smart contract, written and tested in Remix: a phone book where agents list a name and a price	My first smart contract: a phone book for AI agents	Deploy Remix's sample contract to the testnet and reply with its address
4 (Nov 23–28)	The phone book deployed to Base Sepolia with its code published, your first live contract before November 30	List your agent in my on-chain phone book	Add an entry; each one is public proof
5 (Nov 30–Dec 5)	Test USDC, a digital dollar, from Circle's faucet, and a script that lets your agent pay another wallet	How an AI agent pays in digital dollars	Send 1 test USDC between two of your own wallets and reply with the link

Week	What you build	Saturday post	Reader challenge
6 (Dec 7–12)	A tiny paid web service that charges per request over x402, Coinbase's standard for agents paying on the web, and an agent that pays it	My agent bought something by itself	Pay my test service once from your own wallet or script
7 (Dec 14–19)	A hard daily spending limit enforced on the blockchain, so even a buggy agent can't overspend	Two ways to give an agent money: an exchange account's "gift card" or its own wallet with a limit the blockchain enforces	Send my agent 1 test USDC to fund its next purchase
8 (Dec 21–26, holiday week)	Tests and a security checklist for every contract and script, while the UX agent drafts the style guide and design tokens	The mistakes that drain agent wallets, made for free on a testnet	Grant, then cancel, a spending permission and reply with the cancellation
9 (Dec 28–Jan 2)	Agent version 1: buys data over x402, stays under its limit and logs every payment	My agent's first week of spending, audited	Call my paid service from your own code
10 (Jan 4–9)	Money-back escrow: a contract that holds an agent's payment until the service delivers and refunds it automatically if a deadline passes	How to give an AI agent a money-back guarantee	Pay into my escrow, let the deadline pass and reply with your refund link
11 (Jan 11–16)	Spending alerts: a script that watches the agent's wallet and messages you when it nears its limit or pays a new address, plus a public spending page	My agent warns me before it overspends	Run my alert script on your practice wallet, make a payment that trips it and reply with the link

Week	What you build	Saturday post	Reader challenge
12 (Jan 18–23)	The January 26 demo of Ambition version 1, a capstone-style write-up of requirements, design, tests and results, and the week-12 decision	Twelve weeks from zero: Ambition, a free toolkit for giving agents money safely	Install Ambition, or tell me what it should do next

Spending limits: build one, then compare

You write your own spending-limit contract in week 7 because building it teaches the lesson, then you test it against Coinbase's production version in week 8. Coinbase already offers Spend Permissions on Base, so a builder who only wants a safe agent today can skip your contract, and your post should say so. A permission names who may spend (the spender), which token, the most they may spend (the allowance) and the window it covers, such as a day. One shared contract on the blockchain enforces it, and the owner can cancel it at any time. It runs on Base Sepolia, the same practice network as the rest of this plan, and it works with a smart wallet, an account whose spending rules live in code. That is why it fits the week 8 challenge of granting and then canceling a permission.

Question	Your week 7 contract	Coinbase Spend Permissions
Who wrote and audited it	You, as a learning build, so treat it as unaudited	Coinbase, as a shared contract deployed on many networks
What it limits	One daily cap per agent	An allowance per window, per token, per spender
How it ends	Owner cancels or lets it lapse	Owner revokes it using the permission's hash, its unique fingerprint, or the end date passes
What a builder learns	How a limit is enforced line by line	How to use a production tool in a few lines

Compare them on the same task in week 8 and publish the result, including anything Coinbase's version does that yours can't. If it holds up, Ambition's limit editor and spending meter can work with either contract, and you recommend the audited one for anything beyond a testnet.

Delegation can only narrow. When one agent hands a task to a helper, the helper receives a slice of the delegator's remaining budget and window, never more, and the slice comes out of the delegator's own allowance so the total can't grow. A buggy or hijacked helper can then lose only what it was given. The same rule runs the other way for the owner: lowering a limit takes effect at once, while raising it needs the owner's explicit confirmation, so a stolen session can't quietly widen its own leash. The idea comes from Sui's October 2026 post on agent authority, whose own tools are still mostly in development, so Ambition borrows the rule and not the blockchain.

What we measure

Only actions count, because likes can't show whether anyone will build. The targets are starting points, set now so results can't be explained away later.

Signal	What counts	Why it matters	Week-12 target
Verified actions	Different wallets that complete any challenge, checked on the block explorer	Proof that someone acted	25
Repeat builders	Readers who complete three or more challenges	People coming back is the clearest sign of real demand	5
Weekly growth	New completers each week without paid promotion	Organic growth was the strongest predictor in the demand scan	Rising most weeks
Builders using your tools	People who call your paid service or phone book, or install Ambition, from their own code	Shows other builders find the plumbing useful	10
Safe payments	Share of test and reader payments that stay under the limit and settle or refund correctly	Ambition's core promise is that an agent can't lose money by mistake	100%

The UX agent

A UX researcher and designer agent joins your team, so that every screen and post is usable, accessible and ethical. Jakob Nielsen warned that engineers were shaping AI products by default and that interfaces built on typed prompts are hard to use. Every agent on your team until now was an engineer, and your user-centered design course adds the other two priorities, accessibility and ethics.

Agent	Standing goal	Instruments	Outside judge
UX researcher and designer	Every type of user finishes each task without help, understands what happened, and never moves money without a clear choice	Nielsen's 10 usability heuristics; personas and user journeys; plain-language and WCAG accessibility checks; a consent check on every step that spends, approves or signs; scripted walkthroughs of clickable Figma prototypes; reader replies coded into empathy maps	Readers' completion rates, time to first verified transaction, help requests per step, and System Usability Scale scores

The agent designs for three types of user: the beginner reader, the AI builder giving an agent money, and the team lead who reviews an agent's statements and alerts. Each gets a persona and a journey, and every feature starts as a user story ("As a beginner, I need..., so that...") with acceptance criteria.

Ethics means users are clearly informed of their choices, empowered to make them, and guided only through choices they want to make. So no step spends, approves or signs without a plain-language confirmation, and nothing nudges users toward a choice they didn't make. Accessibility work makes things easier for everyone, which designers call the curb-cut effect. Screens are designed phone-first, the least-to-most approach your course calls progressive enhancement.

The agent never invents user feedback, because AI judges designs unreliably on its own, so real readers are the judge and you approve every change. It collects usage data only with disclosure and consent. From week 1 it tracks time to a reader's first verified

transaction and help requests per step, and from week 9 it asks readers who use the agent or Ambition's tools for a short System Usability Scale rating.

Figma lets readers click through a screen before you write its code. Ambition's first screens arrive in weeks 9 to 12: the spending page, statements, escrow refunds and alerts. A week before each one ships, the UX agent researches the screen, plans it and builds it in Figma as a clickable prototype, a mockup that works like an app with no code behind it. You revise it in plain language, such as "make the refund button clearer," until you approve it, and then readers walk through it, because a problem found in a mockup costs minutes and one found in code costs a rewrite.

The agent works through Claude Code connected to Figma's MCP server, a connector that lets it create and edit Figma files and later read the approved designs while it codes the screens. Connect it once with `claude mcp add --transport http figma https://mcp.figma.com/mcp`, then sign in to Figma when Claude Code asks.

Sign in with a Figma for Education account verified with your Quantic email, which gives higher-education students the Professional plan and AI tools free and keeps your files out of Figma's AI training. Education accounts get up to 200 design-reading calls a day through the connector, which is plenty for this plan. Keep only Ambition's work there, because education licenses can't be used commercially.

The UX agent writes the style guide first, then builds a small kit of reusable parts on Carbon, before it builds any screen. In week 8 it drafts the principles, design tokens, and the color, type, spacing and motion rules, so every later part inherits them. The kit starts from Carbon, IBM's open-source design system. It keeps Carbon's spacing, grid, type sizes, motion timing, components and accessibility rules, and it replaces Carbon's look with Ambition's own. Following Brad Frost's atomic design, the kit grows from pieces to parts, sections, layouts and screens. The agent builds only the money parts Carbon lacks, such as the amount input, the address display and the transaction status. In Figma it starts from Carbon's free community kit and sets the layout grids from Carbon's screen widths before drawing anything.

Claude Code also connects to the Carbon MCP server, signed in with a free IBMid. Its code audit checks each screen's code against Carbon's token, accessibility and layout rules before you review it. IBM logs the agent's search text unless you opt out, which is acceptable for public work.

Consent is built into the kit, not left to memory. The plain-language confirmation required before any step that spends, approves or signs is one reusable spend-confirmation part, so every screen gets it automatically and no new screen can skip it.

Each screen is tested with real testnet data and its awkward cases before readers see it. That means full 42-character wallet addresses, amounts with six decimal places, a failed payment, a first-time user with an empty statement and an agent with a thousand transactions.

Documentation is generated from the code at every release, so it never drifts from what Ambition does. The agent can also explain it at each reader's level, from beginner to AI builder. The kit and its documentation are public parts of Ambition that anyone may reuse.

The full rules live in the `Design guidelines` **tab.** It covers the principles and the persuasion policy, foundations, brand assets, components, screen patterns, the reader journey, a glossary, and maintenance. The rules ship in numbered releases with the code, and every do-and-don't pair runs as an automated test.

Readers get a guided first run and help at every stage. A reader goes from the post to a first verified test payment in seven steps, from a short walkthrough clip to a success screen with the explorer link, and never signs up before the wallet. Engagement uses levels and verified achievements, never streak counters or random rewards. The guidelines also cover getting help, the later path to real money, and a clean exit: disconnecting the wallet, revoking permissions and exporting statements.

Where the capstone comes from

Ambition is your capstone, and the week-12 numbers decide which of its tools you develop furthest. It makes a natural capstone: an AI agent, smart contracts and blockchain data, documented from requirements through tests. Check it against the MSAIE capstone requirements before week 9, so it's built to them from the start.

If at week 12…	Then
Builders use Ambition's tools from their own code	Harden and document those tools for the capstone, because builders using them is the strongest signal
Builders mostly want help making agents pay	Focus Ambition on payments, knowing that's where the big companies already compete
Many readers, few verified actions	Ambition works as teaching material, such as a book or course; simplify the challenges and keep building

If at week 12…	Then
Readers keep asking for something else	Build what they ask for, because that request is the demand signal

Ambition stays public and generic on purpose. Any private product you build later lives in its own repository under a separate account, installs Ambition's public releases like any other open-source library, and never appears in these posts, challenges or repositories. Your separate code plan explains how.

Ground rules

Safety first, because agents move money and beginners copy what you do. Everything stays on testnets with play money, and no agent connects to a real-money account, such as Coinbase for Agents, during the 12 weeks. Every agent has a hard spending limit, and keys live in a private settings file that never appears in a post or a repository. Every post repeats your Rule #1: never share a seed phrase, the secret words that control a wallet. Ask readers to use a fresh practice wallet, because wallet addresses and their history are public.

Honesty builds the audience. Post the failures as well as the wins, link a source for every claim, and present big forecasts, such as billions of agents, as the forecaster's view. Keep your line that a hobby is for learning, not gambling, and nothing here is financial advice.

Plain language always. Define every term the first time it appears, the way this plan defines x402 and a stablecoin.

No pressure tactics. Posts and screens never use scarcity, countdowns, streaks, decoy choices or sunk-cost appeals, and money screens keep the amount, the recipient, the fact that the payment is final, and Cancel in view. The persuasion policy in the Design guidelines tab lists what is allowed where.

Your own work only. Posts and Ambition's repository hold your own code and notes, never Quantic course prompts, assignments or answers, because the Student Code of Conduct bars posting coursework publicly. Build only on public data and your own time.

Tools and sources

- 50T Funds: The Convergence of Blockchain & AI (2026), the agent-economy thesis and its three themes

- TRM Labs: Who's actually paying? Measuring AI agent payments on-chain (Sep 9, 2026), on how small real agent commerce still is
- Coinbase: x402 network support, which lists Base Sepolia among the supported networks
- Satoshi Nakamoto: Bitcoin, A Peer-to-Peer Electronic Cash System (2008)
- Locke and Latham: 35 years of goal-setting research
- Felix Rieseberg, "How to be more ambitious: A tutorial for humans with models" (October 13, 2026), shared earlier in this project
- Base documentation for Base Sepolia, faucets and block explorers
- Remix, the in-browser editor for your first contracts
- Circle testnet faucet for test USDC
- Free courses to point readers to: Speedrun Ethereum, Cyfrin Updraft and Alchemy University
- Coinbase, "Coinbase for Agents: Your AI Agent Can Now Trade and Pay with Coinbase" (June 11, 2026), shared in this project
- Jakob Nielsen: UX Needs a Sense of Urgency About AI (June 13, 2023)
- Quantic School of Business and Technology, User-Centered Design summary (2025), shared in this project
- Quantic Student Code of Conduct, which bars posting coursework publicly
- Figma Help: Figma for Education, on eligibility, verification and the ban on commercial use
- Figma: Our approach to AI, on which accounts Figma trains its AI on
- Figma Help: Set up the Figma remote MCP server
- Figma Developers: MCP server rate limits and access
- Brad Frost: Atomic Design, Chapter 2, Atomic Design Methodology (2016)
- Brad Frost, "AI and Design Systems" (February 27, 2024), shared in this project
- Carbon Design System and its MCP server
- UI Patterns: pattern library
- Design System Checklist
- Google Visual Assets Guidelines, Part 1 (Behance, 2013), shared in this project
- Coinbase Developer Platform: Spend Permissions, on enforced allowances, windows and cancellation
- Sui Foundation: Give Agents Authority While Keeping Control (Oct 28, 2026), the source of the narrow-only delegation rule