Ambition Roadmap and Decision Register

Nov 7, 2026 · @dinky

Summary

Ambition is an agentic commerce research and education platform on Sui, written in Move from the first module, with stablecoins at its center. AI agents will pay for things in digital dollars, so Ambition teaches builders how an agent holds and spends stablecoins safely. It also scores every payment rail and stablecoin on one public scorecard, and ships the toolkit that does the spending.

The platform has three parts that feed each other. The toolkit gives an agent a wallet, a spending cap it cannot exceed, payments that settle with their receipts, escrow and alerts. The research desk uses that toolkit to buy data and publish cited briefs on which rails and stablecoins are safe for agents. The education track turns each module into a lesson and a reader challenge that leaves public proof on Sui's test network.

Sui carries the build because its base layer already does what agent payments need. One transaction can settle several steps at once, a spending limit can be an object the agent holds, and beginners can sign in and pay without buying gas. The research stays neutral anyway, because a referee that favors its own rail would lose the trust that makes its briefs worth buying.

P-01 to P-22 were accepted on November 7, 2026. This roadmap replaces the earlier Base and Solidity roadmap, which is kept unchanged as a dated record of its decisions, D-01 to D-26. The plan stays dateless, and dates return when the capstone course begins (P-15).

Why this platform

Starting from a blank page, three ambitious DeFi paths on Sui were weighed, and only the platform is both ambitious and reachable for one builder. The other two need licenses or capital that a student project cannot raise, and Sui's largest players already hold them.

Path	Verdict	Why
Issue a stablecoin	No	Under the GENIUS Act, only a regulated "permitted payment stablecoin issuer" may issue one to people in the US, and the law is expected to take effect January 18, 2027. Sui already has dollars from Circle (USDC), Bridge, a Stripe company (USDsui), and Ethena with SUI Group (suiUSDe, plus USDi backed by BlackRock's tokenized money-market fund)
Build a trading, lending or derivatives protocol	No	Sui already has DeepBook's shared order book, Suilend, NAVI and Bluefin. The May 2025 Cetus exploit showed that one math bug in an exchange can drain over $220 million, so a new protocol needs deep capital and repeated audits

Path	Verdict	Why
Build an agentic commerce research and education platform	Yes	It sits one layer above the stablecoins, so it needs no license to issue and no pool of other people's money. It uses exactly the Sui features that make agent payments safe, and a neutral scorecard of rails and stablecoins is something no one offers today

The stablecoin angle survives inside the winning path. Ambition studies, teaches and uses stablecoins rather than issuing one, which keeps the ambition while staying outside the issuer rules. This is a summary of public reporting, not legal advice.

The case study


The case study is Ambition itself, growing from one agent with a wallet into a governed desk that other builders' agents pay for research. It replaces the book's fictional macro-research firm with a real subject, agents paying in stablecoins, so every lesson Ambition teaches is also a part it runs.

Part	What it does	The Sui features it uses
Toolkit	Gives an agent a wallet whose key never leaves Cloud KMS, a spending cap it holds as an object, payments that settle together with their receipts, escrow with automatic refunds, alerts and statements	Move objects for the spending cap, programmable transaction blocks (up to 1,024 steps that all succeed or all fail), gasless stablecoin transfers, and Mysten's Google Cloud KMS signer
Research desk	Buys public data with the toolkit and publishes cited briefs that score each rail and stablecoin on the same scorecard. It covers risk, safety and how-to, never price calls or personal recommendations	The toolkit's own payments, so every brief is also a live test; Walrus to store the cited library and Seal to control who reads paid briefs, if the desk needs them
Education	Turns each module into a plain-language lesson and a reader challenge that leaves public proof on the test network	zkLogin, so a beginner signs in with a familiar login, and sponsored transactions, so a reader's first payment needs no SUI for gas

The three parts feed each other. A reader learns a module, the toolkit gains a tested part, and the desk spends through that part to produce research. Sui's Payment Intents, which settle one request across several apps at once, join once the desk buys from more than one service in a single step.

The ladder

Five rungs take Ambition from one agent with a wallet to a desk that other agents pay for research, and each rung closes on a gate anyone can check. A missed gate holds the next rung rather than lowering the bar.



Rungs 1 to 3 hold the twelve modules. Rung 5 is the platform's destination rather than one option among several, because the research and education desk is the case study.

Modules 1 to 12 in Move

Move starts in module 1, so every module ships a Move package on Sui's test network as well as a lesson. Each module is done when its check passes, and the order follows The Move Book: objects first, then coins, then the patterns that make agent payments safe. Google Cloud joins in module 1 with a small foundation and adds one service at a time.

Module	What it builds on Sui	Reader challenge	What runs on Google Cloud
1	An agent wallet whose key is created in Cloud KMS, and a first Move package published to the test network	Get test SUI from the faucet, call the package and reply with the transaction link	Account guardrails and a Cloud Billing budget alert; the agent's key in Cloud KMS; a first Cloud Run service that Terraform deploys from GitHub Actions through Workload Identity Federation, writing the first release manifest
2	A statement: a script that reads the agent's activity and explains what an object and a checkpoint are	Find your transaction's checkpoint and reply with its number	An indexer Cloud Run service reads the agent's transactions by checkpoint and writes the statement index to Firestore
3	A shared registry object where agents list a name and a price per request	Add an entry; each one is public proof	No new service, because the registry lives on Sui; the Terraform stack gains its first tests
4	Test USDC from Circle's faucet and a payment from the agent to another wallet	Send 1 test USDC between two of your own wallets and reply with the link	A TypeScript signer on Cloud Run signs through Mysten's Cloud KMS signer behind a first write-back gate that fails closed, and Cloud Scheduler starts each run through Cloud Workflows
5	A spending cap the agent holds as an object, with a budget, an expiry and an allowed-recipient list that the owner can suspend or revoke	Grant, then revoke, a cap and reply with the revocation	The gate checks the cap before signing, refused attempts go to the near-miss log, and the kill-switch runbook names its steps
6	A paid service and a payment that settles with its receipt in one transaction, using Sui's own payment flow	Pay the service once and reply with the receipt object	The service runs on Apigee and Cloud Run; the agent's loop calls Gemini through Vertex AI with a traffic-class tag and a per-run ceiling; the test set starts with 20 cases
7	Gasless stablecoin payments and sponsored transactions, so the agent and a new reader both pay without holding SUI	Make a first payment with zkLogin and a sponsored transaction	A sponsor Cloud Run service with its own Cloud KMS key runs a gas station that pays readers' gas within a capped budget
8	Tests, a security checklist and a first kill-switch drill; the module-5 cap is compared with OpenZeppelin's spend vault for Sui	Try to overspend a test cap and reply with the failed transaction	An IAM review, the OWASP agentic-risk mapping, a first Well-Architected review and the first dated drill
9	Agent version 1: buys data, stays under its cap and logs every payment and refusal	Call the paid service from your own code	Cloud Trace follows every run, and the spending audit comes from Cloud Logging and a BigQuery export
10	Escrow as an object that holds payment until delivery and refunds after a deadline	Pay into escrow, let the deadline pass and reply with your refund	The deadline lives in the Move object, and a one-time Cloud Scheduler job claims the refund once it passes
11	Alerts and a public spending page	Trip an alert on your practice wallet and reply with the link	Firestore change events reach an alert Cloud Run service through Eventarc, which emails through a Cloud Monitoring notification channel; Firebase Hosting serves the public page

Module	What it builds on Sui	Reader challenge	What runs on Google Cloud
12	Ambition version 1, a capstone-style write-up and the first published scorecard brief	Read the brief and score one rail or stablecoin yourself	The architecture diagram, the Google Cloud Architecture Framework review, a cost report from Cloud Billing and the BigQuery billing export, and the rung-3 gate review

The research desk starts small inside module 12 rather than waiting for a later rung. That way the first scorecard is tested by readers before the desk grows into the multi-agent research operation in rung 5. **Readers never need a Google Cloud account,** because every challenge happens on Sui's test network.

The rail-neutral scorecard

Every chain and every stablecoin answers the same eight questions, Sui and its dollars included (P-04). Sui's own four questions test whether a rail can carry agent payments. The four Ambition adds test whether a builder can trust it, which is the part a vendor's checklist leaves out.

Question	Asked of	Why it matters to an agent
Can one workflow settle atomically across several services?	Rails	An agent that pays but never receives what it bought has lost money it cannot reverse
Can the protocol enforce a spending limit that travels across apps?	Rails	A limit that each app enforces separately fails the first time an app forgets
Do cost and throughput hold when one account drives thousands of payments?	Rails	Agents pay per request, so fees that look small per payment add up
Can the agent pay in stablecoins without managing gas?	Rails	An agent that must also hold the chain's own token has two balances to run out of
Can anyone, validators or issuers included, freeze or reverse a payment?	Rails and stablecoins	Sui's validators froze about $160 million after the Cetus exploit, and issuers can freeze their own coins, so builders should know who holds that power
Can a buyer get a refund when a service fails to deliver?	Rails	Payments are final, so refunds must be built in, usually as escrow
Can a reviewer trace why money moved?	Rails	An audit trail is what lets a team lead trust an agent with a budget
What backs the dollar, and who can redeem it?	Stablecoins	USDC holds cash and short-term Treasury reserves, USDsui is issued by Bridge to comply with the GENIUS Act, USDi is backed by a tokenized money-market fund, and suiUSDe is a synthetic dollar of digital assets hedged with short futures, so each can fail in a different way

Each brief scores one rail or stablecoin against these questions, cites a source for every answer, and says "insufficient evidence" where the sources run out.

Six safety habits

Six habits from *Building the Agentic Enterprise* carry over unchanged, because none of them depended on the chain (P-10). Each starts small in an early module, since every one is cheap to begin and expensive to bolt on later.


Habit	What Ambition does on Sui	Starts in	Book
Release manifest	Every deploy writes one file naming the model ID, prompt hashes, tool and library versions, Move package IDs and caps, and every statement line names the manifest it ran under	Module 1	pp. 421–425
Write-back gate that fails closed	Nothing the agent proposes reaches the signer until the gate passes it, and an error, a timeout or a missing record counts as no (P-06)	Module 4, complete in module 5	pp. 303–304, 692
Kill switch with named steps	The runbook names each step the switch takes: revoke the spending cap, pause the schedule and deny the agent's service account, and the same flag stops the gateway (P-22). A drill at every rung gate from rung 2 on, dated in the log, proves it still stops a test agent within a minute	Module 5, first drill in module 8	pp. 524, 707
Test-set gate	The test set holds at least 20 cases from module 6. From rung 5 it grows to a 50-query smoke set on every commit and a golden set of 200 or more queries nightly on Google Cloud's Batch tier, against one pass bar of 0.90, and overspending, a wrong recipient or a leaked key must pass 100%	Module 6	pp. 605, 705
Near-miss log	Every payment the gate refused or sent for approval is logged with its reason, because a near miss is the cheapest warning a system gives	Module 5	p. 467
Cost tags and a per-run ceiling	Every model call carries a traffic-class tag, such as agent run, test set or reader service. At 90% of a run's ceiling the agent switches to a cheaper model, and at 100% the run stops	Module 6	pp. 411, 518

Two candidate habits come from the agentic-economy papers. Neither is accepted, and the register below does not include them. The first is an agent-trap test: a web page or document that tells an agent to spend or approve must fail closed, and the case joins the starter set (Tomasev et al., 2025, arXiv:2509.10147, on agent traps). The second is credit logging: every finding records the agent, snapshot and hash that produced it (Tomasev et al., 2025, on tracing value back through agent chains). Both add to the test set and the near-miss log, so they would take effect only after you accept them.

The architecture on Google Cloud and Sui

Every payment passes a gate in code, a signature inside Cloud KMS and the spending cap's own check on Sui before it settles. Google Cloud runs the agent, its keys and its records, while Sui holds the money and

the rules that must never be edited (P-11, P-20).



The agent can propose any payment, but only the gate can pass one to the signer, only the signer holds the key, and the cap object refuses anything over its budget. The agent runs in Python and the signer in TypeScript, because Sui's official SDK and Mysten's KMS signer are TypeScript (P-09).

The design answers each pillar of Google Cloud's Architecture Framework with a named control, and the rung-3 review checks them again.

Pillar	Ambition's answer
Operational excellence	Only GitHub Actions deploys, through the Terraform stack; every deploy writes a release manifest, every run writes a structured log, and the kill switch is drilled at every rung gate from rung 2 on
Security	One least-privilege service account per Cloud Run service, a wallet key that signs only inside Cloud KMS, a spending cap that Sui enforces on its own, Workload Identity Federation instead of stored keys, and a protected root login
Reliability	Cloud Run and Firestore run across several zones; reads retry with backoff, payments never retry blindly, the gate fails closed, and the index can be rebuilt from Sui
Performance efficiency	Each service gets its own memory and CPU, and Firestore reads by wallet address, its fastest kind of lookup
Cost optimization	Cloud Run and Firestore stay within their free quotas, every run stops at its cost ceiling, the gas station's budget is capped, and Cloud Billing budgets alert and then trigger the block through the P-22 function
Sustainability	Nothing runs while idle, and Firestore TTL policies clear stale records

Books and curriculum

The books supply disciplines, not the case study. *Building the Agentic Enterprise* supplies the register, the gates and the six habits, cited by page. *Building AI Agents for Finance* supplies the agent safety rules in the reading notes. The Move Book and Sui's documentation supply Move and Sui.

The MSAIE's Cloud Applications and Architectures specialization supplies the cloud discipline, and the cloud is now Google Cloud, which the book's reference build uses (P-20). Its Blockchain specialization supplies the DeFi risks the scorecard checks. No book or course material goes into Git, because the books' and course's copyright and the Student Code of Conduct bar sharing them, so every fact here cites a public source (P-14).

Decision Register

Twenty-two decisions make up the register, all accepted on November 7, 2026. Their P prefix comes from the proposal they were approved in and keeps them apart from the earlier D-01 to D-26, which live in the dated record. The book's own register holds fifteen rows and warns that more than thirty means decisions are being argued again, so a new decision takes the next ID, P-23, and changes to an old one edit its row.

ID	Decision	Status	Why	Revisit when
P-01	The case study is an agentic commerce research and education platform with three parts, a toolkit, a research desk and an education track, organized around how agents hold and spend stablecoins	Accepted	Each part feeds the others, and no one covers this subject neutrally today	Before module 1 ships
P-02	Build on Sui from module 1, with every on-chain part written in Move	Accepted	Sui's base layer already settles multi-step payments atomically, holds limits as objects and pays gas for beginners	Rung-3 review
P-03	Test money only on Sui's test network: no real-money account, no token and no stablecoin of Ambition's own	Accepted	Payments are final, beginners copy the build, and issuing a dollar requires a license under the GENIUS Act	After an independent audit
P-04	Research is rail-neutral: one scorecard for every chain and stablecoin, Sui included. Briefs cover risk, safety and how-to, cite a source for every answer, may say "insufficient evidence", and never make price calls, trade signals or personal recommendations	Accepted	A referee that favors its own rail loses the trust that makes its briefs worth buying	Before any paid offer to people
P-05	The agent's spending authority is an object it holds, with a budget, an expiry and an allowed-recipient list the owner can suspend or revoke. Ambition builds its own in module 5 and compares it with OpenZeppelin's spend vault in module 8	Accepted	A limit the chain enforces holds even if every check before it fails	Module 8
P-06	Control lives outside the model: a write-back gate checks every payment and fails closed, and the agent's key is created in Cloud KMS and never leaves it	Accepted	A fooled model or a crashed check still cannot overspend, and a key that never leaves KMS cannot leak	Only ever tightened

ID	Decision	Status	Why	Revisit when
P-07	Every payment settles in the same transaction as its receipt	Accepted	An agent never pays without proof that it received what it bought	Module 6
P-08	Readers onboard with zkLogin and sponsored transactions, and agents pay with gasless stablecoin transfers where Sui offers them	Accepted	Beginners never buy gas before a first payment, and agents manage one balance instead of two	Module 7
P-09	Move for on-chain code, TypeScript with Mysten's official SDK for the chain client and KMS signing, and Python for the agent, research and analysis	Accepted	Sui's official tools are TypeScript, and Python support rests on one volunteer maintainer	If an official Python SDK appears
P-10	The six safety habits carry over unchanged: release manifest, fail-closed write-back gate, kill switch with named steps and dated drills, test-set gate, near-miss log and per-run cost ceiling	Accepted	None of them depended on the chain	Each rung gate
P-11	The chain records what must never be edited, such as caps, payments and escrow deadlines, and any off-chain index can be rebuilt from it	Accepted	Anyone can verify the money, and losing the index costs nothing	Module 10
P-12	Superseded by P-20. The cloud is Google Cloud, not AWS	Superseded	The reference build in the book runs on Google Cloud, and each service the plan needs has a documented counterpart	Rung-3 cost review, on Google Cloud prices
P-13	The research charter excludes measuring fake or wash agent activity	Accepted	That work needs data access and legal review Ambition won't have, and it would turn a teaching desk into a policing one	Before rung 5
P-14	The Move Book and Sui's documentation join the two current books as reading sources, and no book or course material goes into Git	Accepted	Move replaces Solidity, and the books' and course's copyright and the Student Code of Conduct bar sharing them	Never, for the Git rule
P-15	The plan stays dateless: modules close on checks, rungs close on gates, and dates return when the capstone course begins	Accepted	A gate holds the bar where a date invites lowering it	When the capstone course begins
P-16	Keep the Ambition name and its public repository, with the GitLab mirror and the MIT License unchanged	Accepted	The mission still fits, and keeping the name keeps the repository, its history and readers' links intact	Only if the mission changes

ID	Decision	Status	Why	Revisit when
P-17	The paid service uses Sui's own payment flow, not a third-party x402 package	Accepted	x402 has no official Sui implementation, while Sui's own flow settles a payment and its receipt in one transaction with no outside code	If an official x402 implementation for Sui appears
P-18	Apply for a Sui grant or request for proposals, and for the next academic research award Sui announces, whether the 2026 or the 2027 round	Accepted	A grant can fund the build and an independent audit, and the 2025 award program has ended with no next round announced	When Sui announces the next award round
P-19	Superseded by P-21. The first committee had eight units and four specialists	Superseded	P-21 keeps the book's seven units, with the on-chain payments analysis inside the Sector Specialist	Not applicable
P-20	Google Cloud is the platform: Cloud Run, Firestore, Cloud Workflows, Cloud Scheduler and Cloud KMS, with Apigee as the public gateway and a VPC Service Controls perimeter around the research project. Gemini runs the agents on Vertex AI, and Claude on Vertex AI judges their output. This supersedes P-12	Accepted	The book's reference build proves this design on a real research workload, and a judge from a different vendor than its generators is a stronger check than a different model from the same vendor	If the organization cannot be set up, the perimeter becomes a recorded deviation
P-21	The research committee has seven units, matching Figure 13.1 of the book: the Research Director; the Market Analyst; the Macro Economist (the book's economist, retooled); the Sector Specialist, which includes the on-chain payments analysis for Sui; the Findings Generator (the book's Thesis Generator); the Compliance Agent as a gate; and the Report Writer. This replaces P-19	Accepted	Each data domain keeps one owner, and the committee keeps the book's shape: three specialists under the Director	When the agent specifications set each unit's module and cost
P-22	Tests and the kill switch follow the book. Every commit runs a 50-query smoke set; a golden set of 200 or more queries runs nightly on Google Cloud's Batch tier; the gate is 0.90 on the golden set and 4.5 on the five-point judge scale; a canary takes 5% of traffic after 24 hours of shadow running. The kill switch runs through a Cloud Monitoring alert, Pub/Sub, a Cloud Function and a Firestore flag that the gateway and every service check. This amends P-10	Accepted	The book's nightly run is affordable on Batch, and the kill switch must stop the gateway as well as the agents	If Batch is unavailable for the Claude judge, the nightly judge runs on replayed outputs and the change is recorded

Plain-language terms

Term	Plain meaning
Agentic commerce	AI agents buying and selling on their own, paying per request in digital dollars
Apigee	Google Cloud's API gateway, which checks who may call an API, sets rate limits and tiers clients
Atomic transaction	A set of steps that all succeed or all fail together, so nothing is left half done
Batch tier	Google Cloud's lowest-cost model tier, with up to a 24-hour turnaround, used here for the nightly golden set
BigQuery	Google Cloud's analytics warehouse, here the audit and billing record
Capability	An object that grants a power, such as spending up to a budget; whoever holds it has that power
Checkpoint	A numbered batch of Sui transactions that the network has finalized, like a page in its record book
Cloud Billing budgets	Google Cloud's spending alerts, which can also trigger a function that blocks chosen services once spend passes a set amount
Cloud KMS	Google Cloud Key Management Service, which keeps keys inside secure hardware and signs with them there
Cloud Logging	Google Cloud's log service, where every Cloud Run service writes what it did
Cloud Run	Google Cloud's way to run a container without managing a server; it scales to zero and bills per request
Cloud Scheduler	A Google Cloud service that starts a job at a set time or on a repeating schedule
Cloud Trace	Google Cloud's tracing service, which follows one request through every service it touches
Cloud Workflows	Google Cloud's service for running a multi-step process in order, with retries and checkpoints
Cost ceiling	The most one agent run may spend on models and services; near it the agent switches to a cheaper model, and at it the run stops
DeepBook	Sui's shared order book, where many apps draw on the same pool of buy and sell orders
Done-When	A check anyone can run that says a piece of work is finished, written before the work starts
Escrow	Holding a payment until the service delivers, then refunding it if a deadline passes
Eventarc	Routes events, such as a database change, to a Google Cloud service
Fail closed	When a check breaks, times out or lacks the data it needs, its answer is no
Firestore	Google Cloud's database that stores records by a key and needs no server to manage
Gas station	A service that pays other people's network fees, here within a capped budget
Gasless transfer	Sending a stablecoin without paying the network fee in the chain's own token
Gemini	Google's family of AI models; Pro handles the hardest reasoning and Flash the fast, routine work
GENIUS Act	The 2025 US law that sets who may issue a payment stablecoin and how it must be backed
Google Cloud Architecture Framework	Google Cloud's checklist of design principles for judging a cloud design

Term	Plain meaning
Kill switch	A fast way to stop an agent: here, revoking its spending cap, pausing its schedule and denying its service account
Layer 1	A blockchain that settles its own transactions with its own validators, such as Sui
Move	The programming language for Sui code, built so a digital asset cannot be copied or lost by mistake
Near-miss log	A record of every payment the gate refused or sent for approval, with its reason, read for warnings before a real loss
Object	Sui's basic unit of data: every coin, cap and receipt is an object with an owner
Payment Intents	A Sui feature that settles one request across several apps in a single transaction
Programmable transaction block	One Sui transaction that chains up to 1,024 steps, all of which succeed or fail together
Pub/Sub	Google Cloud's message service, which passes events between services without them calling each other directly
Rail	The network and rules a payment travels on, such as a blockchain or a card network
Release manifest	One file per deploy listing exactly which model, prompts, tools, Move packages and caps are running
Seal	Sui's encryption with access control, which decides who can read stored data
Service account	An identity that code takes on, with permissions set in Google Cloud IAM, instead of holding a password or key
Sponsored transaction	A transaction whose network fee someone else pays, so a new user needs no SUI
Stablecoin	A token designed to hold a steady value, such as one US dollar
Synthetic dollar	A token that tracks a dollar through offsetting trades rather than cash reserves
Terraform	A tool that describes cloud resources in code, so the whole setup can be reviewed, tested and rebuilt
Test network	A practice blockchain where all money is free and worthless
Test set	A fixed list of tasks with known right answers that every change must pass
Tokenized money-market fund	Shares in a fund of short-term government debt, recorded as tokens on a blockchain
Traffic class	A tag on every model call saying what it was for, such as an agent run, a test or a reader request, so costs can be split by purpose
Validator	A computer that checks and records a blockchain's transactions
Vertex AI	Google Cloud's platform for calling AI models such as Gemini and Claude, authorized by Google Cloud identity instead of a separate API key
VPC Service Controls	A Google Cloud perimeter that stops data from leaving a set of projects except through rules the owner writes

Term	Plain meaning
Walrus	Sui's storage network for large files, such as a library of cited sources
Workload Identity Federation	A Google Cloud feature that lets GitHub prove who it is and receive short-lived credentials, so no Google Cloud key is stored
Write-back gate	The checkpoint between what an agent proposes and anything that changes the world, such as a payment
zkLogin	A Sui sign-in that creates a wallet from a familiar login without revealing that login on the chain

Sources

- Sui, DeFi on Sui, on DeepBook, programmable transaction blocks, zkLogin, sponsored transactions, Walrus, Seal and Nautilus
- Rothschild et al., The Agentic Economy (arXiv:2505.15799, 2025), and Tomasev et al., Virtual Agent Economies (arXiv:2509.10147, 2025), for the two candidate habits above; both are conceptual framing, not measured results
- Sui Foundation, Blockchain for AI agents and agentic commerce (September 2, 2026), the four questions, Payment Intents and gasless stablecoin transfers
- Sui, USDsui, a native stablecoin issued by Bridge, a Stripe company (November 12, 2025)
- Sui, Sui, SUIG and Ethena to launch native suiUSDe (October 1, 2025), on suiUSDe and USDi
- Sui Documentation, zkLogin, Sponsored transactions and Get coins
- Jones Day, US Treasury proposes GENIUS Act rules for stablecoin issuance, offer and sale (August 2026)
- Blockworks, $160M in stolen funds puts Sui's decentralization to the test, on the Cetus exploit and the validator freeze
- OpenZeppelin, Contracts for Sui: delegated spending, on the spend vault
- Mysten Labs, Google Cloud KMS signer, on signing Sui transactions with a key that never leaves Cloud KMS
- PyPI, pysui, the community Python SDK for Sui
- pkgstats, @tentaclepay/sui-x402, a third-party x402 package for Sui
- Circle, Testnet faucet, which lists Sui's test network for test USDC
- Damir Shamanaev and contributors, The Move Book, the guide to Move on Sui
- Sui Forums, Apply for an academic research award, on the ended 2025 program
- OWASP GenAI Security Project, OWASP Top 10 for Agentic Applications for 2026 (December 9, 2025)
- Google Cloud, Architecture Framework, the design principles used for the module 12 review
- Google Cloud, Set budgets and budget alerts, on alerts that can publish to Pub/Sub when spend passes a threshold
- Google Cloud, Workload Identity Federation, on deploying from GitHub without long-lived Google Cloud keys
- Google Cloud, Batch predictions with Anthropic Claude models, on the batch tier for Claude on Vertex AI

- Anthropic, Claude on Vertex AI, on the judge's model access
- Jaroslav Pantsjoha, *Building the Agentic Enterprise* (Packt, September 2026), for the register, gates and six habits, cited by page
- Hanane Dupouy and Fayssal El Mofatiche, *Building AI Agents for Finance* (Packt, 2026), with Ambition's adopted rules in the reading notes
- Ambition, Build in Public: Mission and Ladder, the modules, ladder and gates in plan form