



Ambition Design System


Style guide and money components · Draft 2 · November 4, 2026

Contents

1. The brand book
2. Tokens: color
3. Tokens: type
4. Tokens: spacing, shape, size and motion
5. Money components
6. What this draft doesn't have yet



Light theme



Dark theme



High contrast theme

The brand book

Ambition helps AI builders give their agents money safely, one small win at a time. It is an open-source agentic commerce research and education platform on Sui, built in public one module at a time, and an MSAIE capstone. The interface is calm, exact and honest: it shows what will happen to money before anything happens, and it never pressures anyone. Its structure follows Carbon, IBM's open-source design system, with Ambition's own look.

Principles

1. **Consent before money moves.** Nothing spends, approves or signs without a confirmation that shows the amount, the recipient, the network and the fact that the payment is final. Build it with `SpendConfirmation`.
2. **Truth over polish.** Every amount links to its blockchain record. A failed read shows as a failure (`MoneyEmptyState`, error), never as $0.
3. **Safe by default.** Limits start low, alerts start on, nothing is pre-approved, and amounts and recipients start empty.
4. **Plain words.** One term per concept, defined at first use.
5. **Usable by everyone.** Text meets 4.5:1 contrast in every theme (7:1 in `high-contrast`), everything works by keyboard and screen reader, and color is never the only signal.

Voice and words

Write like a careful friend who knows blockchains: short sentences, plain words, no hype, no exclamation marks, no emoji. Use "you" for the reader and "your agent" for their AI agent. Use sentence case everywhere ("Send 5 test USDC", not "Send 5 Test USDC").

- **Name the action and the amount on every money button.** Write "Send 5 test USDC" or "Refund 2 test USDC", never "OK", "Submit" or "Done".
- **The way out is always "Cancel".** Never "Decline", "No thanks" or a guilt line.
- **Say test money until real money is allowed.** Every money screen carries `TestNetworkBadge` and the words "Test money on Sui testnet".
- **Errors say what happened and what to do next**, in words as well as color: "The blockchain didn't respond. Your money hasn't moved. Try again."
- **Metaphors say where they break**: "Escrow works like a referee holding the money, but unlike a card payment there is no chargeback."

Use these words and only these:

Say	Meaning	Never say
wallet	An account on the blockchain, controlled by a secret key	account
test money	Free tokens on Sui's test network with no real value	free money

Say	Meaning	Never say
USDC	A digital dollar, backed one-for-one by real dollars	coin
agent	An AI program that acts on its own, such as paying for data	bot
spending limit	The most an agent may spend in a day, enforced by a contract	budget, cap
escrow	A contract that holds a payment until the service delivers or the deadline passes	hold
refund	Money escrow returns automatically after a missed deadline	chargeback
sign	Approve a transaction with the wallet's secret key	accept, OK
final	Recorded on the blockchain and impossible to reverse	done, complete
seed phrase	The secret words that control a wallet, never to be shared	password

Persuasion policy. Learning content may use curiosity, progress through levels and verified achievements. Money screens may use only what aids understanding (grouping, steps, saved names, diagrams) while the amount, recipient, finality and Cancel stay visible. Scarcity, countdowns, streak counters, decoy choices, preset amounts, pre-selected choices, loss framing and sunk-cost appeals are banned everywhere. Before adding any new technique, ask whether users would still agree if they saw exactly how and why it was presented.

Color

Colors are semantic roles with three themes: `light` (the default), `dark` and `high-contrast`. The theme is chosen by the user and switches while the app runs. Never write a raw color; use a token.

- **Surfaces.** Set pages on `background`, cards, panels and dialogs on `layer`, and table headers and zebra rows on `layer-alt`. Put `overlay-scrim` behind dialogs only.
- **Text.** Set body text and amounts in `text-primary`, and helper text, timestamps and metadata in `text-secondary`. `text-disabled` is for disabled labels only.
- **Action.** `interactive` is the one action color: primary buttons, links (`link`) and selected states. Put `text-on-interactive` on its fill, and use `interactive-hover` for hover and press.
- **Edges and focus.** Give every control an edge in `border-strong`, and use `border-subtle` only for decorative dividers. Keyboard focus is a 2px solid `focus` ring with a 2px offset, on every interactive element.
- **Status colors mean status and nothing else.**
- `support-success` (teal): final payments and passed checks.
- `support-warning` (ochre): near-limit and new-address warnings.
- `support-danger` (vermilion): failed payments and errors.
- `support-info` (blue): submitted and confirming payments.

Each one appears with its icon and a word, and its `-soft` tint goes behind notices. Success is teal rather than green, so it never depends on telling red from green. - **Brand.** `brand-ink` and `brand-tint` are brand surfaces for the cover, the docs header and highlighted tips. Never use them for status, and

never use status colors in the brand. - **Test network.** `network-test` with `text-on-network-test` marks test money and is used only by `TestNetworkBadge`. - **Charts.** Draw a single series in `interactive`. For several series, use tints of `interactive` and `brand-ink`, never status colors. Bars start at zero, and lines never bridge missing data.

Type

There are two system font stacks, `font-sans` and `font-mono`, so pages load instantly. A brand display face may come later, for brand pieces only.

- Use `display` once per page at most, `heading-01` for page titles, `heading-02` for sections and `heading-03` for dialog and card titles.
- Use `body` as the default app text, `body-lg` for explanations in reader challenges, `label` for field labels, table headers and tags, and `helper` under fields.
- Set money in `amount-lg` (the one headline figure on the spending page) or `amount`, always with tabular figures (`font-variant-numeric: tabular-nums`) and always with a unit: "5.000000 USDC".
- Set wallet addresses and transaction hashes in `code`, in groups of four (`0x8f3a 2c91 … 7d04`), with the first and last groups in `text-primary` and the middle in `text-secondary`.
- Line heights sit on the 4px unit.

Space, grid and shape

- **Spacing.** Every gap is a spacing token on the 4px unit: `space-4` between an icon and its label, `space-8` inside tags, `space-12` for field padding, `space-16` for card padding on phones, `space-24` for dialog padding on desktop, and `space-32` and up between sections. `space-2` is for hairlines only.
- **Grid.** Layouts follow Carbon's 2x grid at `bp-sm` (4 columns), `bp-md` (8) and `bp-lg` and up (16), with 16px padding. Modules 9–12 need two layouts only: phone (`bp-sm`) and desktop (`bp-lg`). Set the grid before drawing.
- **Grid types.** The spending page is hierarchical, with spend against the limit given the largest area. Statements use asymmetric columns, about two-thirds table and one-third detail panel. Reader challenges use a single manuscript column.
- **Shape and depth.**
- Corners: `radius-sm` for inputs, `radius-md` for buttons, cards and dialogs, `radius-lg` for large panels, and `radius-pill` for status tags and badges only.
- Shadow: `shadow-overlay` appears on dialogs and menus only. Dark mode separates surfaces with `layer`, and `high-contrast` separates them with `border-strong`.
- **Sizes.** Controls are `control-md` tall (40px). Primary actions on phones are `control-lg` (48px), which is also the minimum touch target.

Motion

Motion explains a change in money; it never decorates.

- **Durations and easing.** Use `duration-fast-01` (70ms) for presses, `duration-moderate-01` (150ms) for status changes and `duration-moderate-02` (240ms) for dialogs, with `easing-standard`, `easing-entrance` or `easing-exit`.
- **One cue per payment state.** Submitted fades in, confirming shows a slow pulse on its icon, and final, failed and refunded swap their icon once.
- **Reduced motion.** Under `prefers-reduced-motion`, everything changes instantly.
- **Banned.** Nothing loops, bounces or celebrates a payment.

Iconography

- **Icon set.** Use the open-source Lucide set at `icon-16`, `icon-20` and `icon-24`, as outline strokes in the text color of their context.
- **Spoken names.** Give every icon the name a screen reader speaks. An icon-only button needs a visible tooltip and an accessible label.
- **Reserved icons.** These keep one meaning each, and no other icon may resemble them:
- check-circle means final or verified
- send means spend
- undo-2 means refund
- flask-conical means test network
- triangle-alert means warning
- x-circle means failed
- **Small sizes.** Icons at 16px are drawn for that size, not shrunk.
- **No logo yet.** Ambition has no mark yet, so set the name in `heading-03` in `text-primary`. Never borrow IBM or Google marks, pictograms or palettes.

Components

General components come from Carbon (`@carbon/react` or `@carbon/web-components`, with `CARBON_TELEMETRY_DISABLED=1`), styled through these tokens. These include buttons, text inputs, dropdowns, toggles, the data table, notifications, the modal, inline loading, tags, toggletips, tabs, the content switcher, pagination, search and the date picker. Don't use Carbon's number input or progress bar for money: their arrow keys can nudge an amount, and the bar cannot reset.

Ambition adds the money components Carbon lacks:

- `SpendConfirmation`: the dialog before any spend, approval or signature.
- `AmountInput`: a text field for amounts with unit and six decimals.
- `AddressDisplay`: a wallet address in groups of four, with a format check and a copy button.

- `TransactionStatus`: submitted, confirming, final, failed and refunded, each with its own shape, icon and word.
- `SpendMeter`: spend against a daily limit that resets.
- `LimitEditor`: the limit written as a sentence.
- `TestNetworkBadge`: test money marked on every screen.
- `DeadlineDisplay`: a fixed date and time, never a ticking timer.
- `MoneyEmptyState`: no data, no results and error, never showing $0 for a failed read.
- `AgentProposalLabel`: marks a spend the agent proposed and explains why.

Never let a money message disappear on a timer. Failures and spending alerts stay until dismissed.

Tokens: color

Every color is a semantic role with three themes. Swatches show the rendered value; the source values are OKLCH, and every text pair named in a usage note was checked for contrast by calculation (4.5:1 for text in light and dark, 7:1 in high-contrast, and 3:1 for borders and focus rings).

Token	Light	Dark	High contrast	Usage
background	#fcfaf6	#101117	#ffffff	Page background in every theme. text-primary, text-secondary, interactive and every support-* text color pass on it.
layer	#ffffff	#191a21	#ffffff	Cards, panels, table rows and dialogs, set on background. The same text pairs pass on it.
layer-alt	#f3f0ea	#22242c	#f2f2f2	Table headers and zebra rows. The same text pairs pass on it.
overlay-scrim	rgba(16, 17, 23, 0.5)	rgba(0, 0, 0, 0.7)	rgba(0, 0, 0, 0.7)	Backdrop behind a dialog, and nothing else.
border-subtle	#dedad3	#30323b	#555555	Decorative dividers between rows and sections. Never the only edge of a control.
border-strong	#72747e	#828593	#161616	Edges of inputs, secondary buttons and every control: 3:1 on background, layer and layer-alt in every theme. In high-contrast it also outlines every surface.
focus	#3d3fbb	#a4b3f8	#1f1080	Keyboard focus ring: 2px solid with a 2px offset, 3:1 on background, layer and layer-alt in every theme.
text-primary	#1b1e2e	#f1eee9	#000000	Body text, headings and amounts on background, layer, layer-alt, brand-tint and every support-*-soft tint (4.5:1, and 7:1 in high-contrast).
text-secondary	#545764	#b4b7c1	#2c2d33	Helper text, metadata, timestamps and the refunded status on background, layer and layer-alt.
text-disabled	#9c9ea5	#56585e	#555555	Labels of disabled controls only. WCAG exempts inactive controls, so this sits below 4.5:1 by design; never use it for information.
text-on-interactive	#ffffff	#101117	#ffffff	Labels and icons on an interactive or interactive-hover fill, such as the primary button.
interactive	#3d3fbb	#9babfd	#25188e	Primary buttons, links and selected states. As text it passes on background, layer and layer-alt.
interactive-hover	#31319d	#b5c1f9	#160567	Hover and pressed fill of the primary button, under text-on-interactive.
link	→ interactive	→ interactive	→ interactive	Links. An alias of interactive, so a theme that moves interactive moves links.
brand-ink	#1d2248	#232955	#131736	Deep brand blocks on the cover and the docs header. Never text, never a status.
brand-tint	#e2e7fd	#2c3254	#e6eafc	Quiet brand surface behind text-primary, such as a highlighted tip. Never a status.

Token	Light	Dark	High contrast	Usage
support-success	#056965	#60ccc5	#054744	Final payments and passed checks, as text or icon on background, layer and support-success-soft. It is teal, not green, so success never depends on telling red from green, and it always comes with a check icon and a word.
support-success-soft	#d9f5f3	#0c2f2d	#e0f8f5	Tinted background behind support-success or text-primary in a success notice.
support-warning	#8d5406	#f2b966	#61370d	Near-limit and new-address warnings, as text or icon on background, layer and support-warning-soft, always with a triangle icon and a word.
support-warning-soft	#feedc9	#372813	#fef0d4	Tinted background behind support-warning or text-primary in a warning notice.
support-danger	#ba2d1f	#f68675	#861210	Failed payments, errors and over-limit states, as text or icon on background, layer and support-danger-soft, always with an X icon and a word. Never a brand or primary-button color.
support-danger-soft	#ffe9e5	#41211c	#fceeec	Tinted background behind support-danger or text-primary in an error notice.
support-info	#02629c	#7cbbf0	#0f4064	Submitted and confirming payments and neutral notices, as text or icon on background, layer and support-info-soft, always with a circle icon and a word.
support-info-soft	#e1f1ff	#172b3b	#e7f4ff	Tinted background behind support-info or text-primary in an info notice.
network-test	#8f2e8a	#df8cd8	#650e61	Fill of the test-network badge only. It marks test money and never means a transaction status.
text-on-network-test	#ffffff	#101117	#ffffff	The label on a network-test fill.

Tokens: type

Two system font stacks: `font-sans` (system-ui, -apple-system, "Segoe UI", "Helvetica Neue", Arial, sans-serif) and `font-mono` (ui-monospace, "SF Mono", Menlo, Consolas, "Liberation Mono", monospace). Line heights sit on the 4px unit.

Style	Sample	Usage
Headings		
`display` 42px / 48px · 600 · -0.5px	Give your agent money safely	One per page at most: the welcome screen and module titles.
`heading-01` 32px / 40px · 600	Statements	Page titles.
`heading-02` 24px / 32px · 600	This week's spending	Section titles.
`heading-03` 20px / 28px · 600	Send 5 test USDC?	Dialog titles and card titles.
Body		
`body-lg` 16px / 24px · 400	Payments on a blockchain are final.	Explanations in reader challenges and long-form help.
`body` 14px / 20px · 400	Your agent paid Weather API 0.05 USDC.	Default text in the app: table cells, dialogs, notices.
`label` 12px / 16px · 400 · 0.32px	Amount	Field labels, table headers, tags.
`helper` 12px / 16px · 400	You'll confirm before anything is sent.	Helper and error text under fields, in text-secondary or a support-* color.
Money and code		
`amount-lg` 32px / 40px · 600	15.00 USDC	The one headline figure on the spending page. Always tabular figures (font-variant-numeric: tabular-nums) and always with its unit.
`amount` 16px / 24px · 600	5.000000 USDC	Amounts in dialogs and summaries, with tabular figures and a unit.
`code` 14px / 20px · 400	`0x8f3a 2c91 04b7 e65d 1a0c`	Wallet addresses in groups of four, transaction hashes and code.

Tokens: spacing, shape, size and motion

Spacing (4px unit, Carbon's steps)

Token	Value		Usage
`space-2`	`2px`		Hairline gaps only, such as an icon nudge.
`space-4`	`4px`		The base unit. Gap between an icon and its label.
`space-8`	`8px`		Gap inside tags and between related controls.
`space-12`	`12px`		Field padding, and the gap between label and input.
`space-16`	`16px`		Card and dialog padding on phones, and grid padding.
`space-24`	`24px`		Dialog padding on desktop, and the gap between groups.
`space-32`	`32px`		Gap between sections inside a page.
`space-40`	`40px`		Space above a section title.
`space-48`	`48px`		Space between major page regions.
`space-64`	`64px`		Top and bottom page margins on desktop.
`space-80`	`80px`		Hero spacing on the welcome screen.
`space-96`	`96px`		The largest gap, used on the cover and landing pages.

Corner radius

Token	Value		Usage
`radius-sm`	`2px`		Inputs, checkboxes and table cells.
`radius-md`	`4px`		Buttons, cards and dialogs.
`radius-lg`	`8px`		Large panels and the cover blocks.
`radius-pill`	`999px`		Status tags and badges only.

Shadow

Token	Value	Usage
`shadow-overlay`	`light: 0 4px 16px rgba(16, 17, 23, 0.16)` `dark: 0 4px 16px rgba(0, 0, 0, 0.5)` `high-contrast: none`	Dialogs and menus only. Dark mode leans on layer instead, and high-contrast uses border-strong because shadows barely show there.

Sizes

Token	Value	Usage
`icon-16`	`16px`	Icons inside tags and table cells, hand-tuned at this size.
`icon-20`	`20px`	Icons in buttons and notices.
`icon-24`	`24px`	Standalone icons and empty states.
`control-sm`	`32px`	Height of compact buttons and inputs in tables.
`control-md`	`40px`	Default height of buttons and inputs.
`control-lg`	`48px`	Primary actions on phones, and the minimum touch target.

Motion durations

Token	Value	Usage
`duration-fast-01`	`70ms`	Micro-interactions: button press, toggle.
`duration-fast-02`	`110ms`	Small fades, such as a tooltip.
`duration-moderate-01`	`150ms`	Status changes, such as confirming to final.
`duration-moderate-02`	`240ms`	Dialogs and panels opening. Nothing moves longer than this, and all motion stops under prefers-reduced-motion.

Motion easing

Token	Value	Usage
`easing-standard`	`cubic-bezier(0.2, 0, 0.38, 0.9)`	Elements that move or change within the screen.
`easing-entrance`	`cubic-bezier(0, 0, 0.38, 0.9)`	Elements entering, such as a dialog or a notice.
`easing-exit`	`cubic-bezier(0.2, 0, 1, 0.9)`	Elements leaving.


Breakpoints (Carbon 2x grid)

Token	Value	Usage
`bp-sm`	`320px`	Phones: 4 columns, the phone layout.
`bp-md`	`672px`	Tablets: 8 columns.
`bp-lg`	`1056px`	Laptops: 16 columns, the desktop layout.
`bp-xlg`	`1312px`	Wide screens: 16 columns.
`bp-max`	`1584px`	Maximum layout width.


Money components

General components come from Carbon, styled through these tokens. The ten components that follow are the money parts Carbon lacks. Each page shows a static preview and the usage rules a builder or agent follows.


SpendConfirmation



Preview, light theme



Dark theme



High-contrast theme

The dialog shown before any step that spends, approves or signs, so the person knows exactly what will happen to their money.

You provide:

- the action and the amount, which become both the title and the primary button label ("Send 5 test USDC")
- the recipient's saved name and full address
- the network
- the spending limit left after this payment
- the most the person could lose
- an `AgentProposalLabel` when the agent proposed the spend

Behavior:

- **Placement and focus.** Cancel sits on the left and receives first focus, overriding Carbon's danger-modal default. Esc always cancels.
- **The summary stays visible.** The amount, recipient, network and finality line never move behind "Show more".
- **Guarding against double sends.** After the person presses Send, the button shows Carbon's inline loading and stays disabled until the payment is final or has failed, so a second click can't send twice.


Do:

- Use it for every spend, approval and signature, including on the first payment.
- Show amounts with their unit in tabular figures.

Don't:

- Pre-fill the amount.
- Pre-select a choice.
- Style Cancel as a weaker link.
- Add urgency of any kind.

AmountInput



Preview, light theme

A text field for an amount of money, with its unit and up to six decimals.

You provide: the label, the unit (USDC), the current value as a string, and any limit the value must stay under.

Behavior:

- It is a text input, not Carbon's number input, because arrow-key steppers can nudge an amount by accident.
- It accepts digits and one decimal point only.
- It never guesses: "5" and "0.5" are never reinterpreted.
- It shows its value back in `SpendConfirmation` before anything is sent.
- Its errors appear in words and in color.


Do:

- Store the value as a string or a big integer, never as a floating-point number.
- Show the unit beside the field, every time.

Don't:

- Pre-fill an amount.
- Add plus and minus buttons.
- Accept free-form text such as "five".

AddressDisplay



Preview, light theme

Shows a wallet address so a person can check it: split into groups of four, with the first and last groups emphasized.

You provide: the full address, plus the saved name if there is one.

Behavior:

- **Short form.** Shows the saved name and the first and last groups, joined by an ellipsis. Truncation always cuts the middle.
- **Full form.** Shows every group in `code`. Screen readers read it group by group.
- **Copy.** Copies the full value. The confirmation message stays put and focus does not move.
- **Format check.** Shows "Format valid" with a check icon once the address is 0x followed by 64 characters, or an error in words. Sui addresses carry no checksum, so a saved name is the stronger check.


Do:

- Prefer saved names over raw addresses (Recognition over Recall).
- Show the full address on request.

Don't:

- Auto-complete an address.
- Hide the last group.
- Show an address without a way to see it in full.

TransactionStatus



Preview, light theme

The state of a payment, which always shows color, a distinct shape or icon, and a word together.

You provide: one of five states, plus a link to the transaction record.

State	Meaning	Token	Icon
Submitted	Sent to the network, not yet recorded	`support-info`	open circle
Confirming	Recorded in a block, not yet final	`support-info`, dashed edge	half-filled circle
Final	Recorded and irreversible	`support-success` on `support-success-soft`	check-circle
Failed	Rejected; no money moved	`support-danger` on `support-danger-soft`	x-circle
Refunded	Returned by escrow	`text-secondary`	undo-2


Behavior:

- "Sent" and "final" are never the same state, so a person never pays twice thinking the first payment was lost.
- Each change is announced to screen readers.

Don't:

- Show a status by color alone.
- Animate it beyond one icon swap.

SpendMeter



Preview, light theme

Spend against a daily spending limit that resets. This is the headline figure on the spending page.

You provide: the amount spent, the limit, the reset time, and the alert threshold (80% by default).


Behavior:

- The figure uses `amount-lg` with its unit.
- The bar fills in `interactive`, with a tick at the alert threshold.
- Near the limit, a warning appears in words with the triangle icon.
- It is a meter, not Carbon's progress bar, because a daily limit resets and a progress bar never decreases.

Don't:

- Color the bar red or green.
- Celebrate staying under the limit.
- Hide the amount left.

LimitEditor



Preview, light theme

Sets a spending limit as a sentence people can read aloud: "Let [agent] spend [5] USDC per [day]."

You provide: the agents, the allowed periods, and the current limit.

Behavior:

- The amount field follows the `AmountInput` rules.
- Lowering a limit is instant.
- Raising one opens a `SpendConfirmation`-style dialog that states the new maximum.
- New agents start at a low default limit, which comes from Good Defaults.

Don't:

- Pre-fill a high limit.
- Save a raised limit in place without confirmation.

TestNetworkBadge



Preview, light theme

Marks test money on every screen, so nobody mistakes a practice payment for a real one.

You provide: the network name.


Behavior:

- It sits in the global header on every screen and in every `SpendConfirmation`.
- It uses `network-test`, the only place that color appears.
- The words "Test money" always appear, never the icon alone.

Don't:

- Hide it on small screens.
- Reuse its color for anything else.

DeadlineDisplay



Preview, light theme

Shows a deadline, such as an escrow refund window, as a fixed date and time with its time zone.

You provide: the deadline as an ISO timestamp, plus the person's time zone.


Behavior:

- It is plain text in a `time` element.
- After the deadline, it states what happened and when.

Don't:

- Use a ticking countdown, seconds or urgency colors. A deadline is a fact, not pressure.

MoneyEmptyState



Preview, light theme

Replaces an empty table or figure, and says which of three cases applies.

You provide: the case (no data, no results or error), a title, one sentence, and one action.


Behavior:

- **No data:** offers the first step.
- **No results:** offers to clear filters.
- **Error:** says the read failed and that money hasn't moved, and offers a retry.

Don't:

- Show "$0" or "0 transactions" when a read failed. That would misstate a balance.
- Leave a dead end with no action.

AgentProposalLabel



Preview, light theme

Marks a spend or action that the AI agent proposed, and explains why on request. It follows Carbon for AI's label-and-explanation rule.

You provide: the agent's stated reason in plain words, plus any figures it relied on.

Behavior:

- It appears on every agent-proposed item in `SpendConfirmation`, statements and alerts.
- The "Why?" toggletip opens on click or Enter, and Esc closes it.

Don't:

- Use it as decoration.
- Hide the reason behind hover alone.
- Imply the agent can't be wrong.

What this draft doesn't have yet

A logo. Ambition has no mark yet, so the name is set in plain type until one is designed.

A brand typeface. The system uses the fonts already on each device; a variable display face can be added later for brand pieces only.

Coded components. The previews are static pictures built from the tokens; the React or Web Components code for the ten money components still needs to be written on top of Carbon.

The live, editable version of this document is the Ambition Design System artifact. Ask for changes there in plain language, and re-export this PDF after revisions.