Build in Public: Mission and Ladder

Nov 4, 2026 · @dinky

Summary

You build Ambition one module at a time, twelve modules in all, in Move on Sui's test network, and each module gives readers one challenge they can prove they did. Ambition is an agentic commerce research and education platform: a toolkit that lets an AI agent hold and spend stablecoins safely, a research desk that scores payment rails and stablecoins, and lessons that teach both. Ambition is also your capstone. 50T Funds argues that blockchains will become the financial infrastructure for billions of AI agents, which is why this plumbing is worth learning in public.

The ladder runs from an agent with its own wallet, to an agent that pays for services within a spending cap it holds as an object, to Ambition version 1, with money-back escrow, alerts and a first published scorecard brief. Each rung ends at a gate anyone can check rather than at a date, and dates return when your capstone course begins, so they can be set against your December 2027 graduation. Readers who complete challenges leave public records on Sui's test network, so demand shows up as actions you can count, and at rung 3's gate that evidence decides which part of Ambition grows fastest.

Mission statement

> **Help AI builders give their agents money safely, one small win at a time.**


Your class's rule says a good mission names the behavior you want and leaves out features, and this one does. "Give their agents money safely" is the behavior, and it covers everything Ambition builds, from wallets and limits to refunds and alerts. "One small win at a time" keeps the least-to-most method, and "safely" keeps the play-money promise.

The mission names no product, protocol or blockchain, so the build can change without changing it. Its audience is AI builders learning to give agents money, which is exactly who you are: an AI engineer learning blockchain.

The ladder

You climb from toy programs to a product in five rungs, and each gate is a fact anyone can check.

Each rung passes its gate before the next begins



The twelve modules cover the first two rungs and the start of the third. A missed gate holds the next rung rather than lowering the bar, the same rule as your earlier plans. Rung 5 is the research and education desk, where research agents score rails and stablecoins and sell cited briefs to other agents.

The verified-owner rung comes after rung 3's gate. Your agent pays only agents and vendors whose owner has proved a verified identity with a zero-knowledge proof, which is math that proves a fact without revealing the data behind it, like an "over 21" card with no name on it. Ambition reuses existing tools rather than building identity itself, such as passport-chip proof apps like Self and ZKPassport for the owner, and checks the proof on Sui. The proof shows that a real, verified person stands behind an agent, but not who, and the spending limit and escrow still do the safety work.

The twelve modules

A module is done when its check passes, not when a set number of hours runs out. Each module splits its time about the same way: roughly five parts building, one part turning your build notes into plain-language notes, one part answering readers and counting completions, and one part having an AI quiz you until you can teach it. Every module ships a Move package on Sui's test network, and most challenges leave proof there that anyone can check.

Module	What you build	Reader challenge
1	An AI agent with its own Sui wallet, whose key is created inside AWS KMS, and your first Move package published to Sui's test network	Get test SUI from the faucet, call the package and reply with the transaction link
2	A statement: a script that turns the agent's activity into a readable record and explains what an object and a checkpoint are	Find your transaction's checkpoint and reply with its number
3	A shared registry, a Move object where agents list a name and a price per request, which closes rung 1's gate once the agent can pay	Add an entry; each one is public proof
4	Test USDC, a digital dollar, from Circle's faucet, and a payment from your agent to another wallet	Send 1 test USDC between two of your own wallets and reply with the link
5	A spending cap the agent holds as an object, with a budget, an expiry and an allowed-recipient list that you can suspend or revoke	Grant, then revoke, a cap and reply with the revocation
6	A tiny paid service and a payment that settles with its receipt in one transaction, using Sui's own payment flow	Pay the service once and reply with the receipt object
7	Gasless stablecoin payments and sponsored transactions, so the agent and a new reader both pay without holding SUI, Sui's own token	Make a first payment with zkLogin, signing in with a familiar account, and a sponsored transaction
8	Tests, a security checklist and a first kill-switch drill, while the UX agent drafts the style guide and design tokens	Try to overspend a test cap and reply with the failed transaction
9	Agent version 1: buys data, stays under its cap and logs every payment and refusal	Call the paid service from your own code
10	Money-back escrow: an object that holds an agent's payment until the service delivers and refunds it automatically after a deadline	Pay into escrow, let the deadline pass and reply with your refund
11	Spending alerts: a script that watches the agent's wallet and messages you when it nears its cap or pays a new address, plus a public spending page	Trip an alert on your practice wallet and reply with the link
12	Ambition version 1, a capstone-style write-up of requirements, design, tests and results, and the first scorecard brief	Read the brief and score one rail or stablecoin yourself

The roadmap shows what each module adds on AWS, the scorecard the research desk uses, and the decisions every module rests on.

Spending limits: build one, then compare

You write your own spending cap in module 5 because building it teaches the lesson, then you test it against OpenZeppelin's spend vault for Sui in module 8. OpenZeppelin already publishes a vault where an owner funds a pool and gives a delegate a budget per coin with an expiry date, which the owner can suspend or revoke at any time. A builder who only wants a safe agent today could start from that library, and your notes should say so. On Sui the cap is an object the agent holds, so the chain itself refuses a payment over budget.

The agent's key can only ask; the cap decides. The key is created inside AWS KMS and never leaves it, and the cap checks its budget, expiry and recipients itself, so an overspend fails on Sui even if every check before it fails.

Question	Your module 5 cap	OpenZeppelin's spend vault for Sui
Who wrote it	You, as a learning build, so treat it as unaudited	OpenZeppelin, as a shared library for Sui
What it limits	One budget, one expiry and an allowed-recipient list per agent	A budget per coin type for each delegate, with an expiry
How it ends	Owner revokes the cap or lets it expire	Owner sets the budget to zero to suspend it, removes it to revoke it, or lets it expire
A caveat to teach	Holding the cap is the authority, so guard where it lives	The library says anyone who presents a cap has its full authority, so integrators add their own sender checks
What a builder learns	How a limit is enforced line by line	How to use a shared tool in a few lines

Compare them on the same task in module 8 and publish the result, including anything OpenZeppelin's version does that yours can't. If it holds up, Ambition's limit editor and spending meter can work with either, and you recommend the better-tested one for anything beyond a testnet.

Delegation can only narrow. When one agent hands a task to a helper, the helper receives a slice of the delegator's remaining budget and window, never more, and the slice comes out of the delegator's own allowance so the total can't grow. A buggy or hijacked helper can then lose only what it was given. The same rule runs the other way for the owner: lowering a limit takes effect at once, while raising it needs the owner's explicit confirmation, so a stolen session can't quietly widen its own leash. The idea comes from Sui's October 2026 post on agent authority.

What we measure

Only actions count, because likes can't show whether anyone will build. The targets are starting points, set now so results can't be explained away later.

Signal	What counts	Why it matters	Target at rung 3's gate
Verified actions	Different wallets that complete any challenge, checked on a Sui explorer such as SuiVision or Suiscan	Proof that someone acted	25
Repeat builders	Readers who complete three or more challenges	People coming back is the clearest sign of real demand	5
Growth per module	New completers after each module's challenge, without paid promotion	Organic growth was the strongest predictor in the demand scan	Rising for most modules
Builders using your tools	People who call your paid service or registry, or install Ambition, from their own code	Shows other builders find the plumbing useful	10
Safe payments	Share of test and reader payments that stay under the limit and settle or refund correctly	Ambition's core promise is that an agent can't lose money by mistake	100%

The UX agent

A UX researcher and designer agent joins your team, so that every screen and set of notes is usable, accessible and ethical. Jakob Nielsen warned that engineers were shaping AI products by default and that interfaces built on typed prompts are hard to use. Every agent on your team until now was an engineer, and your user-centered design course adds the other two priorities, accessibility and ethics.

Agent	Standing goal	Instruments	Outside judge
UX researcher and designer	Every type of user finishes each task without help, understands what happened, and never moves money without a clear choice	Nielsen's 10 usability heuristics; personas and user journeys; plain-language and WCAG accessibility checks; a consent check on every step that spends, approves or signs; scripted walkthroughs of clickable Figma prototypes; reader replies coded into empathy maps	Readers' completion rates, time to first verified transaction, help requests per step, and System Usability Scale scores

The agent designs for three types of user: the beginner reader, the AI builder giving an agent money, and the team lead who reviews an agent's statements and alerts. Each gets a persona and a journey, and every feature starts as a user story ("As a beginner, I need..., so that...") with acceptance criteria.

Ethics means users are clearly informed of their choices, empowered to make them, and guided only through choices they want to make. So no step spends, approves or signs without a plain-language confirmation, and nothing nudges users toward a choice they didn't make. Accessibility work makes things easier for everyone, which designers call the curb-cut effect. Screens are designed phone-first, the least-to-most approach your course calls progressive enhancement.

The agent never invents user feedback, because AI judges designs unreliably on its own, so real readers are the judge and you approve every change. It collects usage data only with disclosure and consent. From module 1 it tracks time to a reader's first verified transaction and help requests per

step, and from module 9 it asks readers who use the agent or Ambition's tools for a short System Usability Scale rating.

Figma lets readers click through a screen before you write its code. Ambition's first screens arrive in modules 9 to 12: the spending page, statements, escrow refunds and alerts. Before each one ships, the UX agent researches the screen, plans it and builds it in Figma as a clickable prototype, a mockup that works like an app with no code behind it. You revise it in plain language, such as "make the refund button clearer," until you approve it, and then readers walk through it, because a problem found in a mockup costs minutes and one found in code costs a rewrite.

The agent works through Claude Code connected to Figma's MCP server, a connector that lets it create and edit Figma files and later read the approved designs while it codes the screens. Connect it once with `claude mcp add --transport http figma https://mcp.figma.com/mcp`, then sign in to Figma when Claude Code asks.

Sign in with a Figma for Education account verified with your Quantic email, which gives higher-education students the Professional plan and AI tools free and keeps your files out of Figma's AI training. Education accounts get up to 200 design-reading calls a day through the connector, which is plenty for this plan. Keep only Ambition's work there, because education licenses can't be used commercially.

The UX agent writes the style guide first, then builds a small kit of reusable parts on Carbon, before it builds any screen. In module 8 it drafts the principles, design tokens, and the color, type, spacing and motion rules, so every later part inherits them. The kit starts from Carbon, IBM's open-source design system. It keeps Carbon's spacing, grid, type sizes, motion timing, components and accessibility rules, and it replaces Carbon's look with Ambition's own. Following Brad Frost's atomic design, the kit grows from pieces to parts, sections, layouts and screens. The agent builds only the money parts Carbon lacks, such as the amount input, the address display and the transaction status. In Figma it starts from Carbon's free community kit and sets the layout grids from Carbon's screen widths before drawing anything.

Claude Code also connects to the Carbon MCP server, signed in with a free IBMid. Its code audit checks each screen's code against Carbon's token, accessibility and layout rules before you review it. IBM logs the agent's search text unless you opt out, which is acceptable for public work.

Consent is built into the kit, not left to memory. The plain-language confirmation required before any step that spends, approves or signs is one reusable spend-confirmation part, so every screen gets it automatically and no new screen can skip it.

Each screen is tested with real testnet data and its awkward cases before readers see it. That means full 66-character Sui addresses, amounts with six decimal places, a failed payment, a first-time user with an empty statement and an agent with a thousand transactions.

Documentation is generated from the code at every release, so it never drifts from what Ambition does. The agent can also explain it at each reader's level, from beginner to AI builder. The kit and its documentation are public parts of Ambition that anyone may reuse.

The full rules live in the Design guidelines. It covers the principles and the persuasion policy, foundations, brand assets, components, screen patterns, the reader journey, a glossary, and maintenance. The rules ship in numbered releases with the code, and every do-and-don't pair runs as an automated test.

Readers get a guided first run and help at every stage. A reader goes from a module's notes to a first verified test payment in seven steps, from a short walkthrough clip to a success screen with the explorer link, and never signs up before the wallet. Engagement uses levels and verified achievements, never streak counters or random rewards. The guidelines also cover getting help, the later path to real money, and a clean exit: disconnecting the wallet, revoking permissions and exporting statements.

Where the capstone comes from

Ambition is your capstone, and the numbers at rung 3's gate decide which of its three parts you develop furthest. It makes a natural capstone: an AI agent, Move packages on Sui and blockchain data, documented from requirements through tests, with a research desk that publishes cited work. Check it against the MSAIE capstone requirements before module 9, so it's built to them from the start.

If at rung 3's gate...	Then
Builders use Ambition's toolkit from their own code	Harden and document the toolkit first, because builders using it is the strongest signal
Readers keep completing the lesson challenges	Grow the education track into a full course, because learners are the audience that is showing up
Builders pay the research desk for briefs from their own code	Grow the desk toward rung 5 first, because paying agents is the business signal
Many readers, few verified actions	Simplify the challenges, because the lessons are reaching people who aren't acting yet
Readers keep asking for something else	Build what they ask for, because that request is the demand signal

Ambition stays public and generic on purpose. Any private product you build later lives in its own repository under a separate account, installs Ambition's public releases like any other open-source library, and never appears in these notes, challenges or repositories. Your separate code plan explains how.

Ground rules

Safety first, because agents move money and beginners copy what you do. Everything stays on Sui's test network with play money, and no agent connects to a real-money account, such as an exchange's agent account, before an independent audit. Every agent has a spending cap that Sui enforces, and its key is created inside AWS KMS and signs there, so no key or seed phrase ever sits in a file, a post or a repository. Every module's notes repeat your Rule #1: never share a seed phrase, the

secret words that control a wallet. Ask readers to use a fresh practice wallet, because wallet addresses and their history are public.

No token and no stablecoin. Ambition issues neither, because a token would give readers a price to speculate on, and issuing a dollar in the US takes a license under the GENIUS Act. Ambition studies, teaches and uses other issuers' stablecoins instead.

Honesty builds the audience. Publish the failures as well as the wins, link a source for every claim, and present big forecasts, such as billions of agents, as the forecaster's view. Keep your line that a hobby is for learning, not gambling, and nothing here is financial advice.

Plain language always. Define every term the first time it appears, the way this plan defines zkLogin and a stablecoin.

No pressure tactics. Notes and screens never use scarcity, countdowns, streaks, decoy choices or sunk-cost appeals, and money screens keep the amount, the recipient, the fact that the payment is final, and Cancel in view. The persuasion policy in the Design guidelines lists what is allowed where.

Your own work only. Notes and Ambition's repository hold your own code and writing, never Quantic course prompts, assignments or answers, because the Student Code of Conduct bars posting coursework publicly. Build only on public data and your own time.

Tools and sources

- 50T Funds: The Convergence of Blockchain & AI (2026), the agent-economy thesis and its three themes
- TRM Labs: Who's actually paying? Measuring AI agent payments on-chain (Sep 9, 2026), on how small real agent commerce still is
- Sui Foundation: Blockchain for AI agents and agentic commerce (Sep 2, 2026), on atomic settlement, scoped permissions and gasless stablecoin transfers
- Satoshi Nakamoto: Bitcoin, A Peer-to-Peer Electronic Cash System (2008)
- Locke and Latham: 35 years of goal-setting research
- Felix Rieseberg, "How to be more ambitious: A tutorial for humans with models" (October 13, 2026), shared earlier in this project
- OpenZeppelin: Contracts for Sui, delegated spending, on budgets, expiry, suspension and revocation
- Sui Foundation: Give Agents Authority While Keeping Control (Oct 28, 2026), the source of the narrow-only delegation rule
- Sui documentation: Get coins, on the testnet faucet and the SuiVision and Suiscan explorers
- Sui documentation: zkLogin and sponsored transactions
- The Move Book, the guide to Move on Sui
- Mysten Labs: AWS KMS signer, on signing with a key that never leaves KMS
- Circle testnet faucet for test USDC

- Jones Day: US Treasury proposes GENIUS Act rules for stablecoin issuance (Aug 2026), on who may issue a stablecoin
- Jakob Nielsen: UX Needs a Sense of Urgency About AI (June 13, 2023)
- Quantic School of Business and Technology, User-Centered Design summary (2025), shared in this project
- Quantic Student Code of Conduct, which bars posting coursework publicly
- Figma Help: Figma for Education, on eligibility, verification and the ban on commercial use
- Figma: Our approach to AI, on which accounts Figma trains its AI on
- Figma Help: Set up the Figma remote MCP server
- Figma Developers: MCP server rate limits and access
- Brad Frost: Atomic Design, Chapter 2, Atomic Design Methodology (2016)
- Brad Frost, "AI and Design Systems" (February 27, 2024), shared in this project
- Carbon Design System and its MCP server
- UI Patterns: pattern library
- Design System Checklist
- Google Visual Assets Guidelines, Part 1 (Behance, 2013), shared in this project