

S3 with static website

Dino 2022/10/29

What is S3?

Amazon Simple Storage Service 是一項物件儲存服務

S3 不是用來儲存資料的嗎，
為什麼要用來當網頁伺服器？

在我們只需要由幾個頁面組成的靜態網站，我們不需要使用ec2 作為伺服器
一來節省時間二來節省成本

這麼棒ㄉ東西聽起來很酷吧 但是他貴嗎？

免費方案 12 個月免費

Amazon S3

5 GB

的標準儲存

安全、耐用且可擴展的物件儲存基礎設施。

5 GB 的標準儲存

20,000 個 Get 請求

2,000 個 Put 請求

那我們開始今天的實作部分吧～

LAB files

zip 壓縮檔

<https://reurl.cc/85lRpj>



簡報

<https://reurl.cc/VRagR5>



開啟Learner Lab

The screenshot shows a web browser window with the URL <https://awsacademy.instructure.com/courses/22070/modules>. The page displays the course structure for 'ALLv1-22070'.

The left sidebar contains a navigation menu with the following items:

- aws
- Account
- Dashboard
- Courses
- Calendar
- Inbox
- History
- Help

The main content area shows the course structure:

- ALLv1-22070 > Modules**
- Home**
- Modules** (highlighted with a red box)
- Discussions**

Under the **Modules** section, there is a list of resources:

- Learner Lab** (highlighted with a red box)
 - Student Guide.pdf**
 - Learner Lab** (highlighted with a red box)
 - End of Course Feedback Survey**

Learner Lab

https://awsacademy.instructure.com/courses/22070/modules/items/1794378

正在建立安全連線...

AWS ●

Used \$5.3 of \$100

00:00

Start Lab End Lab AWS Details Readme Reset

ddd_v1_w_02C_1302707@runweb65282:~\$

紅燈表示未開啟
黃燈表示正在啟動lab
綠燈是可以開啟aws console

黃色表示這個lab的餘額

EN-US -

Learner Lab

[Environment Overview](#)
[Environment Navigation](#)
[Access the AWS Management Console](#)
[Region restriction](#)
[Service usage and other restrictions](#)
[Using the terminal in the browser](#)
[Running AWS CLI commands](#)
[Using the AWS SDK for Python](#)
[Preserving your budget](#)
[Accessing EC2 Instances](#)
[SSH Access to EC2 Instances](#)
[SSH Access from Windows](#)
[SSH Access from a Mac](#)

Environment Overview

This Learner Lab provides a sandbox environment for ad-hoc exploration of AWS services.

◀ Previous Next ▶

Learner Lab AWS Management Console https://us-east-1.console.aws.amazon.com/console/home?region=us-east-1

Search for services, features, blogs, docs, and more [Option+S]

Services

Console Home Info

Recently visited Info

- S3
- EC2
- VPC
- CloudShell
- Systems Manager
- CloudFormation
- Incident Manager

AWS Organizations

IAM

AWS Cloud Map

View all services

Welcome to AWS

Getting started with AWS

Learn the fundamentals and find valuable information to get the most out of AWS.

Training and certification

Learn from AWS experts and advance your skills and knowledge.

What's new with AWS?

Discover new AWS services, features, and Regions.

AWS Health Info

Open issues 0 Past 7 days

Scheduled changes 0 Upcoming and past 7 days

Other notifications 0 Past 7 days

Cost and usage Info

Current month costs \$1.18

Forecasted month end costs \$1.29 Up 102% over last month

Last month costs \$0.64

Top costs for current month

Service	Cost
Amazon Elastic Compute Cloud - C...	\$0.67
EC2 - Other	\$0.51
Amazon Simple Storage Service	\$0.00
CloudWatch Events	\$0.00

Feedback Looking for language selection? Find it in the new Unified Settings

© 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Learner Lab x S3 Management Console x +

https://s3.console.aws.amazon.com/s3/get-started?region=us-east-1

Services Services Search s3

Search results for 's3'

Services (7)

- Features (12)
- Blogs (1,142)
- Documentation (103,203)
- Knowledge Articles (30)
- Tutorials (9)
- Events (17)
- Marketplace (887)

Services See all 7 results ▶

S3 ☆ Scalable Storage in the Cloud

Top features

Buckets Access points Batch Operations

S3 Glacier ☆ Archive Storage in the Cloud

Athena ☆ Query Data in S3 using SQL

AWS Snow Family ☆ Large Scale Data Transport

Features See all 12 results ▶

Amazon S3 File Gateway

Storage Gateway feature

Batch Operations

S3 feature

Buckets

S3 feature

Create a bucket

Every object in S3 is stored in a bucket. To upload files and folders to S3, you'll need to create a bucket where the objects will be stored.

Create bucket

Pricing

With S3, there are no minimum fees. You only pay for what you use. Prices are based on the location of your S3 bucket.

Estimate your monthly bill using the [AWS Simple Monthly Calculator](#)

[View pricing details](#)

Resources

User guide

API reference

FAQs

Feedback Looking for language selection? Find it in the new Unified Settings [\[\]](#)

© 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Learner Lab S3 Management Console

https://s3.console.aws.amazon.com/s3/get-started?region=us-east-1

Services | Search for services, features, blogs, docs, and more [Option+S]

Amazon S3

Buckets
Access Points
Object Lambda Access Points
Multi-Region Access Points
Batch Operations
Access analyzer for S3

Block Public Access settings for this account

Storage Lens
Dashboards
AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Storage

Amazon S3

Store and retrieve any amount of data from anywhere

Amazon S3 is an object storage service that offers industry-leading scalability, data availability, security, and performance.

How it works

Introduction to Amazon S3

aws.amazon.com/S3

到以下平台觀看： YouTube

Create a bucket

Every object in S3 is stored in a bucket. To upload files and folders to S3, you'll need to create a bucket where the objects will be stored.

Create bucket

Pricing

With S3, there are no minimum fees. You only pay for what you use. Prices are based on the location of your S3 bucket.

Estimate your monthly bill using the [AWS Simple Monthly Calculator](#)

[View pricing details](#)

Resources

User guide
API reference
FAQs

Feedback Looking for language selection? Find it in the new Unified Settings

© 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Learner Lab S3 bucket

https://s3.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Services | Search for services, features, blogs, docs, and more [Option+S]

Amazon S3 > Buckets > Create bucket

Create bucket Info

Buckets are containers for data stored in S3. [Learn more](#)

General configuration

Bucket name 一定要設定bucket name 且名稱必須具有唯一性

myawsbucket

Bucket name must be globally unique and must not contain spaces or uppercase letters. [See rules for bucket naming](#)

AWS Region 選擇us-east1 區域

US East (N. Virginia) us-east-1

United States

US East (N. Virginia) us-east-1

US East (Ohio) us-east-2

US West (N. California) us-west-1

US West (Oregon) us-west-2

Africa

Africa (Cape Town) af-south-1

Disabled Region

Asia Pacific

Asia Pacific (Hong Kong) ap-east-1

Disabled Region

Asia Pacific (Jakarta) ap-southeast-3

Disabled Region

Asia Pacific (Mumbai) ap-south-1

Control lists (ACLs). Object ownership

Bucket can be owned by other AWS account. Bucket and its objects can be

Feedback Looking for language selection? Find it in the new Unified Settings

Learner Lab S3 bucket

https://s3.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Services | Search for services, features, blogs, docs, and more [Option+S]

AWS Region: US East (N. Virginia) us-east-1

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.
[Choose bucket](#)

Object Ownership [Info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

ACLs disabled (recommended)
All objects in this bucket are owned by this account.
Access to this bucket and its objects is specified using only policies.

ACLs enabled
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership
Bucket owner enforced

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

Block public access to buckets and objects granted through new access control lists (ACLs)
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

Block public access to buckets and objects granted through any access control lists (ACLs)
S3 will ignore all ACLs that grant public access to buckets and objects.

Learner Lab S3 bucket

https://s3.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Services | Search for services, features, blogs, docs, and more [Option+S]

Object Ownership [Info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

ACLs disabled (recommended)
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

ACLs enabled
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership

Bucket owner preferred
If new objects written to this bucket specify the bucket-owner-full-control canned ACL, they are owned by the bucket owner. Otherwise, they are owned by the object writer.

Object writer
The object writer remains the object owner.

Info If you want to enforce object ownership for new objects only, your bucket policy must specify that the bucket-owner-full-control canned ACL is required for object uploads. [Learn more](#)

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

Block public access to buckets and objects granted through new access control lists (ACLs)
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

Block public access to buckets and objects granted through any access control lists (ACLs)

Learner Lab S3 bucket

https://s3.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Services | Search for services, features, blogs, docs, and more [Option+S]

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

- Block public access to buckets and objects granted through new access control lists (ACLs)**
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
- Block public access to buckets and objects granted through any access control lists (ACLs)**
S3 will ignore all ACLs that grant public access to buckets and objects.
- Block public access to buckets and objects granted through new public bucket or access point policies**
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
- Block public and cross-account access to buckets and objects through any public bucket or access point policies**
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

⚠️ Turning off block all public access might result in this bucket and the objects within becoming public
AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

I acknowledge that the current settings might result in this bucket and the objects within becoming public.

Bucket Versioning
Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions.

Learner Lab S3 Management Console 403 Forbidden

https://s3.console.aws.amazon.com/s3/upload/dinobucket13uo143r?region=us-east-1

Services Search for services, features, blogs, docs, and more [Option+S]

Amazon S3 > Buckets > dinobucket13uo143r > Upload

Upload Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files**, or **Add folders**.

Files and folders (0)					
All files and folders in this table will be uploaded.					
<input type="text"/> Find by name					
Name	Folder	Type	Size		
No files or folders					
You have not chosen any files or folders to upload.					

Destination

Destination
<s3://dinobucket13uo143r>

▶ **Destination details**
Bucket settings that impact new objects stored in the specified destination.

▶ **Permissions**

Feedback Looking for language selection? Find it in the new Unified Settings [\[\]](#)

© 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Learner Lab dinobucket13uoi43r - S3 bucket 403 Forbidden

https://s3.console.aws.amazon.com/s3/buckets/dinobucket13uoi43r?region=us-east-1&tab=objects

Services Search for services, features, blogs, docs, and more [Option+S]

dinobucket13uoi43r Info

Objects Properties Permissions Metrics Management Access Points

Objects (15)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

[Actions ▾](#) [Create folder](#) [Upload](#)

Find objects by prefix

<input type="checkbox"/>	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	apply.html	html	October 28, 2022, 18:04:26 (UTC+08:00)	2.9 KB	Standard
<input type="checkbox"/>	css/	Folder	-	-	-
<input type="checkbox"/>	faq.html	html	October 28, 2022, 18:04:27 (UTC+08:00)	6.4 KB	Standard
<input type="checkbox"/>	favicon.ico	ico	October 28, 2022, 18:04:28 (UTC+08:00)	1.4 KB	Standard
<input type="checkbox"/>	fonts/	Folder	-	-	-
<input type="checkbox"/>	images/	Folder	-	-	-
<input type="checkbox"/>	index.html	html	October 28, 2022, 18:04:29 (UTC+08:00)	6.6 KB	Standard
<input type="checkbox"/>	investors.html	html	October 28, 2022, 18:04:30 (UTC+08:00)	5.9 KB	Standard
<input type="checkbox"/>	js/	Folder	-	-	-
<input type="checkbox"/>	register.html	html	October 28, 2022, 18:04:31 (UTC+08:00)	2.7 KB	Standard
<input type="checkbox"/>	ride.html	html	October 28, 2022, 18:04:32 (UTC+08:00)	4.2 KB	Standard
<input type="checkbox"/>	robots.txt	txt	October 28, 2022, 18:04:32 (UTC+08:00)	43.0 B	Standard
<input type="checkbox"/>	signin.html	html	October 28, 2022, 18:04:33 (UTC+08:00)	2.5 KB	Standard
<input type="checkbox"/>	unicorns.html	html	October 28, 2022, 18:04:34 (UTC+08:00)	4.9 KB	Standard
<input type="checkbox"/>	verify.html	html	October 28, 2022, 18:04:35 (UTC+08:00)	2.5 KB	Standard

Feedback Looking for language selection? Find it in the new [Unified Settings](#) Feedback

© 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Learner Lab

dinobucket13uo143r - S3 bucke

https://s3.console.aws.amazon.com/s3/buckets/dinobucket13uo143r?region=us-east-1&tab=properties

Services | Search for services, features, blogs, docs, and more [Option+S]

Amazon S3 Buckets dinobucket13uo143r

Properties

Bucket overview

AWS Region: US East (N. Virginia) us-east-1

Amazon Resource Name (ARN): arn:aws:s3:::dinobucket13uo143r

Creation date: October 27, 2022, 15:49:37 (UTC+08:00)

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Edit

Bucket Versioning: Disabled

Multi-factor authentication (MFA) delete

An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. [Learn more](#)

Disabled

Tags (0)

Track storage cost or other criteria by tagging your bucket. [Learn more](#)

Edit

Key Value

Feedback Looking for language selection? Find it in the new Unified Settings [Learn more](#)

© 2022, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

Learner Lab

dinobucket13uo143r - S3 bucket

https://s3.console.aws.amazon.com/s3/buckets/dinobucket13uo143r?region=us-east-1&tab=properties

Services | Search for services, features, blogs, docs, and more [Option+S]

Amazon S3

Buckets

- Access Points
- Object Lambda Access Points
- Multi-Region Access Points
- Batch Operations
- Access analyzer for S3

Block Public Access settings for this account

Storage Lens

- Dashboards
- AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Transfer acceleration

Use an accelerated endpoint for faster data transfers. [Learn more](#)

Transfer acceleration

Disabled

Object Lock

Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. [Learn more](#)

Object Lock

Disabled

Amazon S3 currently does not support enabling Object Lock after a bucket has been created. To enable Object Lock for this bucket, contact Customer Support

Requester pays

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)

Requester pays

Disabled

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

Disabled

Feedback Looking for language selection? Find it in the new Unified Settings

© 2022, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

Learner Lab

dinobucket13uo143r - S3 bucke

https://s3.console.aws.amazon.com/s3/bucket/dinobucket13uo143r/property/website/edit?region=us-east-1

Services | Search for services, features, blogs, docs, and more [Option+S]

Amazon S3

Amazon S3 > Buckets > dinobucket13uo143r > Edit static website hosting

Edit static website hosting Info

Static website hosting
Use this bucket to host a website or redirect requests. [Learn more](#)

Enable

Hosting type

Host a static website
Use the bucket endpoint as the web address. [Learn more](#)

Redirect requests for an object
Redirect requests to another bucket or domain. [Learn more](#)

Index document
Specify the home or default page of the website.
`index.html`

Error document - optional
This is returned when an error occurs.
`error.html`

Redirection rules - optional
Redirection rules, written in JSON, automatically redirect webpage requests for specific content. [Learn more](#)

Feedback Looking for language selection? Find it in the new Unified Settings [Learn more](#)

© 2022, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

Learner Lab

dinobucket13uo143r - S3 bucket

https://s3.console.aws.amazon.com/s3/buckets/dinobucket13uo143r?region=us-east-1&tab=properties

Services | Search for services, features, blogs, docs, and more [Option+S]

Amazon S3

Successfully edited static website hosting.

Object Lock

Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. [Learn more](#)

Object Lock

Disabled

Amazon S3 currently does not support enabling Object Lock after a bucket has been created. To enable Object Lock for this bucket, contact [Customer Support](#)

Requester pays

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)

Requester pays

Disabled

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

<http://dinobucket13uo143r.s3-website-us-east-1.amazonaws.com>

Buckets

- Access Points
- Object Lambda Access Points
- Multi-Region Access Points
- Batch Operations
- Access analyzer for S3

Block Public Access settings for this account

Storage Lens

- Dashboards
- AWS Organizations settings

Feature spotlight 3

AWS Marketplace for S3

Feedback Looking for language selection? Find it in the new Unified Settings

© 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Learner Lab | dinobucket13uo143r - S3 buck... | 403 Forbidden

不安全 | http://dinobucket13uo143r.s3-website-us-east-1.amazonaws.com

互一小 ELF一路發集貨網... NTCU Library We... 校務行政電腦化系... 【原價屋】COOLP... www.speedtest.net Online IP Subnet... 學生系統首頁 GitHub Diagram.drawio 購買 iPhone 14 Pr... ShutterCounter.co...

403 Forbidden

- Code: AccessDenied
- Message: Access Denied
- RequestId: 6F1Z4HT86QHZ0Y85
- HostId: /L/fcdYvs50RLWDih/bfMJ96wOQOT7MVZ0GsMjxA/Ju4091YeEGwgpdmt8VL9fcrFVjRpQOwfoE=

An Error Occurred While Attempting to Retrieve a Custom Error Document

- Code: AccessDenied
- Message: Access Denied

Learner Lab dinobucket13uoi43r - S3 bucket 403 Forbidden

https://s3.console.aws.amazon.com/s3/buckets/dinobucket13uoi43r?region=us-east-1&tab=objects

Services Search for services, features, blogs, docs, and more [Option+S]

dinobucket13uoi43r Info

Objects Properties Permissions Metrics Management Access Points

Objects (15)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

[Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) ▾ [Create folder](#) [Upload](#)

Find objects by prefix

<input checked="" type="checkbox"/>	Name	Type	Last modified
<input checked="" type="checkbox"/>	apply.html	html	October 28, 2022, 18:04:35 (UTC+08:00)
<input checked="" type="checkbox"/>	css/	Folder	-
<input checked="" type="checkbox"/>	faq.html	html	October 28, 2022, 18:04:33 (UTC+08:00)
<input checked="" type="checkbox"/>	favicon.ico	ico	October 28, 2022, 18:04:34 (UTC+08:00)
<input checked="" type="checkbox"/>	fonts/	Folder	-
<input checked="" type="checkbox"/>	images/	Folder	-
<input checked="" type="checkbox"/>	index.html	html	October 28, 2022, 18:04:35 (UTC+08:00)
<input checked="" type="checkbox"/>	investors.html	html	October 28, 2022, 18:04:32 (UTC+08:00)
<input checked="" type="checkbox"/>	js/	Folder	-
<input checked="" type="checkbox"/>	register.html	html	October 28, 2022, 18:04:34 (UTC+08:00)
<input checked="" type="checkbox"/>	ride.html	html	October 28, 2022, 18:04:35 (UTC+08:00)
<input checked="" type="checkbox"/>	robots.txt	txt	October 28, 2022, 18:04:32 (UTC+08:00)
<input checked="" type="checkbox"/>	signin.html	html	October 28, 2022, 18:04:33 (UTC+08:00)
<input checked="" type="checkbox"/>	unicorns.html	html	October 28, 2022, 18:04:34 (UTC+08:00)
<input checked="" type="checkbox"/>	verify.html	html	October 28, 2022, 18:04:35 (UTC+08:00)

Actions ▾

- Download as
- Share with a presigned URL
- Calculate total size
- Copy
- Move
- Initiate restore
- Query with S3 Select
- Edit actions
- Rename object
- Edit storage class
- Edit server-side encryption
- Edit metadata
- Edit tags
- Make public using ACL

< 1 > | 1

	Size	Storage class
2.9 KB	Standard	
-	-	
6.4 KB	Standard	
1.4 KB	Standard	
-	-	
6.6 KB	Standard	
5.9 KB	Standard	
-	-	
2.7 KB	Standard	
4.2 KB	Standard	
43.0 B	Standard	
2.5 KB	Standard	
4.9 KB	Standard	
2.5 KB	Standard	

Learner Lab dinobucket13uoi43r - S3 bucket 403 Forbidden

https://s3.console.aws.amazon.com/s3/buckets/dinobucket13uoi43r/object/edit_public_read_access?region=us-east-1&showversions=false

Services Search for services, features, blogs, docs, and more [Option+S]

Specified objects

Find objects by name

Name	Type	Last modified	Size
apply.html	html	October 28, 2022, 18:04:26 (UTC+08:00)	2.9 KB
css/	Folder	-	-
faq.html	html	October 28, 2022, 18:04:27 (UTC+08:00)	6.4 KB
favicon.ico	ico	October 28, 2022, 18:04:28 (UTC+08:00)	1.4 KB
fonts/	Folder	-	-
images/	Folder	-	-
index.html	html	October 28, 2022, 18:04:29 (UTC+08:00)	6.6 KB
investors.html	html	October 28, 2022, 18:04:30 (UTC+08:00)	5.9 KB
js/	Folder	-	-
register.html	html	October 28, 2022, 18:04:31 (UTC+08:00)	2.7 KB
ride.html	html	October 28, 2022, 18:04:32 (UTC+08:00)	4.2 KB
robots.txt	txt	October 28, 2022, 18:04:32 (UTC+08:00)	43.0 B
signin.html	html	October 28, 2022, 18:04:33 (UTC+08:00)	2.5 KB
unicorns.html	html	October 28, 2022, 18:04:34 (UTC+08:00)	4.9 KB
verify.html	html	October 28, 2022, 18:04:35 (UTC+08:00)	2.5 KB

Cancel Make public

Feedback Looking for language selection? Find it in the new Unified Settings

© 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Learner Lab dinobucket13uoi43r - S3 bucket 403 Forbidden

https://s3.console.aws.amazon.com/s3/buckets/dinobucket13uoi43r/object/edit_public_read_access?region=us-east-1&showversions=false

Services Search for services, features, blogs, docs, and more [Option+S]

Successfully edited public access

View details below.

Make public: status Close

The information below will no longer be available after you navigate away from this page.

Summary

Source	Successfully edited public access	Failed to edit public access
s3://dinobucket13uoi43r	91 objects, 12.3 MB	0 objects

Failed to edit public access Configuration

Failed to edit public access (0)

Name	Folder	Type	Last modified	Size	Error
No objects failed to edit					

Find objects by name 1

https://s3.console.aws.amazon.com/s3/# tion? Find it in the new Unified Settings

© 2022, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Learner Lab

x dinobucket13uo143r - S3 bucke

Wild Rydes - Rydes of the Fu

← → ⌛ 不安全 | http://dinobucket13uo143r.s3-website-us-east-1.amazonaws.com



网格 ELF一路發集貨網... NTCU Library We... 校務行政電腦化系... 【原價屋】COOLP... www.speedtest.net Online IP Subnet... 學生系統首頁 GitHub Diagram.drawio 購買 iPhone 14 Pr... ShutterCounter.co...

