# Vim

Damir Kovacec

## Stuff

de

delete to the end of word

```
:help keycodes
                   shows key maps (key codes)
:messages shows info/error messages
o or O insert a new blank line, then go to insert mode
0
   go to start of line
   go to end of line
   go to end of the word
е
    go to beginning of the next word
W
    change whole word (delete word, then go to insert mode
CW
    change until the end of word
ce
c$
    change until end of line
Α
    append at the end of line
dd
   delete a line
dw delete a word
d$ delete to the end of line
```

#### Tabs

```
<C-t> create new tab
<C-left> go to left tab
<C-right> go to right tab
<C-c> close a tab

gt go to next tab
gT go to previous tab

<C-w>gf open a filename under cursor in new tab
```

### Windows

### **Buffers**

```
:ls list all buffers
:bn go to next buffer
:bp go to previous buffer
:b krneki use partial name and Tab to find name of the built is 4 go to buffer number 4
:bd close unused buffers
```

#### Sessions

```
<leader>so session open
<leader>ss session save
<leader>sd session delete
<leader>sc session close
<leader>sv view the Vim script generated for a session , generated for a session save
```

#### Undo and Redo

To undo recent changes, from normal mode use the undo command:

u undo last change (can be repeated to undo precessor) Redo changes which were undone (undo the undos)

Compare to . to repeat a previous change, at the

Ctrl-r (hold down Ctrl and press r) will redo a

## NerdTree

<C-n> NerdTree visible

### VimWiki

\*bold\* -- bold text

```
<leader> ws open wiki index file in new tab
<leader> ww open default wiki index file
<leader> md preview current wiki file in browser
<leader> we open link in new window
<leader> wq open link in new vertical window
<leader> wt open link in new tab
<leader> wd delete wiki file
<leader> wr rename wiki file
Basic Markup
= Header1 =
== Header2 ==
=== Header3 ===
```