GLOBAL ELECTRIC VEHICLE MARKET INTELLIGENCE PLATFORM

Enterprise Cloud Data Warehousing, Visual Analytics & Web Portal Integration

Academic Institution:	Medi-Caps University
Department:	Faculty of Engineering & Computer Science
Project Title:	Global Electric Vehicle Market Performance Analysis
Team ID:	[Blank as Requested]
Technology Stack:	Snowflake Cloud DW, Tableau Desktop / Public, Python Flask, SQL
Dataset Scale:	200,000 Vehicle Records | 37 Specifications | 200 Global Automakers
Submission Date:	31 January 2026
Academic Status:	Capstone Portfolio Complete - Final Submission

EXECUTIVE ABSTRACT:

This portfolio presents an end-to-end cloud business intelligence and data engineering solution built to analyze the global transition to electric mobility. Operating on a 200,000-record dataset spanning 37 technical and commercial parameters, the platform addresses severe market data fragmentation, range anxiety, and battery degradation uncertainties. The architecture features an enterprise Snowflake star-schema data warehouse, an interactive Tableau Executive Dashboard with a 10-Scene Story narrative, and a production-grade Python Flask web portal. Key findings reveal a global delivery volume of 1.55 billion units, an average autonomy of 324.5 km per charge, and overwhelming market dominance by NMC and LFP battery chemistries.

TABLE OF CONTENTS

1. Introduction & Executive Summary	*Project Context, Purpose & Core Problem*
2. Phase 1: Ideation Phase	*Brainstorming, Problem Statements & Empathy Map*
3. Phase 2: Requirement Analysis	*Customer Journey, DFD Level 0/1, User Stories & Tech Stack*
4. Phase 3: Project Design Phase	*Problem-Solution Fit Canvas & End-to-End Architecture*
5. Phase 4: Project Planning & Sprints	*Agile Product Backlog, Velocity & Sprint Schedules*
6. Phase 5: Project Development (Tableau)	*Visualizations Catalog, Executive Dashboard & 10-Scene Story*
7. Phase 5: Project Development (Snowflake)	*Cloud DW Modeling, Automated Cleansing SQL & Views*
8. Phase 6: Performance Testing & Validation	*Hyper Extract Latency & Snowflake Query History Benchmarks*
9. Phase 7: Web Application Integration	*Python Flask Architecture, Jinja2 Layouts & RESTful API*
10. Phase 8: Project Demonstration & Future Roadmap	*Demo Script, Feature Verification (100%) & Scalability*
11. Conclusion & Academic Appendix	*Summary, Repository Links, and Data Dictionary*

1. INTRODUCTION & PROJECT OVERVIEW

Electric mobility is undergoing exponential global adoption driven by international net-zero mandates, rapid battery chemistry innovations, and the expansion of high-voltage fast-charging corridors. However, automotive decision-makers—ranging from original equipment manufacturer (OEM) strategists to commercial fleet managers and policy architects—face severe operational headwinds. Automotive telemetry is currently siloed across regional databases, technical specifications are unstandardized, and battery degradation claims lack empirical validation.

To resolve these challenges, this capstone project delivers the **Global Electric Vehicle Market Intelligence Platform**. By integrating modern cloud data engineering (Snowflake), intuitive visual business intelligence (Tableau), and responsive web presentation (Python Flask), the platform unifies and analyzes 200,000 multi-attribute records representing 200 automotive manufacturers and 1.55 billion cumulative vehicle sales worldwide.

Core Platform Benchmark Metrics

Metric Parameter	Benchmark Value	Strategic Significance
Total Vehicle Records Analyzed	200,000 Rows	Comprehensive enterprise sample size.
Automotive Manufacturers (OEMs)	200 Global Brands	Complete international market coverage.
Cumulative Vehicle Sales Units	1.55 Billion Units	Synthesizes mass commercial adoption.
Distinct EV Models Evaluated	17,980 Unique Models	Granular variant & drivetrain depth.
Average Customer Rating	4.09 / 5.0 Stars	High global consumer satisfaction baseline.
Average Driving Range Autonomy	324.5 km per charge	Sufficient for 95%+ of daily commercial trips.
Average Battery Pack Capacity	78.2 kWh	Standard pack size for modern passenger EVs.

2. PHASE 1: IDEATION & EMPATHY MAPPING

The ideation phase was structured around human-centered design principles. Two core problem statements were formulated to anchor the technical requirements:

ID	Target Customer	Customer Goal	Pain Point / Barrier	Emotional State
PS-1	Automotive Strategic Analyst	Benchmark global OEM market share & category sales across 200 manufacturers.	Telemetry data is disparate, unstandardized, and trapped in multi-gigabyte flat files.	Frustrated by delayed quarterly decisions and capital misallocation.
PS-2	Fleet Operations Director	Procure durable commercial fleets balancing range, battery degradation, and price.	OEM claims lack empirical backing regarding NMC vs LFP 5-year battery cycle degradation.	Anxious about premature battery failure, range anxiety, and fleet downtime.

3. SYSTEM ARCHITECTURE & DATA FLOW

The system employs a multi-tiered architecture separating storage, analytical compute, business intelligence visualization, and presentation layers.

LAYER 1: DATA INGESTION & STORAGE (Snowflake Cloud Data Warehouse) - Raw dataset (ev_market_train.xlsx, 200k rows) staged via internal stage (@STG_EV_DATA). - Bulk loaded into RAW_EV_MARKET_DATA table via idempotent COPY INTO scripts. - SQL automated cleansing: NULL imputation (charging times), ROW_NUMBER() duplicate elimination. - Star Schema Dimensional Modeling: DIM_MANUFACTURER, DIM_VEHICLE_CATEGORY, DIM_BATTERY_TECH, FACT_EV_SALES. LAYER 2: ANALYTICAL COMPUTE & VISUALIZATION (Tableau Desktop & Tableau Public) - Direct warehouse extract converted to high-speed Tableau Hyper format (.hyper, 10.8 MB). - Development of 9 core worksheets: Bar Charts, Line Charts, Pie Charts, and Geographic Bubble Maps. - Assembly of unified Executive KPI Dashboard and 10-Scene Strategic Narrative Story. LAYER 3: PRESENTATION & DELIVERY (Python Flask Web Portal) - Lightweight microservices architecture (app.py) serving Jinja2 layouts (/dashboard, /story, /insights). - Dark-mode executive CSS design system with embedded Tableau JavaScript iframe elements. - RESTful JSON telemetry API endpoint (/api/stats) for external programmatic consumption.

4. TABLEAU VISUAL ANALYTICS & DASHBOARDS

The visualization system provides deep-dive analytical exploration across vehicle categories, battery chemistries, and geographical regions. Below are the key dashboard implementations extracted directly from the working Tableau workbook.




Figure: *Executive EV Market Dashboard: 'EV Market Pulse | Sales, Mix & Reach' featuring 6 KPI scorecards (200 MFRs, 17,980 Models, 1.55B Sales, 4.09 Rating, Avg Range & Battery) and synchronized regional charts.*

Executive Dashboard Analysis: The unified dashboard consolidates top-level corporate metrics into a single screen. Slicers allow instantaneous filtering by market region (APAC, Europe, North America) and vehicle category. Visual benchmarks immediately reveal that urban utility segments (Hatchbacks and Two-Wheelers) represent over 60% of total unit delivery volume.




Figure: *Manufacturer Sales Analysis: Horizontal bar chart illustrating sales volume distribution across leading global automotive manufacturers.*

Competitive OEM Ranking: The bar chart displays volume leaders across the 200 surveyed manufacturers. High-volume producers capture significant economies of scale, while specialized performance OEMs maintain premium margins with lower overall volume.




Figure: *Annual EV Sales Trend by Model Year: Longitudinal growth curve showing steep exponential adoption inflection across multi-year vehicle releases.*

Multi-Year Adoption Trajectory: The multi-year trend line demonstrates a dramatic inflection point post-2018, where annual unit deliveries compound aggressively as battery costs fell below parity thresholds and public charging infrastructure achieved critical density.




Figure: *Customer Satisfaction Benchmarks: Horizontal bar chart comparing consumer satisfaction ratings across distinct EV categories.*

Customer Satisfaction Findings: Customer ratings remain consistently above 4.0 out of 5.0 across categories. Notably, Hatchbacks (4.12/5.0) and Two-Wheelers (4.10/5.0) register the highest satisfaction, underscoring customer appreciation for low operating costs and parking maneuverability in dense urban environments.




Figure: *EV Category Performance & Distribution: Proportional breakdown of vehicle model diversity and segment share.*

Category Distribution Breakdown: Hatchbacks and commercial light delivery vehicles account for the largest proportion of total deliveries, confirming that mass fleet electrification is driven primarily by everyday urban utility vehicles.




Figure: *Tableau Strategic Story Environment: 10-Scene interactive narrative sequence guiding stakeholders through market trends, battery chemistry mix, and geographical footprint.*

10-Scene Strategic Narrative: The Tableau Story feature allows stakeholders to walk through 10 sequential chapters: 1) Market Snapshot, 2) Manufacturer Sales, 3) Battery Mix (NMC vs LFP), 4) Regional Comparison, 5) Manufacturing Map, 6) Sales by Category, 7) Customer Ratings, 8) Range Autonomy, 9) Multi-Year Sales Trends, and 10) Category Performance. The complete story is hosted live on Tableau Public: https://public.tableau.com/app/profile/uday.ksuwhaha/viz/EV_Market_Performance_Market_Story_2026-10-25_17933746131570/EVMarketJourney

5. SNOWFLAKE CLOUD DATA ENGINEERING

The underlying backend was engineered in Snowflake to guarantee enterprise performance, data integrity, and sub-second query latency over 200,000 records. Below are the key SQL DDL, transformation, and dimensional modeling scripts implemented for the project.

```
-- Step 1: Database, Schema & Elastic Warehouse Creation CREATE OR REPLACE DATABASE EV_INTELLIGENCE_DB;
CREATE OR REPLACE SCHEMA EV_INTELLIGENCE_DB.RAW_SCHEMA; CREATE OR REPLACE SCHEMA
EV_INTELLIGENCE_DB.ANALYTICS_SCHEMA; CREATE OR REPLACE WAREHOUSE COMPUTE_WH WITH WAREHOUSE_SIZE =
'X-SMALL' AUTO_SUSPEND = 60 AUTO_RESUME = TRUE; -- Step 2: Automated Data Cleansing & NULL Imputation
UPDATE EV_INTELLIGENCE_DB.RAW_SCHEMA.RAW_EV_MARKET_DATA SET charging_dc_fast_time_min =
COALESCE(charging_dc_fast_time_min, 35.0), insurance_cost_usd_yearly =
COALESCE(insurance_cost_usd_yearly, 1200.0), recommended_use_case = COALESCE(recommended_use_case,
'Urban Commute'); -- Step 3: Duplicate Record Elimination via Window Function CREATE OR REPLACE TABLE
EV_INTELLIGENCE_DB.ANALYTICS_SCHEMA.CLEAN_EV_DATA AS WITH DeduplicatedCTE AS ( SELECT *, ROW_NUMBER()
OVER (PARTITION BY vehicle_id ORDER BY model_year DESC) as rn FROM
EV_INTELLIGENCE_DB.RAW_SCHEMA.RAW_EV_MARKET_DATA ) SELECT * EXCLUDE (rn) FROM DeduplicatedCTE WHERE rn
= 1; -- Step 4: Star Schema Dimensional Modeling CREATE OR REPLACE TABLE
EV_INTELLIGENCE_DB.ANALYTICS_SCHEMA.DIM_MANUFACTURER AS SELECT DISTINCT DENSE_RANK() OVER (ORDER BY
manufacturer) AS manufacturer_key, manufacturer, manufacturing_country FROM
EV_INTELLIGENCE_DB.ANALYTICS_SCHEMA.CLEAN_EV_DATA; CREATE OR REPLACE TABLE
EV_INTELLIGENCE_DB.ANALYTICS_SCHEMA.FACT_EV_SALES_PERFORMANCE AS SELECT c.vehicle_id,
m.manufacturer_key, c.category, c.battery_type, c.model_year, c.market_region, c.battery_capacity_kwh,
c.range_km, c.price_usd, c.annual_sales_units, c.customer_rating, CASE WHEN c.range_km < 250 THEN
'Standard' ELSE 'Extended' END AS range_class FROM EV_INTELLIGENCE_DB.ANALYTICS_SCHEMA.CLEAN_EV_DATA c
JOIN EV_INTELLIGENCE_DB.ANALYTICS_SCHEMA.DIM_MANUFACTURER m ON c.manufacturer = m.manufacturer;
```

6. PYTHON FLASK WEB PORTAL ARCHITECTURE

To enable friction-free executive access across devices, the project encapsulates all dashboards, stories, and telemetry within a Python Flask web portal. The web server features responsive HTML5 Jinja2 layouts, a dark-mode CSS design system, and RESTful telemetry API endpoints.

Endpoint Route	HTTP Method	Function & Delivered Layout / Page	Key Features
/	GET	index() -> index.html	Executive home page with KPI scorecard cards and quick links.
/dashboard	GET	dashboard() -> dashboard.html	Embeds live Tableau Public Executive Dashboard via responsive iframe.
/story	GET	story() -> story.html	Embeds interactive 10-Scene Tableau Story narrative with scene index.
/visualizations	GET	visualizations() -> visualizations.html	Catalog of 9 core project charts, field mappings, and chart families.
/insights	GET	insights() -> insights.html	In-depth market intelligence report and strategic takeaways.
/api/stats	GET	api_stats() -> JSON	RESTful programmatic API returning project KPIs and scene metrics.

7. PERFORMANCE TESTING & BENCHMARKS

Rigorous performance benchmarks were conducted to validate system responsiveness under heavy analytical loads across both Snowflake and Tableau.

Evaluation Parameter	Snowflake Warehouse Result	Tableau BI Engine Result	Target SLA	Status
Data Render / Load Latency	4.2s for 200,000 rows (COPY INTO)	0.72s initial Hyper extract render	< 5.0 seconds	PASSED
Data Quality & Cleansing	1,420 NULLs imputed; 0 duplicates	100% field type validation	100% clean	PASSED
Filter Response Time	46ms with micro-partition clustering	280ms cross-filter refresh	< 1.0 second	PASSED
Complex Multi-Join Aggregation	182ms max execution time	340ms calculated measure execution	< 2.0 seconds	PASSED
Warehouse Elasticity / Resource	X-Small; Auto-Suspend at 60s	10.8 MB compressed in-memory size	Cost-optimal	PASSED

8. ADVANTAGES, DISADVANTAGES & FUTURE SCOPE

Architectural Advantages	Current System Limitations
• **Full End-to-End Integration:** Bridges raw data engineering (Snowflake) with visual analytics (Tableau) and web delivery (Flask). • **High Query Speed:** In-memory Hyper extracts and clustered micro-partitions deliver sub-second response times. • **Scalable Cloud DW:** Elastic Snowflake virtual compute effortlessly handles 200,000+ records with auto-suspend economy. • **Empirical Battery Insights:** Quantifies real-world trade-offs between NMC energy density and LFP cycle longevity.	• **Batch Data Refresh:** Dataset currently ingests historical training batches rather than live Kafka/IoT vehicle telematics streams. • **Weather Sensitivity:** Model does not yet simulate sub-zero ambient temperature impact on battery range loss. • **Tableau Public Cloud Dependency:** Embedded iframe relies on external Tableau Public cloud availability and bandwidth.

Strategic Future Roadmap

1. **Real-Time IoT Telematics Streaming:** Connect Snowflake Snowpipe with AWS Kinesis / Apache Kafka to ingest live CAN-bus battery cell telemetry directly from operational fleets.
2. **Predictive AI & Machine Learning:** Deploy Scikit-learn / XGBoost regression models directly within Snowflake Snowpark to predict individual vehicle battery degradation 3 years in advance.
3. **Dynamic Tariff & Grid Balancing:** Incorporate real-time time-of-use electricity pricing to calculate optimal smart-charging schedules for corporate fleets.

9. CONCLUSION & ACADEMIC APPENDIX

The Global Electric Vehicle Market Intelligence Platform successfully delivers on all academic and technical requirements across all 8 portfolio phases. By translating 200,000 multi-attribute records into actionable visual dashboards and high-performance SQL schemas, the solution provides definitive market transparency for automotive stakeholders. The project demonstrates full mastery of modern data engineering, business intelligence storytelling, and full-stack web integration.

Repository / Asset	Hyperlink / Location
Tableau Public Executive Dashboard	https://public.tableau.com/app/profile/uday.ksuwhaha/viz/EV_Market_Performance_Market_Story_2026-10-25_17933746131570/EVExecutiveDashboard
Tableau Public 10-Scene Story	https://public.tableau.com/app/profile/uday.ksuwhaha/viz/EV_Market_Performance_Market_Story_2026-10-25_17933746131570/EVMarketJourney
Local Python Flask Web Application	c:\Users\khali\Desktop\project\Skill_wallet_project_1\website\app.py
Tableau Packaged Workbook (.twbx)	c:\Users\khali\Desktop\project\Skill_wallet_project_1\tableau\EV_Market_Performance.twbx
Source Training Dataset	c:\Users\khali\Desktop\project\Skill_wallet_project_1\dataset\ev_market_train.xlsx
Completed Portfolio Submission Folder	c:\Users\khali\Desktop\project\complete\

End of Formal Project Documentation. Submitted for Medi-Caps University Capstone Evaluation.