



El valor de la tabla para z es el área bajo la curva de la normal estándar a la izquierda de z



TAB	LA A:	Proba	abilidad	des de	la norr	mal est	ándar			
z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
-3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003
-3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0005	.0005	.0005
-3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007
-3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
-2.9	.0019	.0018	.0018	.0017	.0016	.0016	.0015	.0015	.0014	.0014
-2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019
-2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
-2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
-2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0048
-2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
-2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084
-2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110
-2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143
-2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183
-1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
-1.8	.0359	.0351	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
-1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
-1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
-1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
-1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0721	.0708	.0694	.0681
-1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
-1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
-1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
-1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
-0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
-0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
-0.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
-0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
-0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776
-0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
-0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3483
-0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
-0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
-0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641




El valor de la tabla para z es el área bajo la curva de la normal estándar a la izquierda de z



z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998




El valor de la tabla para p y C
es el valor crítico t\* que deja
una probabilidad p a la derecha
y una probabilidad C
entre -t\* y t\*



## TABLA B Valores críticos de la distribución t de Student

	Probabilidad de la cola $\it p$											
gl	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.000	1.376	1.963	3.078	6.314	12.71	15.89	31.82	63.66	127.3	318.3	636.6
2	0.816	1.061	1.386	1.886	2.920	4.303	4.849	6.965	9.925	14.09	22.33	31.60
3	0.765	0.978	1.250	1.638	2.353	3.182	3.482	4.541	5.841	7.453	10.21	12.92
4	0.741	0.941	1.190	1.533	2.132	2.776	2.999	3.747	4.604	5.598	7.173	8.610
5	0.727	0.920	1.156	1.476	2.015	2.571	2.757	3.365	4.032	4.773	5.893	6.869
6	0.718	0.906	1.134	1.440	1.943	2.447	2.612	3.143	3.707	4.317	5.208	5.959
7	0.711	0.896	1.119	1.415	1.895	2.365	2.517	2.998	3.499	4.029	4.785	5.408
8	0.706	0.889	1.108	1.397	1.860	2.306	2.449	2.896	3.355	3.833	4.501	5.041
9	0.703	0.883	1.100	1.383	1.833	2.262	2.398	2.821	3.250	3.690	4.297	4.781
10	0.700	0.879	1.093	1.372	1.812	2.228	2.359	2.764	3.169	3.581	4.144	4.587
11	0.697	0.876	1.088	1.363	1.796	2.201	2.328	2.718	3.106	3.497	4.025	4.437
12	0.695	0.873	1.083	1.356	1.782	2.179	2.303	2.681	3.055	3.428	3.930	4.318
13	0.694	0.870	1.079	1.350	1.771	2.160	2.282	2.650	3.012	3.372	3.852	4.221
14	0.692	0.868	1.076	1.345	1.761	2.145	2.264	2.624	2.977	3.326	3.787	4.140
15	0.691	0.866	1.074	1.341	1.753	2.131	2.249	2.602	2.947	3.286	3.733	4.073
16	0.690	0.865	1.071	1.337	1.746	2.120	2.235	2.583	2.921	3.252	3.686	4.015
17	0.689	0.863	1.069	1.333	1.740	2.110	2.224	2.567	2.898	3.222	3.646	3.965
18	0.688	0.862	1.067	1.330	1.734	2.101	2.214	2.552	2.878	3.197	3.611	3.922
19	0.688	0.861	1.066	1.328	1.729	2.093	2.205	2.539	2.861	3.174	3.579	3.883
20	0.687	0.860	1.064	1.325	1.725	2.086	2.197	2.528	2.845	3.153	3.552	3.850
21	0.686	0.859	1.063	1.323	1.721	2.080	2.189	2.518	2.831	3.135	3.527	3.819
22	0.686	0.858	1.061	1.321	1.717	2.074	2.183	2.508	2.819	3.119	3.505	3.792
23	0.685	0.858	1.060	1.319	1.714	2.069	2.177	2.500	2.807	3.104	3.485	3.768
24	0.685	0.857	1.059	1.318	1.711	2.064	2.172	2.492	2.797	3.091	3.467	3.745
25	0.684	0.856	1.058	1.316	1.708	2.060	2.167	2.485	2.787	3.078	3.450	3.725
26	0.684	0.856	1.058	1.315	1.706	2.056	2.162	2.479	2.779	3.067	3.435	3.707
27	0.684	0.855	1.057 1.056	1.314	1.703	2.052 2.048	2.158	2.473	2.771 2.763	3.057	3.421	3.690
28	0.683 $0.683$	0.855		1.313	1.701 1.699	2.048	2.154	2.467		3.047 3.038	3.408	3.674
29		0.854	1.055	1.311			2.150	2.462	2.756		3.396	3.659
30 40	0.683	0.854 0.851	1.055 1.050	1.310 1.303	1.697 1.684	2.042 2.021	2.147 2.123	2.457 2.423	2.750 2.704	3.030 2.971	3.385 3.307	3.646 3.551
50	0.679	0.849	1.030	1.299	1.676	2.021	2.123	2.423	2.678	2.937	3.261	3.496
60	0.679	0.848	1.047	1.299	1.671	2.009	2.109	2.390	2.660	2.915	3.232	3.490 $3.460$
80	0.678	0.846	1.043	1.292	1.664	1.990	2.088	2.374	2.639	2.887	3.195	3.416
100	0.677	0.845	1.043	1.292	1.660	1.984	2.081	2.364	2.626	2.871	3.174	3.390
1000	0.675	0.843	1.042	1.282	1.646	1.962	2.056	2.330	2.581	2.813	3.098	3.300
z*	0.674	0.842	1.037	1.282	1.645	1.960	2.054	2.326	2.576	2.807	3.098	3.291
۷.	50%	60%	70%	80%	90%	95%	96%	98%	99%	99.5%	99.8%	99.9%
						Nivel de						






El valor de la tabla para p es el valor crítico $X^{2*}$  que deja la probabilidad p a la derecha

TABLA C: Valores críticos de la distribución  $\chi^2$  de Pearson

	Probabilidad de la cola p											
gl	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.32	1.64	2.07	2.71	3.84	5.02	5.41	6.63	7.88	9.14	10.83	12.12
2	2.77	3.22	3.79	4.61	5.99	7.38	7.82	9.21	10.60	11.98	13.82	15.20
3	4.11	4.64	5.32	6.25	7.81	9.35	9.84	11.34	12.84	14.32	16.27	17.73
4	5.39	5.99	6.74	7.78	9.49	11.14	11.67	13.28	14.86	16.42	18.47	20.00
5	6.63	7.29	8.12	9.24	11.07	12.83	13.39	15.09	16.75	18.39	20.51	22.11
6	7.84	8.56	9.45	10.64	12.59	14.45	15.03	16.81	18.55	20.25	22.46	24.10
7	9.04	9.80	10.75	12.02	14.07	16.01	16.62	18.48	20.28	22.04	24.32	26.02
8	10.22	11.03	12.03	13.36	15.51	17.53	18.17	20.09	21.95	23.77	26.12	27.87
9	11.39	12.24	13.29	14.68	16.92	19.02	19.68	21.67	23.59	25.46	27.88	29.67
10	12.55	13.44	14.53	15.99	18.31	20.48	21.16	23.21	25.19	27.11	29.59	31.42
11	13.70	14.63	15.77	17.28	19.68	21.92	22.62	24.72	26.76	28.73	31.26	33.14
12	14.85	15.81	16.99	18.55	21.03	23.34	24.05	26.22	28.30	30.32	32.91	34.82
13	15.98	16.98	18.20	19.81	22.36	24.74	25.47	27.69	29.82	31.88	34.53	36.48
14	17.12	18.15	19.41	21.06	23.68	26.12	26.87	29.14	31.32	33.43	36.12	38.11
15	18.25	19.31	20.60	22.31	25.00	27.49	28.26	30.58	32.80	34.95	37.70	39.72
16	19.37	20.47	21.79	23.54	26.30	28.85	29.63	32.00	34.27	36.46	39.25	41.31
17	20.49	21.61	22.98	24.77	27.59	30.19	31.00	33.41	35.72	37.95	40.79	42.88
18	21.60	22.76	24.16	25.99	28.87	31.53	32.35	34.81	37.16	39.42	42.31	44.43
19	22.72	23.90	25.33	27.20	30.14	32.85	33.69	36.19	38.58	40.88	43.82	45.97
20	23.83	25.04	26.50	28.41	31.41	34.17	35.02	37.57	40.00	42.34	45.31	47.50
21	24.93	26.17	27.66	29.62	32.67	35.48	36.34	38.93	41.40	43.78	46.80	49.01
22	26.04	27.30	28.82	30.81	33.92	36.78	37.66	40.29	42.80	45.20	48.27	50.51
23	27.14	28.43	29.98	32.01	35.17	38.08	38.97	41.64	44.18	46.62	49.73	52.00
24	28.24	29.55	31.13	33.20	36.42	39.36	40.27	42.98	45.56	48.03	51.18	53.48
25	29.34	30.68	32.28	34.38	37.65	40.65	41.57	44.31	46.93	49.44	52.62	54.95
26	30.43	31.79	33.43	35.56	38.89	41.92	42.86	45.64	48.29	50.83	54.05	56.41
27	31.53	32.91	34.57	36.74	40.11	43.19	44.14	46.96	49.64	52.22	55.48	57.86
28	32.62	34.03	35.71	37.92	41.34	44.46	45.42	48.28	50.99	53.59	56.89	59.30
29	33.71	35.14	36.85	39.09	42.56	45.72	46.69	49.59	52.34	54.97	58.30	60.73
30	34.80	36.25	37.99	40.26	43.77	46.98	47.96	50.89	53.67	56.33	59.70	62.16
40	45.62	47.27	49.24	51.81	55.76	59.34	60.44	63.69	66.77	69.70	73.40	76.09
50	56.33	58.16	60.35	63.17	67.50	71.42	72.61	76.15	79.49	82.66	86.66	89.56
60	66.98	68.97	71.34	74.40	79.08	83.30	84.58	88.38	91.95	95.34	99.61	102.7
80	88.13	90.41	93.11	96.58	101.9	106.6	108.1	112.3	116.3	120.1	124.8	128.3
100	109.1	111.7	114.7	118.5	124.3	129.6	131.1	135.8	140.2	144.3	149.4	153.2






El valor de la tabla para p es el valor crítico F\* que deja la probabilidad p a la derecha

TABLA D Valores críticos de la distribución F de Fisher

			Grados de libertad en el numerador										
		p	1	2	3	4	5	6	7	8	9		
		.100 .050	39.86 161.45	49.50 199.50	53.59 215.71	55.83 224.58	57.24 230.16	58.20 233.99	58.91 236.77	59.44 238.88	59.86 240.54		
	1	.025	647.79	799.50	864.16	899.58	921.85	937.11	948.22	956.66	963.28		
		.010	4052.2	4999.5	5403.4	5624.6	5763.6	5859.0	5928.4	5981.1	6022.5		
		.001	405284	500000	540379	562500	576405	585937	592873	598144	602284		
		.100	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38		
		.050	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38		
	2	.025	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39		
		.010	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39		
		.001	998.50	999.00	999.17	999.25	999.30	999.33	999.36	999.37	999.39		
or		.100	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24		
ad		.050	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81		
Ë	3	.025	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47		
шс		.010	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35		
en		.001	167.03	148.50	141.11	137.10	134.58	132.85	131.58	130.62	129.86		
p		.100	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94		
n		.050	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00		
e e	4	.025	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90		
ţ		.010	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66		
er		.001	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47		
Grados de libertad en el denominador		.100	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32		
ð		.050	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77		
sop	5	.025	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68		
гас		.010	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16		
G		.001	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24		
		.100	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96		
		.050	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10		
	6	.025	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52		
		.010	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98		
		.001	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69		
		.100	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72		
		.050	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68		
	7	.025	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82		
		.010	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72		
		.001	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33		





El valor de la tabla para p es el valor crítico F\* que deja la probabilidad p a la derecha

TABLAD Valores críticos de la distribución F de Fisher (cont.)

			G	rados de lil	oertad del r	umerador				
10	12	15	20	25	30	40	50	60	120	1000
60.19	60.71	61.22	61.74	62.05	62.26	62.53	62.69	62.79	63.06	63.30
241.88	243.91	245.95	248.01	249.26	250.10	251.14	251.77	252.20	253.25	254.19
968.63	976.71	984.87	993.10	998.08	1001.4	1005.6	1008.1	1009.8	1014.0	1017.7
6055.8	6106.3	6157.3	6208.7	6239.8	6260.6	6286.8	6302.5	6313.0	6339.4	6362.7
605621	610668	615764	620908	624017	626099	628712	630285	631337	633972	636301
9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.47	9.48	9.49
19.40	19.41	19.43	19.45	19.46	19.46	19.47	19.48	19.48	19.49	19.49
39.40	39.41	39.43	39.45	39.46	39.46	39.47	39.48	39.48	39.49	39.50
99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.48	99.49	99.50
999.40	999.42	999.43	999.45	999.46	999.47	999.47	999.48	999.48	999.49	999.50
5.23	5.22	5.20	5.18	5.17	5.17	5.16	5.15	5.15	5.14	5.13
8.79	8.74	8.70	8.66	8.63	8.62	8.59	8.58	8.57	8.55	8.53
14.42	14.34	14.25	14.17	14.12	14.08	14.04	14.01	13.99	13.95	13.91
27.23	27.05	26.87	26.69	26.58	26.50	26.41	26.35	26.32	26.22	26.14
129.25	128.32	127.37	126.42	125.84	125.45	124.96	124.66	124.47	123.97	123.53
3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.80	3.79	3.78	3.76
5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.70	5.69	5.66	5.63
8.84	8.75	8.66	8.56	8.50	8.46	8.41	8.38	8.36	8.31	8.26
14.55	14.37	14.20	14.02	13.91	13.84	13.75	13.69	13.65	13.56	13.47
48.05	47.41	46.76	46.10	45.70	45.43	45.09	44.88	44.75	44.40	44.09
3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.15	3.14	3.12	3.11
4.74	4.68	4.62	4.56	4.52	4.50	4.46	4.44	4.43	4.40	4.37
6.62	6.52	6.43	6.33	6.27	6.23	6.18	6.14	6.12	6.07	6.02
10.05	9.89	9.72	9.55	9.45	9.38	9.29	9.24	9.20	9.11	9.03
26.92	26.42	25.91	25.39	25.08	24.87	24.60	24.44	24.33	24.06	23.82
2.94	2.90	2.87	2.84	2.81	2.80	2.78	2.77	2.76	2.74	2.72
4.06	4.00	3.94	3.87	3.83	3.81	3.77	3.75	3.74	3.70	3.67
5.46	5.37	5.27	5.17	5.11	5.07	5.01	4.98	4.96	4.90	4.86
7.87	7.72	7.56	7.40	7.30	7.23	7.14	7.09	7.06	6.97	6.89
18.41	17.99	17.56	17.12	16.85	16.67	16.44	16.31	16.21	15.98	15.77
2.70	2.67	2.63	2.59	2.57	2.56	2.54	2.52	2.51	2.49	2.47
3.64	3.57	3.51	3.44	3.40	3.38	3.34	3.32	3.30	3.27	3.23
4.76	4.67	4.57	4.47	4.40	4.36	4.31	4.28	4.25	4.20	4.15
6.62	6.47	6.31	6.16	6.06	5.99	5.91	5.86	5.82	5.74	5.66
14.08	13.71	13.32	12.93	12.69	12.53	12.33	12.20	12.12	11.91	11.72

TABLA D Valores críticos de la distribución F de Fisher (cont.)

			Grados de libertad en el numerador									
		p	1	2	3	4	5	6	7	8	9	
	8	.100 .050 .025 .010 .001	3.46 5.32 7.57 11.26 25.41	3.11 4.46 6.06 8.65 18.49	2.92 4.07 5.42 7.59 15.83	2.81 3.84 5.05 7.01 14.39	2.73 3.69 4.82 6.63 13.48	2.67 3.58 4.65 6.37 12.86	2.62 3.50 4.53 6.18 12.40	2.59 3.44 4.43 6.03 12.05	2.56 3.39 4.36 5.91 11.77	
	9	.100 .050 .025 .010 .001	3.36 5.12 7.21 10.56 22.86	3.01 4.26 5.71 8.02 16.39	2.81 3.86 5.08 6.99 13.90	2.69 3.63 4.72 6.42 12.56	2.61 3.48 4.48 6.06 11.71	2.55 3.37 4.32 5.80 11.13	2.51 3.29 4.20 5.61 10.70	2.47 3.23 4.10 5.47 10.37	2.44 3.18 4.03 5.35 10.11	
	10	.100 .050 .025 .010	3.29 4.96 6.94 10.04 21.04	2.92 4.10 5.46 7.56 14.91	2.73 3.71 4.83 6.55 12.55	2.61 3.48 4.47 5.99 11.28	2.52 3.33 4.24 5.64 10.48	2.46 3.22 4.07 5.39 9.93	2.41 3.14 3.95 5.20 9.52	2.38 3.07 3.85 5.06 9.20	2.35 3.02 3.78 4.94 8.96	
dor	11	.100 .050 .025 .010	3.23 4.84 6.72 9.65 19.69	2.86 3.98 5.26 7.21 13.81	2.66 3.59 4.63 6.22 11.56	2.54 3.36 4.28 5.67 10.35	2.45 3.20 4.04 5.32 9.58	2.39 3.09 3.88 5.07 9.05	2.34 3.01 3.76 4.89 8.66	2.30 2.95 3.66 4.74 8.35	2.27 2.90 3.59 4.63 8.12	
el denomina	12	.100 .050 .025 .010 .001	3.18 4.75 6.55 9.33 18.64	2.81 3.89 5.10 6.93 12.97	2.61 3.49 4.47 5.95 10.80	2.48 3.26 4.12 5.41 9.63	2.39 3.11 3.89 5.06 8.89	2.33 3.00 3.73 4.82 8.38	2.28 2.91 3.61 4.64 8.00	2.24 2.85 3.51 4.50 7.71	2.21 2.80 3.44 4.39 7.48	
Grados de libertad en el denominador	13	.100 .050 .025 .010 .001	3.14 4.67 6.41 9.07 17.82	2.76 3.81 4.97 6.70 12.31	2.56 3.41 4.35 5.74 10.21	2.43 3.18 4.00 5.21 9.07	2.35 3.03 3.77 4.86 8.35	2.28 2.92 3.60 4.62 7.86	2.23 2.83 3.48 4.44 7.49	2.20 2.77 3.39 4.30 7.21	2.16 2.71 3.31 4.19 6.98	
Grados	14	.100 .050 .025 .010 .001	3.10 4.60 6.30 8.86 17.14	2.73 3.74 4.86 6.51 11.78	2.52 3.34 4.24 5.56 9.73	2.39 3.11 3.89 5.04 8.62	2.31 2.96 3.66 4.69 7.92	2.24 2.85 3.50 4.46 7.44	2.19 2.76 3.38 4.28 7.08	2.15 2.70 3.29 4.14 6.80	2.12 2.65 3.21 4.03 6.58	
	15	.100 .050 .025 .010 .001	3.07 4.54 6.20 8.68 16.59	2.70 3.68 4.77 6.36 11.34	2.49 3.29 4.15 5.42 9.34	2.36 3.06 3.80 4.89 8.25	2.27 2.90 3.58 4.56 7.57	2.21 2.79 3.41 4.32 7.09	2.16 2.71 3.29 4.14 6.74	2.12 2.64 3.20 4.00 6.47	2.09 2.59 3.12 3.89 6.26	
	16	.100 .050 .025 .010 .001	3.05 4.49 6.12 8.53 16.12	2.67 3.63 4.69 6.23 10.97	2.46 3.24 4.08 5.29 9.01	2.33 3.01 3.73 4.77 7.94	2.24 2.85 3.50 4.44 7.27	2.18 2.74 3.34 4.20 6.80	2.13 2.66 3.22 4.03 6.46	2.09 2.59 3.12 3.89 6.19	2.06 2.54 3.05 3.78 5.98	
	17	.100 .050 .025 .010 .001	3.03 4.45 6.04 8.40 15.72	2.64 3.59 4.62 6.11 10.66	2.44 3.20 4.01 5.19 8.73	2.31 2.96 3.66 4.67 7.68	2.22 2.81 3.44 4.34 7.02	2.15 2.70 3.28 4.10 6.56	2.10 2.61 3.16 3.93 6.22	2.06 2.55 3.06 3.79 5.96	2.03 2.49 2.98 3.68 5.75	

TABLA D Valores críticos de la distribución F de Fisher (cont.)

ADLA	D Vui	<b>.</b>	10,000 0	· · · · · · · · · · · · · · · · · · ·	Stribucio			(		
			Gra	ados de libe	ertad en el n	umerador				
10	12	15	20	25	30	40	50	60	120	100
2.54	2.50 3.28 4.20 5.67 11.19	2.46	2.42 3.15 4.00 5.36 10.48	2.40 3.11 3.94 5.26 10.26	2.38 3.08	2.36 3.04 3.84 5.12 9.92	2.35 3.02 3.81 5.07 9.80	2.34	2.32 2.97 3.73 4.95 9.53	2.3 2.9 3.6 4.8 9.3
3.35	3.28	3.22	3.15	3.11	3.08	3.04	3.02	3.01	2.97	2.9
3.35 4.30	4.20	4.10	4.00	3.94	3.89	3.84	3.81	3.78	3.73	3.6
5.81	5.67	5.52	5.36	5.26	5.20	5.12	5.07	5.03	4.95	4.8
5.81 11.54	11.19	5.52 10.84	10.48	10.26	10.11	9.92	9.80	3.01 3.78 5.03 9.73	9.53	9.3
2.42	2.38 3.07 3.87 5.11 9.57	2.34	2.30	2.27 2.89 3.60 4.71 8.69	2.25	2.23 2.83 3.51 4.57 8.37	2.22	2.21	2.18 2.75 3.39 4.40 8.00	2.1 2.7 3.3 4.3 7.8
3.14	3.07	3.01	2.94	2.89	2.86	2.83	2.80	2.79	2.75	2.7
3.96	3.87	3.77	3.67	3.60	3.56	3.51	3.47	3.45	3.39	3.3
5.26 9.89	5.11	4.96	4.81	4.71	4.65	4.57	4.52	4.48	4.40	4.3
9.89	9.57	9.24	2.94 3.67 4.81 8.90	8.69	8.55	8.37	2.80 3.47 4.52 8.26	8.19	8.00	7.8
2.32	2.28	2.24	2.20 2.77 3.42	2.17 2.73 3.35 4.31	2.16 2.70	2.13 2.66 3.26 4.17 7.30	2.12	2.11 2.62	2.08 2.58 3.14 4.00 6.94	2.0 2.3 3.0 3.0 6.7
2.98	2.91 3.62	2.85	2.77	2.73	2.70	2.66	2.64	2.62	2.58	2.:
3.72	3.62	3.52	3.42	3.35	3.31	3.26	3.22	3.20	3.14	3.
4.85	4.71	4.56	4.41	4.31	4.25	4.17	2.64 3.22 4.12	4.08	4.00	3.
8.75	8.45	8.13	4.41 7.80	7.60	7.47	7.30	7.19	7.12	6.94	6.
2.25 2.85	2.21 2.79 3.43	2.17 2.72	2.12 2.65 3.23	2.10 2.60 3.16	2.08 2.57	2.05 2.53 3.06	2.04 2.51 3.03	2.03 2.49	2.00 2.45 2.94	1. 2. 2.
2.85	2.79	2.72	2.65	2.60	2.57	2.53	2.51	2.49	2.45	2.
3.53	3.43	3.33	3.23	3.16	3.12	3.06	3.03	3.00	2.94	2.
4.54 7.92	4.40	4.25 7.32	4.10	4.01	3.94 6.68	3.86	3.81 6.42	3.78	3.69	3.
7.92	7.63	7.32	4.10 7.01	4.01 6.81	6.68	3.86 6.52		6.35	3.69 6.18	6.
2.19 2.75	2.15 2.69	2.10	2.06 2.54 3.07 3.86	2.03 2.50 3.01 3.76	2.01	1.99 2.43 2.91 3.62	1.97 2.40 2.87 3.57	1.96 2.38	1.93 2.34 2.79 3.45 5.59	1. 2.
2.75	2.69	2.62	2.54	2.50	2.47	2.43	2.40	2.38	2.34	2.
3.37	3.28	3.18	3.07	3.01	2.96	2.91	2.87	2.85	2.79	2.
3.37 4.30	3.28 4.16	4.01	3.86	3.76	3.70	3.62	3.57	3.54	3.45	2. 3.
7.29	7.00	6.71	6.40	6.22	6.09	5.93	5.83	5.76	5.59	5.
2.14	2.10	2.05	2.01 2.46 2.95 3.66 5.93	1.98 2.41 2.88 3.57 5.75	1.96 2.38 2.84	1.93 2.34 2.78 3.43 5.47	1.92 2.31 2.74 3.38 5.37	1.90 2.30 2.72	1.88 2.25 2.66 3.25 5.14	1. 2. 2.
2.67 3.25	2.60 3.15	2.53 3.05	2.46	2.41	2.38	2.34	2.31	2.30	2.25	2.
3.25	3.15	3.05	2.95	2.88	2.84	2.78	2.74	2.72	2.66	2.
4.10 6.80	3.96 6.52	3.82	3.66	3.57	3.51 5.63	3.43	3.38	3.34	3.25	3. 4.
		6.23	5.93	5.75		5.47	5.37	5.30	5.14	
2.10 2.60	2.05 2.53 3.05 3.80 6.13	2.01	1.96 2.39 2.84	1.93 2.34 2.78 3.41 5.38	1.91 2.31 2.73	1.89 2.27 2.67 3.27 5.10	1.87 2.24 2.64 3.22 5.00	1.86 2.22	1.83 2.18 2.55 3.09 4.77	1. 2. 2. 3. 4.
2.60	2.53	2.46	2.39	2.34	2.31	2.27	2.24	2.22	2.18	2.
3.15	3.05	2.95	2.84	2.78	2.73	2.67	2.64	2.61	2.55	2.
3.94 6.40	3.80	3.66	3.51 5.56	3.41	3.35 5.25	3.27	3.22	3.18 4.94	3.09	3.
6.40	6.13	5.85		5.38	5.25	5.10	5.00	4.94	4.77	4.
2.06	2.02	1.97	1.92 2.33 2.76 3.37 5.25	1.89 2.28 2.69 3.28 5.07	1.87	1.85 2.20 2.59 3.13 4.80	1.83 2.18 2.55 3.08 4.70	1.82	1.79 2.11 2.46 2.96 4.47	1.
2.54	2.48	2.40	2.33	2.28	2.25	2.20	2.18	2.16	2.11	2.
3.06	2.96	2.86	2.76	2.69	2.64	2.59	2.55	2.52	2.46	2.
3.80	3.67	3.52	3.37	3.28	3.21	3.13	3.08	3.05	2.96	2.
6.08	2.96 3.67 5.81	5.54	5.25		4.95	4.80	4.70	4.64	4.47	1. 2. 2. 2. 4.
2.03 2.49	1.99 2.42 2.89	1.94 2.35 2.79	1.89 2.28 2.68	1.86 2.23 2.61	1.84 2.19	1.81 2.15 2.51	1.79 2.12 2.47	1.78 2.11	1.75 2.06 2.38	1.
2.49	2.42	2.35	2.28	2.23	2.19	2.15	2.12	2.11	2.06	2.
2.99	2.89	2.79	2.68	2.61	2.57	2.51	2.47	2.45	2.38	1. 2. 2.
3.69	3.55	3.41	3.26	3.16	3.10	3.02 4.54	2.97	2.93	2.84	2.
5.81	5.55	5.27	4.99	4.82	4.70		4.45	4.39	4.23	4.
2.00 2.45 2.92	1.96 2.38 2.82 3.46 5.32	1.91	1.86 2.23 2.62 3.16 4.78	1.83 2.18 2.55 3.07 4.60	1.81	1.78 2.10 2.44 2.92 4.33	1.76 2.08	1.75 2.06 2.38	1.72 2.01 2.32 2.75 4.02	1. 1. 2.
2.45	2.38	2.31	2.23	2.18	1.81 2.15	2.10	2.08	2.06	2.01	1.
2.92	2.82	2.72	2.62	2.55	2.50	2.44	2.41	2.38	2.32	2.
3.59 5.58	3.46	3.31	3.16	3.07	3.00	2.92	2.41 2.87 4.24	2.83	2.75	2.
5 5 9	5.32	5.05	4.78	4 60	4.48	4 33	4 24	4.18	4 02	3

TABLA D Valores críticos de la distribución F de Fisher (cont.)

				Grados de libertad en el numerador										
		p	1	2	3	4	5	6	7	8	9			
		.100	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00			
		.050	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46			
	18	.025	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93			
		.010	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60			
		.001	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56			
		.100	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98			
		.050	4.38	3.52 4.51	3.13	2.90	2.74	2.63	2.54	2.48	2.42			
	19	.025	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88			
		.010	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52			
		.001	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39			
		.100	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96			
		.050	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39			
	20	.025	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84			
		.010	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46			
		.001	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24			
		.100	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95			
		.050	4.32	3.47 4.42	3.07	2.84	2.68	2.57	2.49	2.42	2.37			
	21	.025	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80			
Ä		.010	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40			
adc		.001	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11			
ij		.100	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93			
шc		.050	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34			
ë	22	.025	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76			
ď		.010	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35			
n e		.001	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99			
Grados de libertad en el denominador		.100	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92			
ţ		.050	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32			
Эeг	23	.025	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73			
Ξ		.010	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30			
de		.001	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89			
dos		.100	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91			
rae		.050	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30			
G	24	.025	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70			
		.010	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26			
		.001	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80			
		.100	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89			
		.050	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28			
	25	.025	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68			
		.010	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22			
		.001	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.71			
		.100	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88			
		.050	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27			
	26	.025	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65			
		.010	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18			
		.001	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64			
		.100	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87			
		.050	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25			
	27	.025	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63			
	•	.010	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15			
		.001	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57			

## TABLA D Valores críticos de la distribución F de Fisher (cont.)

			Gra	dos de libe	rtad en el n	umerador				
10	12	15	20	25	30	40	50	60	120	1000
1.98	1.93	1.89	1.84	1.80	1.78	1.75	1.74	1.72	1.69	1.66
2.41	2.34	2.27	2.19	2.14	2.11	2.06	2.04	2.02	1.97	1.92
2.87	2.77	2.67	2.56	2.49	2.44	2.38	2.35	2.32	2.26	2.20
3.51	3.37	3.23	3.08	2.98	2.92	2.84	2.78	2.75	2.66	2.58
5.39	5.13	4.87	4.59	4.42	4.30	4.15	4.06	4.00	3.84	3.69
1.96	1.91	1.86	1.81	1.78	1.76	1.73	1.71	1.70	1.67	1.64
2.38 2.82	2.31	2.23	2.16	2.11	2.07	2.03 2.33	2.00	1.98	1.93	1.88
2.82	2.72	2.62	2.51	2.44	2.39	2.33	2.30	2.27	2.20	2.14
3.43	3.30	3.15	3.00	2.91	2.84	2.76	2.71	2.67	2.58	2.50
5.22	4.97	4.70	4.43	4.26	4.14	3.99	3.90	3.84	3.68	3.53
1.94	1.89	1.84	1.79	1.76	1.74	1.71	1.69	1.68	1.64	1.61
2.35	2.28	2.20	2.12	2.07	2.04	1.99	1.97	1.95	1.90	1.85
2.77	2.68	2.57	2.46	2.40	2.35	2.29	2.25	2.22	2.16	2.09
3.37	3.23	3.09	2.94	2.84	2.78	2.69	2.64	2.61	2.52	2.43
5.08	4.82	4.56	4.29	4.12	4.00	3.86	3.77	3.70	3.54	3.40
1.92	1.87	1.83	1.78	1.74	1.72	1.69	1.67	1.66	1.62	1.59
2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.94	1.92	1.87	1.82
2.73	2.64	2.53	2.42	2.36	2.31	2.25	2.21	2.18	2.11	2.05
3.31	3.17	3.03	2.88	2.79	2.72	2.64	2.58	2.55	2.46	2.37
4.95	4.70	4.44	4.17	4.00	3.88	3.74	3.64	3.58	3.42	3.28
1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.65	1.64	1.60	1.57
2.30	2.23	2.15	2.07	2.02	1.98	1.94	1.91	1.89	1.84	1.79
2.70	2.60	2.50	2.39	2.32	2.27	2.21	2.17	2.14	2.08	2.01
3.26	3.12	2.98	2.83	2.73	2.67	2.58	2.53	2.50	2.40	2.32
4.83	4.58	4.33	4.06	3.89	3.78	3.63	3.54	3.48	3.32	3.17
1.89	1.84	1.80	1.74	1.71	1.69	1.66	1.64	1.62	1.59	1.55
2.27	2.20	2.13	2.05	2.00	1.96	1.91	1.88	1.86	1.81	1.76
2.67	2.57	2.47	2.36	2.29	2.24	2.18	2.14	2.11	2.04	1.98
3.21	3.07	2.93	2.78	2.69	2.62	2.54	2.48	2.45	2.35	2.27
4.73	4.48	4.23	3.96	3.79	3.68	3.53	3.44	3.38	3.22	3.08
1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.62	1.61	1.57	1.54
2.25	2.18	2.11	2.03	1.97	1.94	1.89	1.86	1.84	1.79	1.74
2.64	2.54	2.44	2.33	2.26	2.21	2.15	2.11	2.08	2.01	1.94
3.17	3.03	2.89	2.74	2.64	2.58	2.49	2.44	2.40	2.31	2.22
4.64	4.39	4.14	3.87	3.71	3.59	3.45	3.36	3.29	3.14	2.99
1.87	1.82	1.77	1.72	1.68	1.66	1.63	1.61	1.59	1.56	1.52
2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.84	1.82	1.77	1.72
2.61	2.51	2.41	2.30	2.23	2.18	2.12	2.08	2.05	1.98	1.91
3.13	2.99	2.85	2.70 3.79	2.60	2.54	2.45	2.40	2.36	2.27	2.18
4.56	4.31	4.06		3.63	3.52	3.37	3.28	3.22	3.06	2.91
1.86	1.81	1.76	1.71	1.67	1.65	1.61	1.59	1.58	1.54	1.51
2.22	2.15	2.07	1.99	1.94	1.90	1.85	1.82	1.80	1.75	1.70
2.59	2.49	2.39	2.28	2.21	2.16	2.09	2.05	2.03	1.95	1.89
3.09	2.96	2.81	2.66	2.57	2.50	2.42	2.36	2.33	2.23	2.14
4.48	4.24	3.99	3.72	3.56	3.44	3.30	3.21	3.15	2.99	2.84
1.85	1.80	1.75	1.70	1.66	1.64	1.60	1.58	1.57	1.53	1.50
2.20	2.13	2.06	1.97	1.92	1.88	1.84	1.81	1.79	1.73	1.68
2.57	2.47	2.36	2.25	2.18	2.13	2.07	2.03	2.00	1.93	1.86
3.06	2.93	2.78	2.63	2.54	2.47	2.38	2.33	2.29	2.20	2.11
4.41	4.17	3.92	3.66	3.49	3.38	3.23	3.14	3.08	2.92	2.78

TABLA D Valores of	ríticos de la	distribución	n F de Fisher(	cont.
--------------------	---------------	--------------	----------------	-------

			Grados de libertad en el numerador								
		р	1	2	3	4	5	6	7	8	9
		.100	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87
	28	.050	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
		.025	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61
		.010 .001	7.64 13.50	5.45 8.93	4.57 7.19	4.07 6.25	3.75 5.66	3.53 5.24	3.36 4.93	3.23 4.69	3.12 4.50
	29	.100	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86
		.050	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
		.025	5.59 7.60	4.20	3.61	3.27 4.04	3.04	2.88	2.76	2.67	2.59
		.010 .001	13.39	5.42 8.85	$\frac{4.54}{7.12}$	6.19	3.73 5.59	3.50 5.18	3.33 4.87	$\frac{3.20}{4.64}$	3.09 4.45
	30	.100	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
		.050	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
Grados de libertad en el denominador		.025	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57
		.010 .001	7.56	5.39 8.77	4.51 7.05	4.02 6.12	3.70 5.53	3.47 5.12	3.30 4.82	3.17 4.58	3.07 4.39
			13.29								4.39
	40	.100	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79
		.050	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
		.025	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45
		.010	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89
enc		.001	12.61	8.25	6.59	5.70	5.13	4.73	4.44	4.21	4.02
ď		.100	2.81	2.41	2.20	2.06	1.97	1.90	1.84	1.80	1.76
J e	50	.050	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07
<u> </u>		.025	5.34	3.97	3.39	3.05	2.83	2.67	2.55	2.46	2.38
tac		.010	7.17	5.06	4.20	3.72	3.41	3.19	3.02	2.89	2.78
)er		.001	12.22	7.96	6.34	5.46	4.90	4.51	4.22	4.00	3.82
==		.100	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74
de		.050	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
os	60	.025	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33
ad		.010	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72
<u>5</u>		.001	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69
		.100	2.76	2.36	2.14	2.00	1.91	1.83	1.78	1.73	1.69
		.050	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97
	100	.025	5.18	3.83	3.25	2.92	2.70	2.54	2.42	2.32	2.24
		.010	6.90	4.82	3.98	3.51	3.21	2.99	2.82	2.69	2.59
		.001	11.50	7.41	5.86	5.02	4.48	4.11	3.83	3.61	3.44
	200	.100	2.73	2.33	2.11	1.97	1.88	1.80	1.75	1.70	1.66
		.050	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93
		.025	5.10	3.76	3.18	2.85	2.63	2.47	2.35	2.26	2.18
		.010	6.76	4.71	3.88	3.41	3.11	2.89	2.73	2.60	2.50
		.001	11.15	7.15	5.63	4.81	4.29	3.92	3.65	3.43	3.26
		.100	2.71	2.31	2.09	1.95	1.85	1.78	1.72	1.68	1.64
		.050	3.85	3.00	2.61	2.38	2.22	2.11	2.02	1.95	1.89
	1000	.025	5.04	3.70	3.13	2.80	2.58	2.42	2.30	2.20	2.13
		.010	6.66	4.63	3.80	3.34	3.04	2.82	2.66	2.53	2.43
		.001	10.89	6.96	5.46	4.65	4.14	3.78	3.51	3.30	3.13
l —											

TABLA D Valores críticos de la distribución F de Fisher (cont.)

Grados de libertad en el numerador										
10	12	15	20	25	30	40	50	60	120	100
1.84	1.79	1.74	1.69	1.65	1.63	1.59 1.82 2.05 2.35	1.57	1.56	1.52	1.4
2.19	2.12	2.04	1.96 2.23	1.91	1.87	1.82	1.79	1.77	1.71	1.6
2.55	2.45	2.34	2.23	2.16	2.11	2.05	2.01	1.98	1.91	1.3
3.03	2.90	2.75	2.60	2.51	2.44	2.35	2.30	2.26	2.17	1.8
4.35	4.11	3.86	3.60	3.43	3.32	3.18	3.09	3.02	1.71 1.91 2.17 2.86	2.
1.83	1.78 2.10	1.73	1.68	1.64 1.89 2.14	1.62	1.58 1.81 2.03	1.56 1.77 1.99 2.27 3.03	1.55 1.75	1.51 1.70 1.89	1. 1.
2.18	2.10	2.03	1.94	1.89	1.85	1.81	1.77	1.75	1.70	1.
2.53	2.43	2.32	2.21	2.14	2.09	2.03	1.99	1.96	1.89	1.
3.00	2.87	2.73	2.57	2.48	2.41	2.33	2.27	2.23	2.14	2.
3.00 4.29	4.05	2.73 3.80	2.57 3.54	3.38	2.41 3.27	2.33 3.12	3.03	2.23 2.97	2.14 2.81	2.
1.82	1.77	1.72	1.67 1.93 2.20 2.55	1.63 1.88 2.12	1.61	1.57 1.79 2.01 2.30 3.07	1.55	1.54	1.50 1.68 1.87 2.11 2.76	1.
2.16	2.09	2.01	1.93	1.88	1.84	1.79	1.76	1.74	1.68	1.
2.51 2.98	2.41	2.31	2.20	2.12	2.07	2.01	1.97 2.25	1.94	1.87	1.
2.98	2.84	2.70	2.55	2.45	2.39	2.30	2.25	2.21	2.11	2.
4.24	4.00	3.75	3.49	3.33	3.22	3.07	2.98	2.92	2.76	1. 1. 2. 2.
1.76	1.71	1.66	1.61	1.57	1.54	1.51 1.69 1.88	1.48	1.47	1 42	1. 1. 1.
2.08 2.39	2.00 2.29	1.92	1.84	1.78	1.74	1.69	1.66 1.83	1.64	1.58	1.
2.39	2.29	2.18	2.07	1.99	1.94	1.88	1.83	1.80	1.72	1.
2.80	2.66	2.52	2.37	1.78 1.99 2.27	2.20	2.11	2.06	2.02	1.92	1.
3.87	3.64	3.40	1.61 1.84 2.07 2.37 3.14	2.98	2.87	2.11 2.73	2.64	2.57	1.58 1.72 1.92 2.41	2.
1.73	1.68	1.63	1.57	1.53 1.73 1.92	1.50	1.46 1.63 1.80	1.44	1.42	1.38 1.51 1.64	1. 1. 1.
2.03 2.32	1.95 2.22	1.87	1.78	1.73	1.69	1.63	1.60 1.75	1.58	1.51	1.
2.32	2.22	2.11	1.99	1.92	1.87	1.80	1.75	1.72	1.64	1
2.70	2.56	2.42	2.27	2.17	2.10	2.01	1.95	1.91	1.80	1.
2.70 3.67	3.44	3.20	1.57 1.78 1.99 2.27 2.95	2.17 2.79	2.68	2.01 2.53	1.95 2.44	1.91 2.38	1.80 2.21	1.
1.71	1.66 1.92 2.17	1.60	1.54 1.75 1.94	1.50 1.69 1.87	1.48	1.44 1.59 1.74	1.41 1.56	1.40		1.
1.99	1.92	1.84	1.75	1.69	1.65	1.59	1.56	1.53	1.47	1.
2.27	2.17	2.06	1.94	1.87	1.82	1.74	1.70	1.67	1.58	1.
2.63	2.50	2.35	2.20	2.10	2.03	1.94	1.88	1.84	1.73	1.
2.63 3.54	3.32	2.35 3.08	2.20 2.83	2.67	2.03 2.55	1.94 2.41	2.32	1.84 2.25	1.35 1.47 1.58 1.73 2.08	1. 1. 1. 1.
1.66	1.61	1.56	1.49 1.68 1.85	1.45	1.42	1.38 1.52 1.64	1.35	1.34	1.28	
1.93	1.85	1 77	1.68	1.62 1.77	1.57	1.52	1 48	1.45	1.38	1
1.93 2.18	1.85 2.08	1.77 1.97	1.85	1.02	1.71	1.64	1.48 1.59	1.56	1.46	1. 1. 1.
2.50	2.37	2.22	2.07	1.97	1.89	1.80	1.74	1.69	1.57	1.
3.30	3.07	2.84	2.07 2.59	2.43	2.32	1.80 2.17	2.08	2.01	1.28 1.38 1.46 1.57 1.83	1.
1.63	1.58	1.52		1.41	1.38		1.31	1.29	1.23	
1.88	1.80	1.72	1.46 1.62 1.78	1.56	1.52	1.04	1.41	1.20	1.23 1.30 1.37	1
1.88 2.11	1.80 2.01	1.72	1.02	1.56 1.70	1.64	1.40	1.51	1.39 1.47	1.30	1. 1. 1.
2.11 2.41	2.27	9 12	1.70	1.87	1.79	1.50	1.51	1.52	1.57	1.
2.41 3.12	2.27	2.13 2.67	1.97 2.42	2.26	2.15	1.34 1.46 1.56 1.69 2.00	1.63 1.90	1.58 1.83	1.45 1.64	1. 1.
1.61	1 55	1.49			1.35	1 30		1.25		
1.84	1.33	1.49	1.43	1.38 1.52	1.47	1.30	1.26	1.33	1.10	1.
2.04	1.70	1.85	1.30	1.52	1.58	1.41	1.30	1.33	1.24	1.
2.06 2.34	1.76 1.96 2.20	2.06	1.43 1.58 1.72 1.90 2.30	1.64 1.79	1.72	1.30 1.41 1.50 1.61 1.87	1.27 1.36 1.45 1.54 1.77	1.41	1.18 1.24 1.29 1.35 1.49	1. 1. 1. 1.
2.34	2.20	2.54	9.90	2.14	2.02	1.01	1.34	1.69	1.33	1.
۵.99	2.11	2.34	2.30	2.14	۵.02	1.07	1.//	1.09	1.49	1.